API NUMBER:	019 26476		OIL & GAS CONS	ORATION COMMISSI SERVATION DIVISION 30X 52000	-	Approval Date:	04/05/2022	
traight Hole	Oil & Gas		OKLAHOMA C	ITY, OK 73152-2000 165:10-3-1)		Expiration Date:	10/05/2023	
			PERMIT	TO DRILL				
WELL LOCATION:	Section: 05	Township: 2S	Range: 2W County:	CARTER				
SPOT LOCATION:	SE NE SE	SE FEET FROM	QUARTER: FROM SOUTH	FROM EAST				
		SEC	TION LINES: 825	165				
Lease Name:	BRAKERS		Well No: 163		Well will be 825	5 feet from nearest u	nit or lease boundary.	
Operator Name:	KODIAK OIL & GAS INC	:	Telephone: 9407594	4001		OTC/OCC Nu	umber: 23226 0	
KODIAK OIL	& GAS INC			JIMMIE L GODW	IN			
204 N WALN	IUT ST			1347 MOUNTAIN	VIEW ROAD			
MUENSTER,	,	TX 76252-2	766	SPRINGER		OK 73458	3	
Formation(s)	(Permit Valid for Li	sted Formations C	Only):					
Name		Code	Depth					
1 HOXBAR		405HXBR	1300					
2 DEESE		404DEESS	1500					
Spacing Orders:	664581		Location Exception Orde	No Exceptions		Increased Density Order	s: No Density	
Pending CD Numb	ers: No Pending		Working interest owr	ners' notified: ***		Special Order	s: No Special	
Total Depth: 2	2000 Ground E	levation: 1023	Surface Casing	: 0	Depth to bas	e of Treatable Water-Bea	aring FM: 920	
Alternate Casi	ing Program							
Cement will b	be circulated from T	otal Depth to the	Ground Surface on	the Production Casir	ng String.			
Under Federal Jurisdiction: No				Approved Method for a	Approved Method for disposal of Drilling Fluids:			
Fresh Water Supply Well Drilled: No			D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38193					
Surfac	e Water used to Drill: No			H. (Other)	CBL	REQUIRED		
PIT 1 INFOR				Category	of Pit: 2			
Type of Pit System: ON SITE				Liner not required for	Liner not required for Category: 2			
Type of Mud System: WATER BASED				Pit Location is: BED AQUIFER				
Chlorides Max: 2	000 Average: 1500			Pit Location Forma	ation: WELLINGTO	Ν		

NOTES:

Pit

is


Is depth to top of ground water greater than 10ft below base of pit? $\ \mbox{Y}$

located in a Hydrologically Sensitive Area.

Within 1 mile of municipal water well? N Wellhead Protection Area? N

Category	Description
ALTERNATE CASING	[3/25/2022 - GC2] - APPROVED; COPY OF CBL NEEDS TO BE SUBMITTED TO THE TECHNICAL STAFF IMMEDIATELY. A COMPLETION ATTEMPT, IN CASES WHERE THE PROTECTION OF THE TREATABLE WATER IS QUESTIONABLE, IS STRICTLY PROHIBITED. RULE 165: 10-3-4 (D)(4)(C)
HYDRAULIC FRACTURING	 [3/25/2022 - GC2] - OCC 165:10-3-10 REQUIRES: 1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; 2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
SPACING - 664581	[4/5/2022 - G56] - (UNIT) NE4, E2 NW4, NW4 NW4, E2 SE4, NW4 SE4 5-2S-2W EST WILDCAT JIM (BRAKERS) UNIT FOR HXBR, DEESS

Well Location Plat M & M Land Surveying, Inc. 520 "E" Street NW. Ardmore, OK. 73401 Office 580-226-0446 Mobile 580-221-4999



And States Stone The Intersection of SH 76 and Ranch Road, then 1 mile o/8 miles South on Distance & Direction From County Location on West. Highway or Town CERTIFICATE: PND ORT I, D. Harry McClintick, a Registered Land Surveyor in the state of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as THUTSTERED. SURVE Ort LAHOMA SOLUTION n 3 19 MCCLINTICK 2027 D. Harry McClintick, R.P.L.S. # 1367, CA # 3093 This location has been staked according to the best official survey records available to us, but its accuracy is not The distances shown in parenthesis () are calculated guaranteed. Please review this plat and notify us immediately of any discrepancy. distances based on the quarter section being 2640' and have not been measured.