API NUMBER: 073 26553 **OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

04/26/2019 Approval Date: Expiration Date 10/26/2020

or lease boundary.

Horizontal Hole Multi Unit

Oil & Gas

PERMIT TO DRILL

WELL LOCATION		9W County: KING FEET FROM QUARTER: FROM SECTION LINES:	SFISHER SOUTH FROM 340	EAST 2152				
Lease Name:	MCCARTHY 10_3-15N-9W	Well No:	4НХ		Well will be	340 f	feet from nearest	unit or lease
Operator Name:	DEVON ENERGY PRODUCTIO	N CO LP	Telephone:	4052353611; 405235	3	OTC/O	CC Number:	20751 0
DEVON I	ENERGY PRODUCTION CO	O LP		LOIS ITA	NACCA DE	LIN		

333 W SHERIDAN AVE

OKLAHOMA CITY. OK 73102-5015 LOIS JEAN MCCARTHY 115 PROVIDENCE ROAD

LAWRENCE KS 66049

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Dep	oth
1	MISSISSIPPIAN (LESS CHESTER)	9147	6		
2	WOODFORD	10091	7		
3			8		
4			9		
5			10		
Spacing Orders:	659640	Location Exception Orders:		Increased Density Orders:	694267
					694266

Pending CD Numbers: 201901006 Special Orders:

201901007

Total Depth: 19729 Ground Elevation: 1168 Surface Casing: 1999 Depth to base of Treatable Water-Bearing FM: 410

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: CHICKASHA

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 19-36444

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA

Pit Location Formation: CHICKASHA

HORIZONTAL HOLE 1

Sec 03 Twp 15N Rge 9W County KINGFISHER

Spot Location of End Point: NW NW NE NW
Feet From: NORTH 1/4 Section Line: 50
Feet From: WEST 1/4 Section Line: 1447

Depth of Deviation: 9189
Radius of Turn: 477
Direction: 340
Total Length: 9789

Measured Total Depth: 19729
True Vertical Depth: 10091
End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

DEEP SURFACE CASING 4/15/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 4/15/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 694266 4/18/2019 - GA8 - 3-15N-9W

X659640 MSNLC

4 WELLS

DEVON ENERGY PROD. CO., L.P.

4/8/2019

INCREASED DENSITY - 694267 4/18/2019 - GA8 - 10-15N-9W

X659640 MSNLC

4 WELLS

DEVON ENERGY PROD. CO., L.P.

4/8/2019

Category Description

INTERMEDIATE CASING 4/15/2019 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

MEMO 4/15/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201901006 4/18/2019 - GA8 - (I.O.) 10 & 3-15N-9W

EST MULTIUNIT HORIZONTAL WELL X659640 MSNLC, WDFD 10 & 3-15N-9W

(WDFD ADJACENT COMMON SOURCE OF SUPPLY TO MSNLC)

50% 10-15N-9W 50% 3-15N-9W

DEVON ENERGY PROD. CO., L.P.

REC 3/12/2019 (MILLER)

PENDING CD - 201901007 4/18/2019 - GA8 - (I.O.) 10 & 3-15N-9W

X659640 MSNLC, WDFD 10 & 3-15N-9W

X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO MCCARTHY 10_3-15N-9W 2HX &

CAMERON 1-10

COMPL. INT. (10-15N-9W) NCT 165' FSL, NCT 0' FNL, NCT 990' FWL COMPL. INT. (3-15N-9W) NCT 0' FSL, NCT 165' FNL, NCT 990' FWL

DEVON ENERGY PROD. CO., L.P.

REC 3/12/2019 (MILLER)

SPACING - 659640 4/18/2019 - GA8 - (640)(HOR) 10 & 3-15N-9W

EXT 652808 WDFD

EST MSNLC

POE TO BHL (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL

POE TO BHL (MSNLC) NCT 660' FB (COEXIST SP. ORDER #308002 MSSD)