API NUMBER: 049 25375

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	07/26/2022	
Expiration Date:	01/26/2024	

Multi Unit Oil & Gas

## **PERMIT TO DRILL**

WELL LOCATION:	Section:	33	Township:	1N	Range: 3W	County: G	ARVIN						
SPOT LOCATION:	NW NE	SE	NE	FEET FROM	QUARTER: FROM	NORTH	FROM <b>EAST</b>						
				SECTI	ON LINES:	1625	600						
Lease Name:	MOONRAKER				Well No	o: 1-33-32X⊦	IM	Well will be	600	feet from n	earest unit	or lease bou	ndary.
Operator Name:	CONTINENTAL	L RESOL	JRCES INC		Telephone	e: 405234900	00; 4052349000;			OTC/	OCC Num	ber: 31	86 0
CONTINENTAL RESOURCES INC  OKLAHOMA CITY, OK 73126						JOE KENNAN CARRAWAY III & ETHEL LEE CARRAWAY SMITH  130 GREENBRIER  SIKESTON MO 63801							
							OINEOTON			IVIO	63801		
Formation(s)	(Permit Val	id for L	isted For	mations O	nly):								
Name			Code		Depth								
1 SYCAMORE			3528	CMR	7426								
2 WOODFOR	D		319W	DFD	7656								
Spacing Orders:	725429 726141				Location Exc	eption Orders	No Exceptions	S	Inci	reased Dens	ity Orders:	No Der	sity
Pending CD Number	20220056 20220230 20220230 20220230	63 02			Working i	nterest owner	s' notified: ***			Spec	ial Orders:	No Spe	cial
Total Depth: 1	8597	Ground I	Elevation: 9	166	Surface	Casing:	1500	Depth to		f Treatable V			
									De	eep surfac	ce casing	has been	approved
Under	Federal Jurisdict	ion: No					Approved Method for disposal of Drilling Fluids:						
Fresh Water Supply Well Drilled: No						D. One time land application (REQUIRES PERMIT) PERMIT NO: 22-38299					8299		
Surface	e Water used to D	Orill: Yes	S				H. (Other)		SEE ME	МО			
PIT 1 INFOR		2052			I Di			y of Pit: C					
Type of Mud System: CLOSED Closed System Means Steel Pits  Type of Mud System: WATER BASED						Liner not required fo	tion is: BED AQ	UIFFR					
Chlorides Max: 3000 Average: 2000							mation: GARBEI						
Is depth to	top of ground wa	ter greate	er than 10ft	below base of	pit? Y								
Within 1 i	mile of municipal	water we	II? N										
	Wellhead Prote	ction Area	a? N										
Pit <u>is</u> lo	ocated in a Hydro	logically	Sensitive Ar	ea.									
PIT 2 INFOR	MATION							y of Pit: C					
Type of Pit System: CLOSED Closed System Means Steel Pits					Liner not required for Category: C								
Type of Mud System: OIL BASED					Pit Location is: BED AQUIFER Pit Location Formation: GARBER								
Chlorides Max: 300000 Average: 200000  Is depth to top of ground water greater than 10ft below base of pit? Y					Pit Location For	nation: GARBEI	ĸ						
•	. •	•		below base of	pit? Y								
vVithin 1 i	mile of municipal Wellhead Prote												
Pit <u>is</u> lo	ocated in a Hydro			ea.									
	• • •	- /											

**MULTI UNIT HOLE 1** 

Section: 32 Township: 1N Range: 3W Meridian: IM Total Length: 10000

County: GARVIN Measured Total Depth: 18597

Spot Location of End Point: W2 NW NW NW True Vertical Depth: 9000

Feet From: NORTH 1/4 Section Line: 330 End Point Location from
Feet From: WEST 1/4 Section Line: 50 Lease,Unit, or Property Line: 50

NOTES:

Category	Description
DEEP SURFACE CASING	[6/29/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[6/29/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
MEMO	[6/29/2022 - GC2] - CLOSED SYSTEM=STEEL PITS (REQUIRED - WILDHORSE CREEK), OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING -CD2022-000563	[7/26/2022 - GB6] - (E.O.) 32 & 33 -1N-4W X725429 SCMR, WDFD 32-1N-3W X726141 SCMR, WDFD 33-1N-3W COMPL. INT. (33-1N-3W) NCT 330' FNL, NCT 150' FEL, NCT 0' FWL COMPL. INT. (32-1N-3W) NCT 330' FNL, NCT 0' FEL, NCT 150' FWL NO OPER. NAMED REC. 07/15/2022 (P. PORTER)
PENDING – CD2022-000562	[7/26/2022 - GB6] - (E.O.) 32 & 33 -1N-4W EST MULTIUNIT HORIZONTAL WELL X725429 SCMR, WDFD 32-1N-3W X726141 SCMR, WDFD 33-1N-3W 50% 32-1N-3W 50% 33-1N-3W NO OPER. NAMED REC. 07/15/2022 (P. PORTER)
PENDING - CD2022-002302	[7/26/2022 - GB6] - (E.O.) 32-1N-3W X725429 SCMR 2 WELLS NO OPER. NAMED REC. 07/15/2022 (P. PORTER)
PENDING - CD2022-002303	[7/26/2022 - GB6] - (E.O.) 33-1N-3W X726141 SCMR 1 WELL NO OPER. NAMED REC. 07/15/2022 (P. PORTER)
SPACING - 725429	[7/26/2022 - GB6] - (640)(HOR) 32-1N-3W VAC 29265/259400 SCMR SE4 SE4 32-1N-3W VAC 255338 SCMR N2 NW4, N2 NE4, S2 NW4, N2 SW4, N2 SE4 32-1N-3W VAC 357687 SCMR, WDFD S2 SW4 32-1N-3W EXT 590936 SCMR, WDFD COMPL. INT. (SCMR) NCT 660' FB COMPL. INT. (WDFD) NCT 165' FSL, NCT 330' FEL, NCT 165' FNL, NCT 330' FWL (COEXIST EXISTING NON-HORIZONTAL SPACING UNITS)
SPACING - 726141 (CD2022-000016)	[7/26/2022 - GB6] - (640)(HOR) 33-1N-3W EST SCMR, WDFD COMPL. INT. (SCMR) NCT 660' FB COMPL. INT. (WDFD) NCT 165' FSL, NCT 330' FEL, NCT 165' FNL, NCT 330' FWL (COEXIST SP. ORDER# 255338 SCMR, WDFD)
WATERSHED STRUCTURE	[6/29/2022 - GC2] - WELL WITHIN 1/2 MILE OF AN OKLAHOMA CONSERVATION COMMISSION WATERSHED STRUCTURE. CONTACT THE LOCAL CONSERVATION DISTRICT OFFICE AT (405) 238-6767 EXT. 3 PRIOR TO DRILLING