## API NUMBER: 017 25379 A

Within 1 mile of municipal water well? Y

Liner not required for Category: C

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

is located in a Hydrologically Sensitive Area.

Wellhead Protection Area?

Category of Pit: C

Oil & Gas

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 01/25/2019
Expiration Date: 07/25/2020

Horizontal Hole Multi Unit

Amend reason: UPDATE SHL & BHL

## AMEND PERMIT TO DRILL

WELL LOCATION: SPOT LOCATION:		Rge: 9W	County: CAN FEET FROM QUARTER: FROM SECTION LINES:	ADIAN SOUTH FROM 210	WEST 1330						
Lease Name:	SNYDER 4-19-18		Well No:	1409MHX		Well will be	210	feet from ne	arest unit	or lease boundar	y.
Operator Name:	TRIUMPH ENERGY PAR	TNERS LL	С	Telephone: 9	189868266		OTC/	OCC Numbe	r: 2	3826 0	
	I ENERGY PARTNER ALE AVE STE 250	S LLC OK	74137-3557		BIA CC P.O. BO EL REN		Υ	OK	73036		

			ns Only):						
Name			Depth		Name	Depth			
1	MISSISSIPPI SOLID		10980	6					
2				7					
3				8					
4				9					
5				10					
Spacing Orders:	557473		Location Exception Orders:	686184		Increased Density Orders:	684359		
	557482			686178			684357		
	686183								
Pending CD Num	bers:					Special Orders:			
Total Depth: 20989 Ground Elevation: 1393			Surface Casing	ı: 470	D	Depth to base of Treatable Water-Bearing FM: 220			
Under Federal Jurisdiction: Yes			Fresh Water Supply \	Vell Drilled: No		Surface Water used to Drill: Yes			
PIT 1 INFORMATION			Approved Method for disposal of			Drilling Fluids:			
Type of Pit Syste	em: CLOSED Closed S	ystem Means Steel Pits							
Type of Mud System: WATER BASED				D. One time land application		REQUIRES PERMIT)	PERMIT NO: 18-35847		
Chlorides Max: 10000 Average: 5000				H. SEE M	H. SEE MEMO				
le donth to top of	f ground water greater tha	n 10ft holow hase of nit?	<b>V</b>						

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well?

Wellhead Protection Area? Y

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

## HORIZONTAL HOLE 1

Sec 18 Twp 14N Rge 9W County CANADIAN

Spot Location of End Point: NW NE NE NW
Feet From: NORTH 1/4 Section Line: 50
Feet From: WEST 1/4 Section Line: 2309

Depth of Deviation: 10517 Radius of Turn: 382

Direction: 5

Total Length: 9872

Measured Total Depth: 20989

True Vertical Depth: 10980

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

EXCEPTION TO RULE - 686178 12/19/2019 - G56 - (I.O.) 19 & 18-14N-9W

X165:10-3-28(C)(2)(B) MSSSD (SNYDER 4-19-18 1409MHX) MAY BE CLOSER THAN 600' TO EXISTING/PROPOSED WELLS

TRIUMPH ENERGY PARTNERS, LLC

11/6/2018

HYDRAULIC FRACTURING 11/21/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

X557482 MSSSD

8 WELLS

TRIUMPH ENERGY PARTNERS, LLC

10/4/2018

INCREASED DENSITY - 684359 12/19/2019 - G56 - 19-14N-9W

X557473 MSSSD

6 WELLS

TRIUMPH ENERGY PARTNERS, LLC

10/4/2018

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

017 25379 SNYDER 4-19-18 1409MHX

INTERMEDIATE CASING 11/21/2018 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

LOCATION EXCEPTION - 686184 12/19/2019 - G56 - (I.O.) 19 & 18-14N-9W

X557473 MSSSD 19-14N-9W X557482 MSSSD 18-14N-9W

COMPL. INT. (19-14N-9W) NCT 165' FSL, NCT 0' FNL, NCT 1500' FWL COMPL. INT. (18-14N-9W) NCT 0' FSL, NCT 165' FNL, NCT 1500' FWL

TRIUMPH ENÈRGY PARTNERS, LLC

11/6/2018

MEMO 12/29/2018 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2

- OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PUBLIC WATER SUPPLY WELL 11/21/2018 - G71 - CANADIAN CO RWD #1, 2 PWS/WPA, NE/4 24-14N-10W

SPACING - 557473 12/19/2019 - G56 - (640) 19-14N-9W

EST OTHER EXT OTHER

EXT 526319 MSSSD, OTHERS

SPACING - 557482 12/19/2019 - G56 - (640) 18-14N-9W

**EXT OTHERS** 

EXT 526319 MSSSD, OTHERS

SPACING - 686183 12/19/2019 - G56 - (I.O.) 19 & 18-14N-9W

EST HORIZONTAL MULTIUNIT WELL

X557473 MSSSD 19-14N-9W X557482 MSSSD 18-14N-9W

50% 19-14N-9W 50% 18-14N-9W

TRIUMPH ENERGY PARTNERS, LLC


11/6/2018

# Well Location Plat

Operator: TRIUMPH ENERGY PARTNERS, LLC Lease Name and No.: SNYDER 4-19-18 1409MXH

Footage: 210' FSL - 1330' FWL GR. ELEVATION: 1393' Section: 19 Township: 14N Range: 9W I.M.

County: Canadian State of Oklahoma Terrain at Loc.: Location fell in open pasture. 017-25379A



Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.

LANCE G. MATHIS

08/23/17

B.H.L. Sec. 18-14N-9W I.M. BASIS OF ELEVATION: OPUS SOLUTION BASIS OF BEARING: GRID NORTH - NAD 83 STATE PLANE - OK NORTH ZONE All bearings shown are grid bearings. 1500 2250 1" = 1500'

S.H.L. Sec. 19-14N-9W I.M.

**GPS DATUM NAD 83** NAD 27

## OK NORTH ZONE

Surface Hole Loc. Kick-Off Point: Lat: 35°40'04.34"N Lon: 98°12'09.68"W Lat: 35.66787214 Lon: -98.20268858 X: 1908293 Y: 243180


Surface Hole Loc. Kick-Off Point: Lat: 35°40'04.17"N Lon: 98°12'08.46"W Lat: 35.66782508 Lon: -98.20235108 X: 1939892 Y: 243157

Landing Point: Lat: 35°40'06.21"N Lon: 98°11'57.80"W Lat: 35.66839054 Lon: -98.19938887 X: 1909273 Y: 243367

Landing Point: Lat: 35°40'06.04"N Lon: 98°11'56.59"W Lat: 35.66834349 Lon: -98.19905149 X: 1940872 Y: 243343

Bottom Hole Loc.: Lat: 35°41'46.20"N Lon: 98°11'57.59"W Lat: 35.69616542 Lon: -98.19932927 X: 1909312 Y: 253477

Bottom Hole Loc.: Lat: 35°41'46.03"N Lon: 98°11'56.37"W Lat: 35.69611917 Lon: -98.19899133 X: 1940911



survey and plat by,

Arkoma Surveying and Mapping, PLLC P.O. Box 238 Wilburton, OK 74578

Ph. 918-465-5711 Fax 918-465-5030 Certificate of Authorization No. 5348

Expires June 30, 2018

Invoice #7247-B-C Date Staked: 07/19/17 Date Drawn: 07/31/17

By: J.W. Bv: J.H. Added LP/BHL: 08/07/17 By: J.H. Added KOP: 08/23/17 By: R.S.

OK LPLS 1664