

API NUMBER: 149 21740 A

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

Approval Date: 12/12/2018
Expiration Date: 06/12/2020

Multi Unit Oil & Gas

Amend reason: UPDATE SHL

AMEND PERMIT TO DRILL

WELL LOCATION: Section: 32 Township: 10N Range: 18W County: WASHITA

SPOT LOCATION: ☐ SW ☐ NW ☐ NE ☐ NW FEET FROM QUARTER: FROM NORTH FROM WEST
SECTION LINES: 365 1624

Lease Name: TANGO 29X20-10-18 Well No: 2HA Well will be 365 feet from nearest unit or lease boundary.
Operator Name: FOURPOINT ENERGY LLC Telephone: 3032900990 OTC/OCC Number: 23429 0

FOURPOINT ENERGY LLC
100 SAINT PAUL ST STE 400
DENVER, CO 80206-5140

JIMMY AND GAYLA LINN
21674 EAST 1170 ROAD
DILL CITY OK 73641

Formation(s) (Permit Valid for Listed Formations Only):

Name	Code	Depth
1 DES MOINES	404DSMN	11070

Spacing Orders: 191959
697907

Location Exception Orders: 699460
710981

Increased Density Orders: 709040
708113

Pending CD Numbers: No Pending

Special Orders: No Special Orders

Total Depth: 20705

Ground Elevation: 1878

Surface Casing: 850

Depth to base of Treatable Water-Bearing FM: 650

Under Federal Jurisdiction: No
Fresh Water Supply Well Drilled: No
Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-35881
H. SEE MEMO

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 40000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? Y

Wellhead Protection Area? Y

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: ELK CITY

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? Y

Wellhead Protection Area? Y

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: ELK CITY

This permit does not address the right of entry or settlement of surface damages.
The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District
Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1				
Section: 20	Township: 10N	Range: 18W	Total Length: 9111	
County: WASHITA			Measured Total Depth: 20705	
Spot Location of End Point: SW	SE	NW	NW	True Vertical Depth: 11563
Feet From: NORTH	1/4 Section Line: 1082		End Point Location from	
Feet From: WEST	1/4 Section Line: 938		Lease, Unit, or Property Line: 938	

NOTES:	
Category	Description
EXCEPTION TO RULE - 710981 (201807552)	7/30/2020 - G56 - (F.O.) 20 & 29-10N-18W X165:10-3-28(C)(2)(B) DSMN (TANGO 29X20-10-18 2HA) 370' AWAY FROM SASSEEN 1-20, 373' AWAY FROM JONES 20-2, 133' AWAY FROM DUNCAN 1-29, 214' AWAY FROM LINN 3-29 NO OP NAMED 4/27/2020
HYDRAULIC FRACTURING	12/6/2018 - G71 - 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE; 2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCWEB.COM/OG/OGFORMS.HTML ; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY - 708113 (201807551)	7/30/2020 - G56 - 29-10N-18W X191959 DSMN 2 WELLS FOURPOINT ENERGY, LLC 1/29/2020
INCREASED DENSITY - 709040 (201807550)	7/30/2020 - G56 - 20-10N-18W X191959 DSMN 2 WELLS FOURPOINT ENERGY, LLC 2/24/2020
LOCATION EXCEPTION - 699460 (201807547)	7/30/2020 - G56 - (I.O.) 20 & 29-10N-18W X191959 DSMN COMPL INT (29-10N-18W) NCT 0' FNL, NCT 330' FSL, NCT 660' FWL COMPL INT (20-10N-18W) NCT 0' FSL, NCT 330' FNL, NCT 660' FWL FOURPOINT ENERGY, LLC 7/22/2019
MEMO	12/6/2018 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PUBLIC WATER SUPPLY WELLS	12/6/2018 - G71 - NEW CORDELL UTIL AUTH - 2 PWS/WPA, SE/4 30-10N-18W
SPACING - 191959	7/30/2020 - G56 - (640) 29 & 20-10N-18W EXT 171887 DSMN, OTHERS
SPACING - 697907 (201807546)	7/30/2020 - G56 - (I.O.) 20 & 29-10N-18W ESTABLISH MULTIUNIT HORIZONTAL WELL X191959 DSMN 50% 29-10N-18W 50% 20-10N-18W FOURPOINT ENERGY, LLC 6/18/2019



REVISION:		
1	KW	CORRECT SURFACE TIE



A circular blue seal for a Professional Land Surveyor. The outer ring contains the text "LICENSED PROFESSIONAL LAND SURVEYOR" at the top and "OKLAHOMA" at the bottom. The center of the seal contains the name "CODI LAMBERSON" and the license number "1963".

NOTE:
BEARINGS, DISTANCES & COORDINATES BASED ON OKLAHOMA STATE
PLANE COORDINATE SYSTEM
GPS OBSERVATION, OK SOUTH ZONE, NAD-27
GRID, US SURVEY FEET