API NUMBER:	073	26727	

Oil & Gas

Multi Unit

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 02/05/2021 Expiration Date: 08/05/2022

PERMIT TO DRILL

WELL LOCATION: Section: 29 Township: 17N Range: 8W County:	KINGFISHER
SPOT LOCATION: SE NE NE NW FEET FROM QUARTER: FROM NORTH	FROM WEST
SECTION LINES: 358	2350
Lease Name: MIKE Well No: 1708 3H	
Operator Name: OVINTIV MID-CONTINENT INC. Telephone: 2812105	000; 9188781290; OTC/OCC Number: 20944 0
OVINTIV MID-CONTINENT INC.	PATSY KIRTLEY
4 WATERWAY AVE STE 100	P.O. BOX 1224
THE WOODLANDS, TX 77380-2764	KINGFISHER OK 73750
Formation(a) (Dormit Valid for Listed Formations Only):	-
Formation(s) (Permit Valid for Listed Formations Only):	1
Name Code Depth	
1 MISSISSIPPIAN (LESS CHESTER) 359MSNLC 8286 2 MERAMEC 353MRMC 8286	
Speciae Ordern 017700	
Spacing Orders: 647789 Location Exception Order 716506	rs: 716526 Increased Density Orders: 716583 716502
Pending CD Numbers: 202001969 Working interest own	ers' notified: *** Special Orders: No Special Orders
Total Depth: 18769 Ground Elevation: 1115 Surface Casing:	1500 Depth to base of Treatable Water-Bearing FM: 250
-	Deep surface casing has been approved
Under Federal Jurisdiction: No	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids:
-	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37519
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37519 E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37519
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37519 E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37519 E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 H. (Other) SEE MEMO
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37519 E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 H. (Other) SEE MEMO
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37519 E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37519 E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37519 E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37519 E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37519 E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37519 E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit <u>is</u> located in a Hydrologically Sensitive Area.	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids: D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37519 E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 H. (Other) SEE MEMO Category of Pit: C Liner not required for Category: C Pit Location is: BED AQUIFER Pit Location Formation: CEDAR HILL
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit <u>is</u> located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids:
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is Iocated in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Pit System: CLOSED Closed System Means Steel Pits Chlorides Max: 30000 Average: 200000	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids:
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OLL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids:
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OLL BASED Chlorides Max: 30000 Average: 20000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids:
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OLL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y	Deep surface casing has been approved Approved Method for disposal of Drilling Fluids:

MULTI UNIT HOLE 1			
Section: 17 Township: 17N	Range: 8W Meridian: IM	Total Length:	10226
County: KINGFISH	ER	Measured Total Depth:	18769
Spot Location of End Point: NE N	E NE NW	True Vertical Depth:	8300
Feet From: NORTH	1/4 Section Line: 85	End Point Location from	
Feet From: WEST	1/4 Section Line: 2400	Lease, Unit, or Property Line:	85

NOTES:	
Category	Description
DEEP SURFACE CASING	[2/3/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[2/3/2021 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 716502	[2/4/2021 - G56] - 17-17N-8W X647789 MSNLC 5 WELLS OVINITV MID-CON INC 1/22/2021
INCREASED DENSITY - 716583	[2/4/2021 - G56] - 20-17N-8W X647789 MRMC 5 WELLS OVINTIV MID-CON INC 1/28/2021
LOCATION EXCEPTION - 716526	[2/4/2021 - G56] - (I.O.) 17 & 20-17N-8W X647789 MSNLC 17-17N-8W X647789 MRMC 20-17N-8W COMPL INT (20-17N-8W) NCT 165' FSL, NCT 0' FNL, NCT 1980' FWL COMPL INT (17-17N-8W) NCT 0' FSL, NCT 165' FNL, NCT 1980' FWL OVINTIV MID-CON INC 1/25/2021
МЕМО	[2/3/2021 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202001969	[2/4/2021 - G56] - (I.O.) 17 & 20-17N-8W X165:10-3-28(C)(2)(B) MSNLC, MRMC (MIKE 1708 3H-17X) MAY BE CLOSER THAN 600' TO LELA 1-17, MERCER 1-20, MERCER 20-1, MERCER, 20-2, BISHOP- BROWNBACK 17-1, MIKE 1H-17X AND/OR PROPOSED WELLS NO OP NAMED REC 1/5/2021 (THOMAS)
SPACING - 647789	[2/4/2021 - G56] - (640)(HOR) 17 & 20-17N-8W EXT OTHER EST MSNLC, OTHERS 17-17N-8W EST MRMC, OTHERS 20-17N-8W COMPL INT (MSNLC, MRMC) NLT 660' FB (COEXIST MISS SW4 SE4 17-17N-8W LEASE BASIS, SP # 143505 MSSLM, # 181352 MSSSD, # 197684 MNNG, MSSSD)

SPACING - 716506	[2/4/2021 - G56] - (I.O.) 17 & 20-17N-8W	
	EST MULTIUNIT HORIZONTAL WELL	
	X647789 MSNLC 17-17N-8W	
	X647789 MRMC 20-17N-8W	
	50% 17-17N-8W	
	50% 20-17N-8W	
	OVINTIV MID-CON INC	
	1/22/2021	

