API NUMBER: 063 24906 A

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 01/23/2020

Expiration Date: 07/23/2021

Multi Unit Oil & Gas

Amend reason: ADDING MAYES FORMATION

AMEND PERMIT TO DRILL

WELL LOCATION: County: HUGHES Section: Township: 8N Range: 12E NW SPOT LOCATION: SW SE lsw FEET FROM QUARTER: SOUTH WEST SECTION LINES: 803 1726 HAMILTON Well No: 3-14-2WH Lease Name: Well will be 803 feet from nearest unit or lease boundary. **CALYX ENERGY III LLC** Operator Name: Telephone: 9189494224 OTC/OCC Number: 23515 0 CALYX ENERGY III LLC MIDDLE CREEK, LLC 6120 S YALE AVE STE 1480 2798 N 394 TULSA. 74136-4226 OK **DUSTIN** OK 74839 Formation(s) (Permit Valid for Listed Formations Only): Name Code Depth 353MYES MAYES 4700 WOODFORD 319WDFD 4800 Spacing Orders: 670063 Increased Density Orders: 707353 Location Exception Orders: 712730 671757 707354 712729 710234 No Special Orders Special Orders: No Pending Pending CD Numbers: Depth to base of Treatable Water-Bearing FM: 40 Total Depth: 15538 Ground Elevation: 671 Surface Casing: 750 Deep surface casing has been approved Under Federal Jurisdiction: No Approved Method for disposal of Drilling Fluids: Fresh Water Supply Well Drilled: No A. Evaporation/dewater and backfilling of reserve pit. Surface Water used to Drill: Yes B. Solidification of pit contents. D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 20-37219 H. (Other) PIT 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST **PIT 1 INFORMATION** Category of Pit: 4 Type of Pit System: ON SITE Liner not required for Category: 4 Pit Location is: ALLUVIAL Type of Mud System: AIR Pit Location Formation: ALLUVIUM Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000). Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N located in a Hydrologically Sensitive Area. Category of Pit: C **PIT 2 INFORMATION** Type of Pit System: CLOSED Closed System Means Steel Pits Liner not required for Category: C Type of Mud System: WATER BASED Pit Location is: ALLUVIAL Chlorides Max: 8000 Average: 5000 Pit Location Formation: ALLUVIUM Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit located in a Hydrologically Sensitive Area.

MULTI UNIT HOLE 1

Section: 2 Township: 8N Range: 12E Total Length: 10064

> County: HUGHES Measured Total Depth: 15538

SW True Vertical Depth: 4869 Spot Location of End Point: SW NWSE

> 1/4 Section Line: 813 Feet From: SOUTH End Point Location from Lease, Unit, or Property Line: 813 1/4 Section Line: 1600 Feet From: WEST

NOTES:	
Category	Description
DEEP SURFACE CASING	1/22/2020 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	1/22/2020 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY - 707353	1/23/2020 - G56 - 2-8N-12E X670063 WDFD 3 WELLS CALYX ENERGY III, LLC 1/9/2020
INCREASED DENSITY - 707354	1/23/2020 - G56 - 14-8N-12E X671757 WDFD 3 WELLS CALYX ENERGY III, LLC 1/9/2020
INCREASED DENSITY - 710234	8/27/2020 - G56 - 11-8N-12E X671757 WDFD 3 WELLS CALYX ENERGY, LLC 3/25/2020
LOCATION EXCEPTION - 712730	8/27/2020 - G56 - (F.O.) 2, 11 & 14-8N-12E X670063 WDFD, OTHERS 2-8N-12E X671757 MYES, WDFD, OTHERS 11 & 14-8N-12E SHL 803' FSL, 1726' FWL COMPL INT (14-8N-12E) WDFD FIRST PERF 927' FSL, 1765' FWL WDFD LAST PERF 0' FNL, 1588' FWL COMPL INT (11-8N-12E) WDFD FIRST PERF 0' FNL, 1588' FWL WDFD LAST PERF 101' FSL, 1597' FWL WDFD LAST PERF 1101' FSL, 1597' FWL MYES FIRST PERF 1430' FSL, 1600' FWL WDFD FIRST PERF 1503' FSL, 1600' FWL WDFD LAST PERF 1503' FSL, 1604' FWL WDFD LAST PERF 0' FNL, 1585' FWL COMPL INT (2-8N-12E) WDFD FIRST PERF 0' FNL, 1585' FWL COMPL INT (2-8N-12E) WDFD LAST PERF 712' FSL, 1611' FWL CALYX ENERGY III, LLC 6/30/2020
SPACING - 670063	1/23/2020 - G56 - (640)(HOR) 2-8N-12E VAC OTHERS EST WDFD, OTHERS COMPL INT NCT 165' FNL & FSL, NCT 330' FEL & FWL
SPACING - 671757	8/27/2020 - G56 - (640)(HOR) 11 & 14-8N-12E EST MYES, WDFD, OTHERS COMPL INT (MYES) NLT 660' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL

SPACING - 712729	8/27/2020 - G56 - (F.O.) 2, 11 & 14-8N-12E	
	EST MULTIUNIT HORIZONTAL WELL	
	X670063 WDFD, OTHERS 2-8N-12E	
	X671757 MYES, WDFD, OTHERS 11 & 14-8N-12E	
	(MYES IS AN ADJACENT COMMON SOURCE OF SUPPLY TO WDFD)	
	42.91052% 14-8N-12E	
	50.06883% 11-8N-12E	
	7.02065% 2-8N-12E	
	CALYX ENERGY III. LLC	
	6/30/2020	