## API NUMBER: 017 25506 Α

**OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 08/16/2019 02/16/2021 Expiration Date:

20751 0

Well will be 401 feet from nearest unit or lease boundary.

OTC/OCC Number:

Multi Unit

Operator

Horizontal Hole Oil & Gas

Amend reason: OCC CORRECTION - UPDATING PIT INFORMATION

## AMEND PERMIT TO DRILL

Telephone: 4052353611; 4052353

WELL LOCATION:	Sec: 23	Twp: 13N	Rge: 9W	County	: CAN	ADIAN		
SPOT LOCATION:	NW SE	SE	SW	FEET FROM QUARTER:	FROM	SOUTH	FROM	WEST
				SECTION LINES:		401		1994
Lease Name: JACOBS 23_14-13N-9W				We	ell No:	2HX		

DEVON ENERGY PRODUCTION CO LP

333 W SHERIDAN AVE

OKLAHOMA CITY. OK 73102-5015

**DEVON ENERGY PRODUCTION CO LP** 

TRAVIS D. JACOBS **PO BOX 113** 

**CALUMET** OK 73014

Formation(s) (Permit Valid for Listed Formations Only):

•	•	• ,			
	Name	Depth	Name	Dept	th
1	MISSISSIPPIAN	8950	6		
2	WOODFORD	10550	7		
3			8		
4			9		
5			10		
Spacing Orders:		Location Exception Orders:		Increased Density Orders:	700524
	560605				700522
Pending CD Num	nbers: 201903449			Special Orders:	

201903459

201903837

Total Depth: 20655 Ground Elevation: 1412 Surface Casing: 1999 Depth to base of Treatable Water-Bearing FM: 210

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is NON HSA

Pit Location Formation: DOG CREEK

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 19-36888

H. SEE MEMO

## PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA

Pit Location Formation: DOG CREEK

## HORIZONTAL HOLE 1

Sec 14 Twp 13N Rge 9W County CANADIAN

Spot Location of End Point: NW NE NW NW Feet From: NORTH 1/4 Section Line: 50
Feet From: WEST 1/4 Section Line: 780

Depth of Deviation: 10186
Radius of Turn: 477
Direction: 353
Total Length: 9719

Measured Total Depth: 20655

True Vertical Depth: 10664

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

DEEP SURFACE CASING 8/9/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 8/9/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 700522 8/15/2019 - GC2 - 14-13N-9W

X567641 WDFD

9 WELLS

DEVON ENERGY PRODUCTION COMPANY, L.P.

8-8-2019

INCREASED DENSITY - 700524 8/15/2019 - GC2 - 23-13N-9W

X560605 WDFD

9 WFLLS

DEVON ENERGY PRODUCTION COMPANY, L.P.

8-8-2019

Category Description

MEMO 8/9/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST. PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201903449 8/15/2019 - GC2 - (I.O.) 14 & 23-13N-9W

EST MULTIUNIT HORÍZONTAL WELL X567641 MSSP, WDFD 14-13N-9W X560605 MSSP, WDFD 23-13N-9W

(MSSP ASSOCIATED COMMON SOURCE OF SUPPLY TO WDFD)

50% 14-13N-9W 50% 23-13N-9W

DEVON ENERGY PRODUCTION COMPANY, L.P.

REC 7-23-2019 (P. PORTER)

PENDING CD - 201903459 8/15/2019 - GC2 - (I.O.) 14 & 23-13N-9W

X567641 MSSP, WDFD 14-13N-9W X560605 MSSP, WDFD 23-13N-9W

X165:10-3-28(C)(2)(B) WDFD MAY BE CLOSER THAN 600' TO JACOBS 1-23H COMPL. INT. (23-13N-9W) NCT 165' FSL, NCT 0' FNL, NCT 330' FWL COMPL. INT. (14-13N-9W) NCT 0' FSL, NCT 165' FNL, NCT 330' FWL

NO OP. NAMED

REC. 7-23-2019 (P. PORTER)

PENDING CD - 201903837 8/16/2019 - GC2 - (I.O.) 14 & 23-13N-9W

X165:10-3-28(C)(2)(B) WDFD (JACOBS 23\_14-13N-9W 2HX) MAY BE CLOSER THAN 600' TO JACOBS 23\_14-13N-9W 3HX

NO OP. NAMED

REC 8-12-2019 (THOMAS)

SPACING - 560605 8/15/2019 - GC2 - (640) 23-13N-9W

EXT OTHER EXT 205440 WDFD EST MSSP, OTHERS

VAC 279098 MSSLM, MSCST, OTHERS

SPACING - 567641 8/15/2019 - GC2 - (640) 14-13N-9W

EXT 562163 MSSP, WDFD, OTHERS VAC 260871 MSCST, MSSLM, OTHERS

**EXT OTHERS**