API NUMBER: 087 22219 Α

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 02/20/2019 08/20/2020 Expiration Date:

16231 0

Well will be 559 feet from nearest unit or lease boundary.

OTC/OCC Number:

Horizontal Hole Multi Unit

3817 NW EXPRESSWAY STE 500

OKLAHOMA CITY.

Oil & Gas

DRILL

mend reason: PPLICATION			TION F	OR INC	REAS	ED DE	NSIT	Υ		AM	IEND PI	ERMIT	ТО	DRILI
WELL LOC		Sec:	08 NE	Twp:		Rge:	4W	FEET FROM C		r: MCC	NORTH	FROM		EST 25
Lease I	Name: V	VILSO	N 0817						We	ell No:	7H			
Opera Name:		EOG	RESO	URCES	S INC						Telep	ohone:	40524	163224
FO	G RES	OUR	CES II	NC										

OK

73112-1483

PHYLLIS J. WILSON P.O. BOX 187

BLANCHARD OK 73010

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	9500	6	
2	WOODFORD	9580	7	
3	HUNTON	9780	8	
4			9	
5			10	
Spacing Orders:	588047 603530	Location Exception Orders:		Increased Density Orders:
Pending CD Nur	mbers: 201900805			Special Orders:

201900806 201900800 201900809

Depth to base of Treatable Water-Bearing FM: 510 Total Depth: 19800 Ground Elevation: 1241 Surface Casing: 1500

Under Federal Jurisdiction: Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation:

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 19-36215 E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: DUNCAN

HORIZONTAL HOLE 1

Sec 17 Twp 8N Rge 4W County MCCLAIN

Spot Location of End Point: SW SE SW SE
Feet From: SOUTH 1/4 Section Line: 165
Feet From: EAST 1/4 Section Line: 1790

Depth of Deviation: 9150 Radius of Turn: 382 Direction: 170

Total Length: 10050

Measured Total Depth: 19800

True Vertical Depth: 9780

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

DEEP SURFACE CASING 2/8/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 2/8/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO 2/8/2019 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 1 -

WBM & CUTTINGS TO BE SOIL FARMED; PIT 2 - OBM CUTTINGS TO R360 (ORDER # 587498) OR DEQ APPROVED FACILITY (SOUTHERN PLAINS LANDFILL, 3-5N-6W, GRADY CO., #

3526013); PIT 2 - OBM TO VENDOR

PENDING CD - 201900800 2/20/2019 - G75 - (E.O.) 17-8N-4W

X603530 WDFD

3 WELLS

EOG RESOURCES, INC. REC 2-12-2019 (MINMIER)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category Description

PENDING CD - 201900805 2/20/2019 - G75 - (E.O.) E2 8 & W2 9, 17-8N-4W

EST MULTIUNIT HORIZONTAL WELL

X588047 MSSP, WDFD, HNTN E2 8 & W2 9-8N-4W

X603530 MSSP, WDFD, HNTN 17-8N-4W

(MSSP, HNTN ADJACENT COMMON SOURCES OF SUPPLY TO WDFD)

50% E2 8 & W2 9-8N-4W

50% 17-8N-4W NO OP. NAMED

REC 2-12-2019 (MINMIER)

PENDING CD - 201900806 2/20/2019 - G75 - (E.O.) E2 8 & W2 9, 17-8N-4W

X588047 MSSP, WDFD, HNTN E2 8 & W2 9-8N-4W

X603530 MSSP, WDFD, HNTN 17-8N-4W

X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO WILSON 0817 6H & FLOYD 1-17

COMPL. INT. (É2 8 & W2 9-8N-4W) NCT 165' FNL, NCT 0' FSL, NCT 790' FWL

COMPL. INT. (17-8N-4W) NCT 0' FNL, NCT 165' FSL, NCT 1730' FEL

NO OP. NAMÈD

REC 2-12-2019 (MINMIER)

PENDING CD - 201900809 2/20/2019 - G75 - (E.O.) E2 8 & W2 9-8N-4W

X588047 WDFD

1 WELL

EOG RESOURCES, INC. REC 2-12-2019 (MINMIER)

SPACING - 588047 2/20/2019 - G75 - (640/320/80) 8 & 9-8N-4W

VAC OTHER

VAC 149988 HNTN, OTHERS 8-8N-4W VAC 188079 HNTN, OTHERS 9-8N-4W

EXT (80) OTHERS

EST (640)(IRR UNIT) E2 8 & W2 9 MSSP, WDFD, HNTN, OTHERS

EST (320) OTHERS

SPACING - 603530 2/20/2019 - G75 - (640) 17-8N-4W

VAC 165857 HNTN, OTHERS

EXT OTHER

EXT 588047 MSSP, WDFD, HNTN, OTHERS

EST OTHERS