API NUMBER: 121 24918

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	09/30/2022
Expiration Date:	03/30/2024

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION:	Section: 08	Township:	7N Rar	nge: 13E	County:	PITTSBL	JRG					
SPOT LOCATION:	SE SW S	SE SE	FEET FROM QUAR	TER: FROM	SOUTH	FROM	EAST					
			SECTION L	INES:	249		832					
Lease Name:	PALMER			Well No:	3-8-5WH			Well will be	832	feet from	nearest unit	or lease boundary.
Operator Name:	CALYX ENERGY III	LLC		Telephone:	9189494	224				отс	/OCC Num	ber: 23515 0
CALYX ENER	GY III LLC					L	OGAN SANDER	RS				
						23	30 WOLFHUNT	ERS LANE				
TULSA,		OK	74136-4226			\prod_{M}	CALESTER			OK	74501	
,						'''	ONLLOTEN			Oit	74301	
Formation(s)	(Permit Valid for	r Listed For	mations Only):								
Name		Code		Depth								
1 MAYES		353M	YES	4725								
2 WOODFORD)	319W	DFD	4850								
3 HUNTON		269H	NTN	4925								
4 SYLVAN		203SI	LVN	4950								
	724863 723579		L	ocation Excep	otion Order	s: No	Exceptions		Inc	creased Der	sity Orders:	No Density
Pending CD Numbe	rs: 202203602		_	Working int	terest owne	ers' notifie	ed· ***			Spe	cial Orders:	No Special
Toliding OD Hambe	202203603			wonding in	iorosi owni	70 1101111	ou.					·
	202203626											
	202203627											
Total Depth: 1	5500 Grou	nd Elevation: 6	666	Surface (Casing:	950		Depth	to base o	of Treatable	Water-Bearin	ng FM: 290
									D	eep surfa	ace casing	has been approved
Under	Federal Jurisdiction:	No				App	proved Method for o	disposal of Dril	ling Flui	ds:		
Fresh Water	Supply Well Drilled:	No				Α. Ε	Evaporation/dewater	and backfilling of	of reserve	e pit.		
Surface	Water used to Drill:	Yes					Solidification of pit co	-				
							One time land applica		RES PER	RMIT)	PER	MIT NO: 22-38597
						Н. ((Other)		PIT 2 - (REQUE		LINED PIT I	PER OPERATOR

PIT 1 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: AIR

Category of Pit: 4
Liner not required for Category: 4

Pit Location is: AP/TE DEPOSIT

Pit Location Formation: TERRACE

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form

1000).

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit <u>is</u> located in a Hydrologically Sensitive Area.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Is depth to top of ground water greater than 10ft below base of pit? Y

Type of Mud System: WATER BASED

Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit <u>is</u> located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: AP/TE DEPOSIT
Pit Location Formation: TERRACE

MULTI UNIT HOLE 1

Section: 5 Township: 7N Range: 13E Meridian: IM Total Length: 9575

County: PITTSBURG Measured Total Depth: 15500

Spot Location of End Point: SW NE NW NE True Vertical Depth: 6000

Feet From: NORTH 1/4 Section Line: 500 End Point Location from
Feet From: EAST 1/4 Section Line: 1800 Lease, Unit, or Property Line: 500

NOTES:

Category	Description
DEEP SURFACE CASING	[9/29/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[9/29/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
PENDING CD - 202203602	[9/30/2022 - G56] - (I.O.) 5 & 8-7N-13E EST MULTIUNIT HORIZONTAL WELL X724863 MYES, WDFD, HNTN, SLVN 5-7N-13E X723579 MYES, WDFD, HNTN, SLVN 8-7N-13E (MYES, HNTN, SLVN ARE ADJACENT CSS TO WDFD) 50% 8-7N-13E 50% 5-7N-13E NO OP NAMED REC 9/26/2022 (BEESE)
PENDING CD - 202203603	[9/30/2022 - G56] - (I.O.) 5 & 8-7N-13E X724863 MYES, WDFD, HNTN, SLVN 5-7N-13E X723579 MYES, WDFD, HNTN, SLVN 8-7N-13E COMPL INT (8-7N-13E) NCT 0' FNL, NCT 165' FSL, NCT 1325' FEL COMPL INT (5-7N-13E) NCT 165' FNL, NCT 0' FSL, NCT 1325' FEL NO OP NAMED REC 9/26/2022 (BEESE)
PENDING CD - 202203626	[9/30/2022 - G56] - 5-7N-13E X724863 WDFD 4 WELLS NO OP NAMED REC 9/26/2022 (BEESE)
PENDING CD - 202203627	[9/30/2022 - G56] - 8-7N-13E X723579 WDFD 3 WELLS NO OP NAMED REC 9/26/2022 (BEESE)
SPACING - 723579	[9/30/2022 - G56] - (640)(HOR) 8-7N-13E EXT 598520 MYES, WDFD, HNTN, SLVN, OTHER COMPL INT (MYES, HNTN) NLT 660' FB COMPL INT (SLVN) NLT 330' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL
SPACING - 724863	[9/30/2022 - G56] - (640)(HOR) 5-7N-13E EXT 714384 MYES, WDFD, HNTN, SLVN, OTHER COMPL INT (MYES, HNTN) NLT 660' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL COMPL INT (SLVN) NLT 330' FB