API NUMBER: 121 24917

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	09/30/2022
Expiration Date:	03/30/2024

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION:	Section: 07	Township:	7N Range:	13E County	: PIT	TSBURG				
SPOT LOCATION:	SE SE :	SE SE	FEET FROM QUARTER:	FROM SOUTI	H F	ROM EAST				
			SECTION LINES:	240		61				
Lease Name:	NICKLAUS			Well No: 2-8-5V	VH		Well will b	e 61	feet from nearest unit	or lease boundary.
Operator Name:	CALYX ENERGY III	LLC	Т	elephone: 91894	94224				OTC/OCC Num	ber: 23515 0
CALYX ENER	RGY III LLC					LOGAN SANDER	RS			
						230 WOLFHUNT	ERS LANE			
TULSA,		OK	74136-4226			MCALESTER			OK 74501	
					_					
Formation(s)	(Permit Valid fo	or Listed Forn	nations Only):							
Name		Code		Depth						
1 MAYES		353MY	'ES	4725						
2 WOODFORD)	319WE	OFD	4850						
3 HUNTON		269HN	ITN	4925						
4 SYLVAN		203SL	VN	4950						
	724863 723579		Loca	tion Exception Orc	ders:	No Exceptions	1	In	creased Density Orders:	No Density
Pending CD Numbe	ers: 202203600			Vorking interest ow	ners' i	notified: ***			Special Orders:	No Special
r onang ob manibo	202203601			vollang microst on		Touriou.				•
	202203626									
	202203627									
Total Depth: 15	5500 Grou	and Elevation: 70	08 S t	urface Casing	g: 95	50	Dept	h to base	of Treatable Water-Bearin	ng FM: 260
									Deep surface casing	has been approved
Under	Federal Jurisdiction:	No				Approved Method for	disposal of Dr	illing Flui	ids:	
Fresh Water	Supply Well Drilled:	No				A. Evaporation/dewater	and backfilling	of reserv	e pit.	
Surface Water used to Drill: Yes				B. Solidification of pit co			•			
						D. One time land applic		IIRES PEI	RMIT) PER	MIT NO: 22-38596
						H. (Other)		PIT 2 - REQUE	CONCRETE LINED PIT I	PER OPERATOR

PIT 1 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: AIR

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

is not located in a Hydrologically Sensitive Area.

Category of Pit: 4
Liner not required for Category: 4

Pit Location is: NON HSA
Pit Location Formation: STUART

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form

1000)

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: NON HSA

Pit Location Formation: STUART

MULTI UNIT HOLE 1

Section: 5 Township: 7N Range: 13E Meridian: IM Total Length: 9074

County: PITTSBURG Measured Total Depth: 15500

Spot Location of End Point: SE SW NE NW True Vertical Depth: 6000

Feet From: NORTH 1/4 Section Line: 1100 End Point Location from

Feet From: **WEST** 1/4 Section Line: 1800 Lease, Unit, or Property Line: 1100

NOTES:

Category	Description
DEEP SURFACE CASING	[9/29/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[9/29/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
PENDING CD - 202203600	[9/30/2022 - G56] - (I.O.) 5 & 8-7N-13E EST MULTIUNIT HORIZONTAL WELL X724863 MYES, WDFD, HNTN, SLVN 5-7N-13E X723579 MYES, WDFD, HNTN, SLVN 8-7N-13E (MYES, HNTN, SLVN ARE ADJACENT CSS TO WDFD) 50% 8-7N-13E 50% 5-7N-13E NO OP NAMED REC 9/26/2022 (BEESE)
PENDING CD - 202203601	[9/30/2022 - G56] - (I.O.) 5 & 8-7N-13E X724863 MYES, WDFD, HNTN, SLVN 5-7N-13E X723579 MYES, WDFD, HNTN, SLVN 8-7N-13E COMPL INT (8-7N-13E) NCT 0' FNL, NCT 165' FSL, NCT 1325' FWL COMPL INT (5-7N-13E) NCT 165' FNL, NCT 0' FSL, NCT 1325' FWL NO OP NAMED REC 9/26/2022 (BEESE)
PENDING CD - 202203626	[9/30/2022 - G56] - 5-7N-13E X724863 WDFD 4 WELLS NO OP NAMED REC 9/26/2022 (BEESE)
PENDING CD - 202203627	[9/30/2022 - G56] - 8-7N-13E X723579 WDFD 3 WELLS NO OP NAMED REC 9/26/2022 (BEESE)
SPACING - 723579	[9/30/2022 - G56] - (640)(HOR) 8-7N-13E EXT 598520 MYES, WDFD, HNTN, SLVN, OTHER COMPL INT (MYES, HNTN) NLT 660' FB COMPL INT (SLVN) NLT 330' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL
SPACING - 724863	[9/30/2022 - G56] - (640)(HOR) 5-7N-13E EXT 714384 MYES, WDFD, HNTN, SLVN, OTHER COMPL INT (MYES, HNTN) NLT 660' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL COMPL INT (SLVN) NLT 330' FB