API NUMBER: 121 24919

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	09/30/2022	_
Expiration Date:	03/30/2024	

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION:	Section: 08	Township: 7N	Range: 13E County:	PITTSBURG		
SPOT LOCATION:	SE SW SE	SE FEET FROM (QUARTER: FROM SOUTH	FROM EAST		
		SECTI	ION LINES: 249	817		
Lease Name:	PALMER		Well No: 4-8-5WH		Well will be 249 feet from nearest unit	or lease boundary.
Operator Name:	CALYX ENERGY III LLC	:	Telephone: 91894942	224	OTC/OCC Num	aber: 23515 0
CALYX ENER	RGY III LLC			LOGAN SANDER	S	
				230 WOLFHUNTE	ERS LANE	
TULSA,		OK 74136-42	226	MCALESTER	OK 74501	
,				Morkelotek	J. 74001	
Formation(s)	(Permit Valid for Li	sted Formations O	nly):			
Name		Code	Depth			
1 MAYES		353MYES	4725			
2 WOODFORD)	319WDFD	4850			
3 HUNTON		269HNTN	4925			
4 SYLVAN		203SLVN	4950			
. 0	724863 723579		Location Exception Orders	No Exceptions	Increased Density Orders:	No Density
				rs' notified: ***	Special Orders:	No Special
Pending CD Numbe			Working interest owner	rs' notified:	·	rto opoolai
	202203609					
	202203626					
	202203627					
Total Depth: 15	5500 Ground E	Elevation: 665	Surface Casing:	950	Depth to base of Treatable Water-Bearing	ng FM: 290
					Deep surface casing	g has been approved
Under Federal Jurisdiction: No			Approved Method for d	Approved Method for disposal of Drilling Fluids:		
5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			and backfilling of reserve pit.			
Surface	Surface Water used to Drill: Yes B. Solidification of pit contents.					
						MIT NO: 22-38597
				H. (Other)	PIT 2 - CONCRETE LINED PIT I REQUEST	PER OPERATOR

PIT 1 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: AIR

Category of Pit: 4
Liner not required for Category: 4

Pit Location is: AP/TE DEPOSIT
Pit Location Formation: TERRACE

Is depth to top of ground water greater than 10ft below base of pit? Y

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit <u>is</u> located in a Hydrologically Sensitive Area.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit <u>is</u> located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: AP/TE DEPOSIT
Pit Location Formation: TERRACE

MULTI UNIT HOLE 1

Section: 5 Township: 7N Range: 13E Meridian: IM Total Length: 9909

County: PITTSBURG Measured Total Depth: 15500

Spot Location of End Point: NW NE NE NE True Vertical Depth: 6000

Feet From: NORTH

1/4 Section Line: 165
End Point Location from
Lease, Unit, or Property Line: 165
Lease, Unit, or Property Line: 165

NOTES:

Category	Description
DEEP SURFACE CASING	[9/29/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[9/29/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
PENDING CD - 202203605	[9/30/2022 - G56] - (I.O.) 5 & 8-7N-13E EST MULTIUNIT HORIZONTAL WELL X724863 MYES, WDFD, HNTN, SLVN 5-7N-13E X723579 MYES, WDFD, HNTN, SLVN 8-7N-13E (MYES, HNTN, SLVN ARE ADJACENT CSS TO WDFD) 50% 8-7N-13E 50% 5-7N-13E NO OP NAMED REC 9/26/2022 (BEESE)
PENDING CD - 202203609	[9/30/2022 - G56] - (I.O.) 5 & 8-7N-13E X724863 MYES, WDFD, HNTN, SLVN 5-7N-13E X723579 MYES, WDFD, HNTN, SLVN 8-7N-13E COMPL INT (8-7N-13E) NCT 0' FNL, NCT 165' FSL, NCT 330' FEL COMPL INT (5-7N-13E) NCT 165' FNL, NCT 0' FSL, NCT 330' FEL NO OP NAMED REC 9/26/2022 (BEESE)
PENDING CD - 202203626	[9/30/2022 - G56] - 5-7N-13E X724863 WDFD 4 WELLS NO OP NAMED REC 9/26/2022 (BEESE)
PENDING CD - 202203627	[9/30/2022 - G56] - 8-7N-13E X723579 WDFD 3 WELLS NO OP NAMED REC 9/26/2022 (BEESE)
SPACING - 723579	[9/30/2022 - G56] - (640)(HOR) 8-7N-13E EXT 598520 MYES, WDFD, HNTN, SLVN, OTHER COMPL INT (MYES, HNTN) NLT 660' FB COMPL INT (SLVN) NLT 330' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL
SPACING - 724863	[9/30/2022 - G56] - (640)(HOR) 5-7N-13E EXT 714384 MYES, WDFD, HNTN, SLVN, OTHER COMPL INT (MYES, HNTN) NLT 660' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL COMPL INT (SLVN) NLT 330' FB