<b></b>					OKLAHOMA O OIL & GAS	ORPORATIO				Approval Date:	12/03/2019
API NUMBER:	107	23598	В			P.O. BOX 52000				Expiration Date:	06/03/2021
Horizontal Hole Multi Unit	ntal Hole Oil & Gas (Rule 165:10-3-1)										
Amend reason: RE-PI 12/10/2019	ERMIT F	OR TEMPORA	ARY EXPIR	RING ON	AME	ND PERMIT T	<u>O DRILL</u>				
WELL LOCATION	N: Sec:	24 Twp:	: 10N R	ge: 9E	County: OKFUS	KEE					
SPOT LOCATION	N: SW	SE	SE	SE FEE	T FROM QUARTER: FROM	OUTH FROM	EAST				
				SEC	TION LINES: 1	97	522				
Lease Name:	TIMBE	RWOLF			Well No: 1	-19-18CH		Well will be	197	feet from neares	t unit or lease boundary.
Operator Name:	CA	LYX ENERGY	III LLC			Telephone: 91	39494224		OTC/O	CC Number:	23515 0
CALYX E	ENER	GY III LLC									
6120 S YALE AVE STE 1480								AVIS TRUST			
TULSA,			C	DK 74 <sup>-</sup>	136-4226		116159 H			<u> </u>	
							OKEMA	4		OK 74	859
1 2 3 4	Name MISSIS WOOD	SSIPPIAN FORD			<b>Depth</b> 3475 3770	6 7 8 9	Name			Depth	
5	0010	04				10					
Spacing Orders: 681204					Location Exception Or	rders:	Increased Density Orders:				
Pending CD Nun	nbers:	201905645						Spe	ecial Orders	S:	
Total Depth:	14021	Gro	ound Eleva	tion: 806	Surface Ca	asing: 750		Depth	to base of	f Treatable Water-	Bearing FM: 40
						Deep	surface cas	ing has been	approve	ed	
Under Federa	I Jurisdie	ction: No			Fresh Water S	upply Well Drilled:	No			Surface Water us	ed to Drill: Yes
PIT 1 INFORM	PIT 1 INFORMATION				Approved Method for disposal of Drilling Fluids:						
Type of Pit Syst		LOSED Close	ed System I	Means Steel	Pits						
Type of Mud Sy	WATER BASE	D			D.	D. One time land application (REQUIRES PERMIT) PERMIT NO: 19-37130					
Chlorides Max:	Chlorides Max: 5000 Average: 3000					H.	H. CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST				
Is depth to top o Within 1 mile of	-	-		elow base of	pit? Y						
Wellhead Prote	ction Are	ea? N									
Pit <b>is</b> loc	ated in a	a Hydrologically	y Sensitive	Area.							
Category of Pit											
Liner not requi											
Pit Location is											
Pit Location For	mation:	WEWOKA									

## HORIZONTAL HOLE 1

Sec 18 Twp 10N Rge 10E County OKFUSKEE Spot Location of End Point: N2 NW NW NW Feet From: NORTH 1/4 Section Line: 165 Feet From: WEST 1/4 Section Line: 330 Depth of Deviation: 3193 Radius of Turn: 382 Direction: 5 Total Length: 10228 Measured Total Depth: 14021 True Vertical Depth: 3770 End Point Location from Lease, Unit, or Property Line: 165

Notes: Category	Description
DEEP SURFACE CASING	12/3/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
PENDING CD - 201905645	12/6/2019 - G56 - (E.O.) 18 & 19-10N-10E X681204 MSSP, WDFD COMPL INT NCT 165' FSL, NCT 165' FNL, NCT 330' FWL CALYX ENERGY III, LLC REC 12/6/2019 (JOHNSON)
SPACING - 681204	12/6/2019 - G56 - (1280)(HOR) 18 & 19-10N-10E EST MSSP, WDFD, OTHER COMPL INT (MSSP) NLT 660' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL (COEXIST WITH SP # 206441 WDFD)

