

API NUMBER: 073 26736

OKLAHOMA CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
P.O. BOX 52000  
OKLAHOMA CITY, OK 73152-2000  
(Rule 165:10-3-1)

Approval Date: 02/09/2021  
Expiration Date: 08/09/2022

Multi Unit Oil & Gas

**PERMIT TO DRILL**

WELL LOCATION: Section: 22 Township: 17N Range: 8W County: KINGFISHER

SPOT LOCATION: ☐ NW ☐ SW ☐ SE FEET FROM QUARTER: FROM SOUTH FROM EAST  
SECTION LINES: 383 2368

Lease Name: EMORY Well No: 1708 2H-15X Well will be 383 feet from nearest unit or lease boundary.  
Operator Name: OVINTIV MID-CONTINENT INC. Telephone: 2812105100; 9188781290; OTC/OCC Number: 20944 0

OVINTIV MID-CONTINENT INC.  
4 WATERWAY AVE STE 100  
THE WOODLANDS, TX 77380-2764

GARRETT AND COMPANY, LLC  
9701 N BROADWAY  
OKLAHOMA CITY OK 73114

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Code	Depth
1	MISSISSIPPIAN	359MSSP	8096
2	WOODFORD	319WDFD	8695

Spacing Orders: 649745  
715682

Location Exception Orders: 715635  
715639

Increased Density Orders: 715633  
715634

Pending CD Numbers: No Pending

Working interest owners' notified: \*\*\*

Special Orders: No Special Orders

Total Depth: 18535 Ground Elevation: 1128

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 200

Deep surface casing has been approved

Under Federal Jurisdiction: No  
Fresh Water Supply Well Drilled: No  
Surface Water used to Drill: No

**Approved Method for disposal of Drilling Fluids:**

D. One time land application -- (REQUIRES PERMIT)		PERMIT NO: 21-37516
E. Haul to Commercial pit facility	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498	
H. (Other)	SEE MEMO	

**PIT 1 INFORMATION**

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: CEDAR HILL

**PIT 2 INFORMATION**

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: CEDAR HILL

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

## MULTI UNIT HOLE 1

Section: 15	Township: 17N	Range: 8W	Meridian: IM	Total Length: 10235
County: KINGFISHER				Measured Total Depth: 18535
Spot Location of End Point: NW	NE	NW	NE	True Vertical Depth: 8695
Feet From: <b>NORTH</b>	1/4 Section Line: 85			End Point Location from
Feet From: <b>EAST</b>	1/4 Section Line: 1790			Lease, Unit, or Property Line: 85

## NOTES:

Category	Description
DEEP SURFACE CASING	[2/1/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
EXCEPTION TO RULE – 715639 (202001797)	[2/8/2021 - GB6] - (I.O.) 15 & 22 -17N-8W X165:10-3-28(C)(2)(B) MSNLC (EMORY 1708 2H-15X) MAY BE CLOSER THAN 600' TO EXISTING WELLS M.CONLEY 1 (API# 073-22027), CONLEY 1 1-15 (API# 073-23171), EMORY 1H-15X (API# 073-25391, R.W.GARRET 2 (API# 073-21597) AND/OR PROPOSED WELLS EMORY 1708 3H-15X, EMORY 1708 4H-15X, EMORY 1708 5H-15X. 12/01/2020
HYDRAULIC FRACTURING	[2/1/2021 - GC2] - OCC 165:10-3-10 REQUIRES:  1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;  2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: <a href="http://OCCWEB.COM/OG/OGFORMS.HTML">OCCWEB.COM/OG/OGFORMS.HTML</a> ; AND,  3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT <a href="http://FRACFOCUS.ORG">FRACFOCUS.ORG</a>
INCREASED DENSITY – 715633 (202001787)	[2/8/2021 - GB6] - 15-17N-8W X649745 MSNLC 5 WELLS OVINTIV MID-CONTINENT INC. 12/01/2020
INCREASED DENSITY – 715634 (202001788)	[2/8/2021 - GB6] - 22-17N-8W X649745 MSNLC 5 WELLS OVINTIV MID-CONTINENT INC. 12/01/2020
LOCATION EXCEPTION – 715635 (202001790)	[2/8/2021 - GB6] - (I.O.) 15 & 22 -17N-8W X649745 MSNLC, WDFD COMPL. INT. (15-17N-8W) NCT 165' FNL, NCT 0' FSL, NCT 1440' FEL COMPL. INT. (22-17N-8W) NCT 0' FNL, NCT 165' FSL, NCT 1440' FEL OVINTIV MID-CONTINENT INC. 12/01/2020
MEMO	[2/1/2021 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING – 649745	[2/8/2021 - GB6] - (640)(HOR) 15, 22 -17N-8W EST MSNLC, WDFD COMPL. INT. (MSNLC) 660' FB COMPL. INT. (WDFD) NCT 165' FSL, NCT 165' FNL, NCT 33' FEL, NCT 330' FWL (COEXIST SP. ORDER# 89974/93777 MSSLM; SP. ORDER# 101356 MSSLM; SP. ORDER# 138429 MSSLM; SP. ORDER# 101356/138429 MSSLM)
SPACING – 715682 (202001789)	[2/8/2021 - GB6] - (I.O.) 15 & 22 -17N-8W EST MULTIUNIT HORIZONTAL WELL X649745 MSNLC, WDFD (WDFD ADJACENT COMMON SOURCE OF SUPPLY TO MSNLC) 50% 15-17N-8W 50% 22-17N-8W OVINTIV MID-CONTINENT INC. 12/03/2020

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.