API NUMBER:	051	24835

Oil & Gas

Multi Unit

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 05/19/2021 Expiration Date: 11/19/2022

PERMIT TO DRILL

WELL LOCATION:	Section:	24	Township	5: 4N	Range:	6W	County:	GRAD	Y								
SPOT LOCATION:	NW	NE	NW	FEET FRO	OM QUARTER:	FROM	NORTH	FROM	WEST								
				SE	CTION LINES:		264		2183								
Lease Name:	KEM RANCH	I 0406			,	Nell No:	6-24-25V	ИХН		Well wil	ll be 2	64 feet	from ne	earest unit	or lease	boundary	y.
Operator Name:	MARATHON	OIL COM	PANY		Te	lephone:	86666223	378					OTC/C	OCC Num	ber:	1363	0
MARATHON	OIL COMP	ANY] [PATRICIA LY	NN GAWTH	IROP						
5555 SAN FE	ELIPE ST								25852 UNDE	RWOOD AV	/Ε.						
HOUSTON,			ΤХ	77056					HAYWARD			С	A	94544			
								L									
]									
Formation(s)	(Permit Va	alid for L	isted Fo	rmations	Only):												
Name			Cod	e	D	epth											
1 MISSISSIPF	PIAN		3591	MSSP	1	4895											
2 WOODFOR	D			NDFD		5276											
3 HUNTON			269H	HNTN	1	5516											
Spacing Orders:	403850				Locati	on Excep	otion Order	s: 7	17709			Increase	ed Densit	ty Orders:	717636		
	184773 146081														717637		
	654359																
	655630																
	654158																
	717641																
Pending CD Numb	ers: No Pend	ding			W	orking int	erest owne	ers' no	tified: ***		_		Specia	al Orders:	No Spec	ial Orders	S
Total Depth: 2	25430	Ground	Elevation:	1196	Su	rface (Casing:	150	0	D	epth to ba	ase of Trea	atable W	ater-Bearin	ng FM: 3	50	
												Deep	surfac	e casing) has be	en app	oroved
Under	Federal Jurisdi	ction: No						A	pproved Method	d for disposal of	f Drilling	Fluids:					
Fresh Wate	r Supply Well D	rilled: No						C). One time land a	application (RE	QUIRES	PERMIT)		PERI	MIT NO: 2	1-37620	
Surface	e Water used to	Drill: Ye	S					F	I. (Other)		SEI	E MEMO					
								_	6. Haul to recyclin	g/re-use facility	Sec	c. 28 Twn.	2N Rng.	4W Cnty.	137 Order	No: 7020	000
PIT 1 INFOR	MATION								Cate	gory of Pit: C							
	Pit System: C	LOSED C	losed Syst	em Means S	teel Pits			I	Liner not require	d for Category:	С						
Type of M	lud System: W	ATER BAS	SED						Pit L	ocation is: NC	ON HSA						
Chlorides Max: 50	000 Average: 3	000							Pit Location I	Formation: CH	HICKASH	A					
Is depth to	top of ground v	vater great	er than 10ft	below base	of pit? Y												
Within 1	mile of municipa	al water we	II? N														
	Wellhead Pro	tection Are	a? N														
Pit <u>is not</u> lo	ocated in a Hyd	rologically	Sensitive A	rea.													

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION	Category of Pit: C
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C
Type of Mud System: OIL BASED	Pit Location is: NON HSA
Chlorides Max: 300000 Average: 200000	Pit Location Formation: CHICKASHA
Is depth to top of ground water greater than 10ft below base of pit? Y	
Within 1 mile of municipal water well? N	
Wellhead Protection Area? N	
Pit is not located in a Hydrologically Sensitive Area.	

MULTI UNIT HOLE 1

Section: 25	Township: 4N	Range: 6W	Meridian: IM	Total Length:	9815
	County: GRAD	PΥ		Measured Total Depth:	25430
Spot Location	of End Point: SE	SW SW	SW	True Vertical Depth:	15866
	Feet From: SOUT	TH 1/4 Section	n Line: 50	End Point Location from	
	Feet From: WEST	1/4 Section	n Line: 505	Lease, Unit, or Property Line:	50
Additional Surface C	Dwner(s)	Address		City, Sta	ate, Zip
RICHARD A ADKINS		11112 CL	ARIBEL ROAD	OAKDA	LE, CA 95361

NOTES:	
Category	Description
DEEP SURFACE CASING	[5/14/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[5/14/2021 - GC2] - OCC 165:10-3-10 REQUIRES:
	 NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT
	LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 717636	[5/18/2021 - GC2] - 24-4N-6W X403850 WDFD 5 WELLS NO OP. NAMED 4-7-2021
INCREASED DENSITY - 717637	[5/18/2021 - GC2] - 25-4N-6W X184773 WDFD 5 WELLS NO OP NAMED 4-7-2021
LOCATION EXCEPTION - 717709 (202100147)	[5/18/2021 - GC2] - (I.O.) 24 & 25-4N-6W X654359/655630 MSSP 24-4N-6W X654158 MSSP 25-4N-6W X403850 WDFD 24-4N-6W X184773 WDFD 25-4N-6W X146081 HNTN 24 & 25-4N-6W COMPL. INT. (24-4N-6W) NCT 150' FNL, NCT 0' FSL, NCT 330' FWL COMPL. INT. (25-4N-6W) NCT 0' FNL, NCT 150' FSL, NCT 330' FWL NO OP. NAMED 4-12-2021
МЕМО	[5/14/2021 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

SPACING - 146081	[5/18/2021 - GC2] - (640) 24 & 25-4N-6W EXT OTHERS EST HNTN, SCMR (VAC BY 654359 SCMR 24-4N-6W) (VAC BY 654158 SCMR 25-4N-6W)
SPACING - 184773	[5/18/2021 - GC2] - (640) 25-4N-6W EST WDFD
SPACING - 403850	[5/18/2021 - GC2] - (640) 24-4N-6W EST WDFD
SPACING - 654158	[5/18/2021 - GC2] - (640) 25-4N-6W VAC 146081 SCMR EST MSSP
SPACING - 654359	[5/18/2021 - GC2] - (640) 24-4N-6W VAC 146081 SCMR EST MSSP
SPACING - 655630	[5/18/2021 - GC2] - AMND TO PROPER NOTICE THE ONLY RESPONDENT
SPACING - 717641 (202100146)	[5/18/2021 - GC2] - (I.O.) 24 & 25-4N-6W ESTABLISH MULTIUNIT HORIZONTAL WELL X654359/655630 MSSP 24-4N-6W X654158 MSSP 25-4N-6W X403850 WDFD 24-4N-6W X184773 WDFD 25-4N-6W X146081 HNTN 24 & 25-4N-6W (MSSP, HNTN ADJACENT COMMON SOURCE OF SUPPLY TO WDFD) 50% 24-4N-6W 50% 25-4N-6W NO OP. NAMED 4-7-2021