API NUMBER:	051	24832	OIL

Multi Unit Oil & Gas

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

 Approval Date:
 05/19/2021

 Expiration Date:
 11/19/2022

PERMIT TO DRILL

WELL LOCATION:	Section:	24	Township	: 4N	Range: 6		County:	GRADY	,						
SPOT LOCATION:	NW NE	NE	NW	FEET FRO	M QUARTER:	FROM	NORTH	FROM	EAST						
					CTION LINES:		265		2283						
Lease Name:	KEM RANCH	0406			w		2-24-25W	/хн	2205	Well will be	50	feet from	nearest unit	or lease	boundary.
															-
Operator Name:	MARATHON		PANY		Tele	phone:	86666223	378 •				010	OCC Num	ber:	1363 0
MARATHON	OIL COMP	ANY						P	ATRICIA LYN	IN GAWTHRO	Р				
5555 SAN FE	ELIPE ST							2	582 UNDERV	VOOD AVE.					
HOUSTON,			ΤХ	77056				⊦	IAYWARD			CA	94544		
												•	01011		
Formation(s)	(Permit Va	alid for L	isted Fo	rmations	Only):										
Name			Cod	e	De	pth									
1 MISSISSIPP				ISSP		884									
2 WOODFORI	D			VDFD		265									
3 HUNTON			2691	INTN	15:	505									
	403850 184773				Location	n Except	tion Orders	s: 71	7705		In	creased Der	sity Orders:	71763	
	717586													71763	7
	146081														
	654359														
	654158														
	655630														
Pending CD Numbe	ers: No Pend	ling			Wor	king inte	erest owne	rs' notif	ied: ***			Spe	cial Orders:	No Spe	cial Orders
Total Depth: 2	25523	Ground	Elevation:	1200	Surf	face C	asing:	1500)	Depth	to base	of Treatable	Water-Bearin	ig FM: 3	50
											C	Deep surfa	ace casing	has b	een approved
Under	Federal Jurisdie	ction: No						Ap	proved Method for	or disposal of Drill	ing Flui	ids:			
Fresh Water	r Supply Well Di	rilled: No							-	lication (REQUIF	-		PERI	MIT NO:	21-37616
Surface	e Water used to	Drill: Ye	S					Н.	(Other)		SEE M	EMO			
									Haul to recycling/	e-use facility			ng. 4W Cnty.	137 Orde	r No: 702000
PIT 1 INFOR	MATION								Catego	ryofPit: C					
	Pit System: Cl	LOSED (closed Syst	em Means Si	teel Pits			Li	iner not required						
Type of M	lud System: W	ATER BA	SED							ation is: NON H	SA				
Chlorides Max: 50	000 Average: 30	000							Pit Location Fo	rmation: CHICK/	ASHA				
Is depth to	top of ground w	ater great	er than 10f	below base	of pit? Y										
Within 1 r	mile of municipa	al water we	II? N												
	Wellhead Prot	ection Are	a? N												
Pit <u>is not</u> lo	ocated in a Hydr	rologically	Sensitive A	rea.											

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION	Category of Pit: C				
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C				
Type of Mud System: OIL BASED	Pit Location is: NON HSA				
Chlorides Max: 300000 Average: 200000	Pit Location Formation: CHICKASHA				
Is depth to top of ground water greater than 10ft below base of pit? Y					
Within 1 mile of municipal water well? N					
Wellhead Protection Area? N					
Pit is not located in a Hydrologically Sensitive Area.					

MULTI UNIT HOLE 1

Section: 25	Township: 4N	Range: 6W	Meridian: IM	Total Length: 9901
	County: GRA	DY		Measured Total Depth: 25523
Spot Location	of End Point: SW	SW SE	SE	True Vertical Depth: 15878
	Feet From: SOU	TH 1/4 Section	on Line: 50	End Point Location from
	Feet From: EAS	r 1/4 Section	on Line: 1255	Lease,Unit, or Property Line: 50
Additional Surface C	Owner(s)	Address		City, State, Zip
RICHARD A. ADKINS	\$	11112 CL	ARIBEL ROAD	OAKDALE, CA 95361

NOTES:	
Category	Description
DEEP SURFACE CASING	[5/14/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[5/14/2021 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 717636	[5/17/2021 - GC2] - 24-4N-6W X403850 WDFD 5 WELLS NO OP. NAMED 4-7-2021
INCREASED DENSITY - 717637	[5/17/2021 - GC2] - 25-4N-6W X184773 WDFD 5 WELLS NO OP NAMED 4-7-2021
LOCATION EXCEPTION - 717705 (202100139)	[5/17/2021 - GC2] - (I.O.) 24 & 25-4N-6W X654359/655630 MSSP 24-4N-6W X654158 MSSP 25-4N-6W X403850 WDFD 24-4N-6W X184773 WDFD 25-4N-6W X146081 HNTN 24 & 25-4N-6W COMPL. INT. (24-4N-6W) NCT 150' FNL, NCT 0' FSL, NCT 990' FEL COMPL. INT. (25-4N-6W) NCT 0' FNL, NCT 150' FSL, NCT 990' FEL NO OP. NAMED 4-12-2021
МЕМО	[5/14/2021 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

SPACING - 146081	[5/18/2021 - GC2] - (640) 24 & 25-4N-6W EXT OTHERS EST HNTN, SCMR (VAC BY 654359 SCMR 24-4N-6W) (VAC BY 654158 SCMR 25-4N-6W)
SPACING - 184773	[5/17/2021 - GC2] - (640) 25-4N-6W EST WDFD
SPACING - 403850	[5/17/2021 - GC2] - (640) 24-4N-6W EST WDFD
SPACING - 654158	[5/18/2021 - GC2] - (640) 25-4N-6W VAC 146081 SCMR EST MSSP
SPACING - 654359	[5/18/2021 - GC2] - (640) 24-4N-6W VAC 146081 SCMR EST MSSP
SPACING - 655630	[5/18/2021 - GC2] - AMND TO PROPER NOTICE THE ONLY RESPONDENT
SPACING - 717586 (202100138)	[5/17/2021 - GC2] - (I.O.) 24 & 25-4N-6W ESTABLISH MULTIUNIT HORIZONTAL WELL X654359/655630 MSSP 24-4N-6W X654158 MSSP 25-4N-6W X403850 WDFD 24-4N-6W X184773 WDFD 25-4N-6W X146081 HNTN 24 & 25-4N-6 (HNTN, MSSP ADJACENT COMMON SOURCE OF SUPPLY TO WDFD) 50% 24-4N-6W 50% 25-4N-6W NO OP. NAMED 4-5-2021

