

API NUMBER: 087 22314 A

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

Approval Date: 06/22/2021
Expiration Date: 12/22/2022

Multi Unit Oil & Gas

Amend reason: AMEND SHL AND BHL

AMEND PERMIT TO DRILL

WELL LOCATION: Section: 27 Township: 6N Range: 4W County: MCCLAIN

SPOT LOCATION: ☐ NW ☐ SE ☐ SW ☐ SE FEET FROM QUARTER: FROM SOUTH FROM EAST
SECTION LINES: 499 1921

Lease Name: TECATE Well No: 0604 34-3-2MXH Well will be 499 feet from nearest unit or lease boundary.

Operator Name: CPRP SERVICES LLC Telephone: 4059223616 OTC/OCC Number: 24506 0

CPRP SERVICES LLC
123 NW 8TH ST
OKLAHOMA CITY, OK 73102-5804

TOM & DANA HARTLEY
4716 N. MCMILLAN AVENUE
BETHANY OK 73008

Formation(s) (Permit Valid for Listed Formations Only):

Name	Code	Depth
1 MISSISSIPPIAN	359MSSP	10650

Spacing Orders: 666181
671208

Location Exception Orders: No Exceptions

Increased Density Orders: No Density Orders

Pending CD Numbers: 202100662
202100661

Working interest owners' notified: ***

Special Orders: No Special Orders

Total Depth: 21150 Ground Elevation: 1150

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 240

Deep surface casing has been approved

Under Federal Jurisdiction: No
Fresh Water Supply Well Drilled: No
Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 21-37653

H. (Other)

SEE MEMO

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: DUNCAN

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: DUNCAN

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1					
Section: 3	Township: 5N	Range: 4W	Meridian: IM	Total Length: 10280	
	County: MCCLAIN			Measured Total Depth: 21150	
Spot Location of End Point: SW	SE	SE	SW	True Vertical Depth: 10650	
Feet From: SOUTH		1/4 Section Line: 100		End Point Location from	
Feet From: WEST		1/4 Section Line: 2290		Lease, Unit, or Property Line: 100	

NOTES:	
Category	Description
DEEP SURFACE CASING	[6/10/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[6/10/2021 - GC2] - OCC 165:10-3-10 REQUIRES: 1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; 2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
MEMO	[6/22/2021 - GB1] - CLOSED SYSTEM=STEEL PITS (REQUIRED - CRINER CREEK AND LARGE POND), OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202100661	[6/21/2021 - GB1] - (E.O.) 34-6N-4W & 3-5N-4W EST MULTIUNIT HORIZONTAL WELL X666181 MSSP, OTHER 34-6N-4W X671208 MSSP, OTHER 3-5N-4W 50% 34-6N-4W 50% 3-5N-4W CASILLAS PETROLEUM RSOURCES PARTNERS, LLC REC 6/8/21 (NORRIS)
PENDING CD - 202100662	[6/21/2021 - GB1] - (E.O.) 34-6N-4W & 3-5N-4W X666181 MSSP, OTHER 34-6N-4W X671208 MSSP, OTHER 3-5N-4W COMPL INT (34-6N-4W) NCT 165' FNL, NCT 0' FSL, NCT 1320' FWL COMPL INT (3-5N-4W) NCT 0' FNL, NCT 165' FSL, NCT 1320' FWL CASILLAS PETROLEUM RSOURCES PARTNERS, LLC REC 6/8/21 (NORRIS)
SPACING - 666181	[6/21/2021 - GB1] - (640)(HOR) 34-6N-4W VAC 250713 SCMR, OTHER EXT 626773 MSSP, OTHERS COMPL INT NLT 660' FB
SPACING - 671208	[6/21/2021 - GB1] - (640)(HOR) 3-5N-4W VAC 250713 SCMR NE4 & S2 VAC OTHERS VAC 616103 SCMR NW4 EST MSSP, OTHERS COMPL INT NLT 660' FB

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

087 22314 TECATE 0604 34-3-2MXH

TECATE 0604 34-3-2MXH
CPRP SERVICES, LLC
SECTION 27, TOWNSHIP 6N, RANGE 4W, I.M.
MCCLAIN COUNTY, OKLAHOMA

SECTION LINE
 TOWNSHIP LINE
 QUARTER SECTION LINE
 16TH LINE
 PROPOSED WELL BORE




499' FSL & 1921' FEL
NAD-27
X= 2117792
Y= 591600
LAT.: 34°57'30.1"N
LONG.: 97°36'22.4"W
LAT.: 34.958522° N
LONG.: 97.606259° W
ELEV.: 1152' (NGVD29)
NAD-83
X= 2086396
Y= 591642
LAT.: 34°57'30.3"N
LONG.: 97°36'23.5" W
LAT.: 34.958422° N
LONG.: 97.606540° W
ELEV.: 1152' (NAVD88)

165' FNL & 2290' FWL
NAD-27
X= 2116911
Y= 590933
LAT.: 34°57'23.5"N
LONG.: 97°36'35.4"W
LAT.: 34.956533° N
LONG: 97.609845° W
NAD-83
X= 2085315
Y= 590975
LAT.: 34°57'23.8" N
LONG.: 97°36'36.6" W
LAT.: 34.956603° N
LONG.: 97.610157° W

165' FSL & 2290' FWL
NAD-27
X= 2116961
Y= 580653
LAT.: 34°55'41.8"N
LONG.: 97°36'35.3"W
LAT.: 34.928285° N
LONG.: 97.609810° W
NAD-83
X= 2085365
Y= 581695
LAT.: 34°55'42.1" N
LONG.: 97°36'36.4" W
LAT.: 34.928356° N
LONG.: 97.610122° W

100' FSL & 2290' FWL
NAD-27
X= 2116962
Y= 5805588
LAT.: 34°55'41.2"N
LONG.: 97°36'35.3"W
LAT.: 34.928107° N
LONG: 97.609809° W
NAD-83
X= 2085366
Y= 580630
LAT.: 34°55'41.4" N
LONG.: 97°36'36.4" W
LAT.: 34.928178° N
LONG.: 97.610120° W

I, T. WAYNE FISCH, AN OKLAHOMA LICENSED LAND SURVEYOR AND AN AUTHORIZED AGENT OF TOPOGRAPHIC LAND SURVEYORS, DO HEREBY CERTIFY TO THE INFORMATION SHOWN HEREIN.



13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
CERTIFICATE OF AUTHORIZATION NO. 1292 LS
WWW.TOPOGRAPHIC.COM

--	--

1. ORIGINAL DOCUMENT SIZE: 8.5" X 14"
2. ALL BEARINGS SHOWN HEREON ARE GRID OKLAHOMA COORDINATE SYSTEM OF 1983 SOUTH ZONE ACCORDING TO THE RESULT OF STATIC GPS OBSERVATION PROCESSED THROUGH OPUS ON THE CONTROL POINT OCCUPIED WHILE MEASURING SAID LINES. OPUS RESULTS ARE CORRELATED TO OKLAHOMA COORDINATE SYSTEM THROUGH SOUTH ZONE AND THE NORTH AMERICAN VERTICAL DATUM OF 1988.
3. OKLAHOMA COORDINATE SYSTEM OF 1927 AND NATIONAL GEOGRAPHIC VERTICAL DATUM OF 1929 INFORMATION CONVERTED FROM OKLAHOMA COORDINATE SYSTEM OF 1983 AND NORTH AMERICAN VERTICAL DATUM OF 1988.
4. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT/LOCATION. IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE SECOND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY GPS SERVICES, I CAN ONLY UTTER THIS EASEMENT THAT I WERE VISITOR ON THE DAY OF THIS SURVEY. WITHIN ADJOINING THIS EASEMENT/LOCATION, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
5. THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY.

11



A circular purple seal for a Licensed Professional Land Surveyor. The outer ring contains the text "LICENSED PROFESSIONAL LAND SURVEYOR" at the top and "OKLAHOMA" at the bottom. The center of the seal contains the name "T. WAYNE FISCH", the license number "1378", and the commission expiration date "07/01/2021".


T. Wayne Fisch, P.L.S. No. 1378
Authorized Agent of Topographic Land Surveyors

LEASE NAME & WELL NO. TECATE 0604 34-3-2MXH

SECTION 27 TWP 6N RGE 4W MERIDIAN I.M.


SECTION	TWP	RSE	MERIDIAN
COUNTY	MCCLAIN	STATE	OKLAHOMA

DESCRIPTION	499' FSL & 1921' FEL
-------------	----------------------



WELL LOCATION
TECATE 0604 34-3-2MXH
CPRP SERVICES, LLC
SECTION 27, TOWNSHIP 6N, RANGE 4W, I.M.
MCCLAIN COUNTY, OKLAHOMA

LEGEND	
	SECTION LINE
	TOWNSHIP LINE
	QUARTER SECTION LINE
	16TH LINE
	PROPOSED WELL BORE



SURVEYOR'S CERTIFICATE:
I, T. WAYNE FISCH, AN OKLAHOMA LICENSED LAND SURVEYOR AND AN AUTHORIZED AGENT OF TOPOGRAPHIC LAND SURVEYORS, DO HEREBY CERTIFY TO THE INFORMATION SHOWN HEREIN.



TECATE 0604 34-3-2MXH	REVISION:	
	INT	DATE
DATE: 04/14/2021	KEU	06/09/2021
FILE:LO_TECATE_0604_34-3-2MXH_REV4	KEU	06/25/2021
DRAWN BY: KEU	SEO	07/01/2021
SHEET : 2 OF 2		

- NOTES:
1. ORIGINAL DOCUMENT SIZE: 8.5" X 14"
 2. ALL BEARINGS SHOWN HEREON ARE GRID OKLAHOMA COORDINATE SYSTEM OF 1983 SOUTH ZONE ACCORDING TO THE RESULT OF STATIC GPS OBSERVATION PROCESSED THROUGH OPUS ON THE CONTROL POINT OCCUPIED WHILE MEASURING SAID LINES. OPUS RESULTS ARE CORRELATED TO OKLAHOMA COORDINATE SYSTEM THROUGH SOUTH ZONE AND THE NORTH AMERICAN VERTICAL DATUM OF 1988.
 3. OKLAHOMA COORDINATE SYSTEM OF 1927 AND NATIONAL GEOGRAPHIC VERTICAL DATUM OF 1929 INFORMATION CONVERTED FROM OKLAHOMA COORDINATE SYSTEM OF 1983 AND NORTH AMERICAN VERTICAL DATUM OF 1988.
 4. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT/LOCATION, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY CPRP SERVICES, LLC ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT/LOCATION, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
 5. THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY




T. Wayne Fisch, P.L.S. No. 1378
Authorized Agent of Topographic Land Surveyors

LEASE NAME & WELL NO. TECATE 0604 34-3-2MXH

SECTION 27 TWP 6N RGE 4W MERIDIAN I.M.
COUNTY MCCLAIN STATE OKLAHOMA
DESCRIPTION 499' FSL & 1921' FEL

LOCATION & ELEVATION VERIFICATION MAP



LEASE NAME & WELL NO. TECATE 0604 34-3-2MXH

SECTION 27 TWP 6N RGE 4W MERIDIAN 1M.

COUNTY MCCLAIN STATE OKLAHOMA


DESCRIPTION 499' FSL & 1921' FEL

ELEVATION 1152' (NGVD29)

ELEVATION 1152' (NAVD88)

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY CPRP SERVICES, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, SOUTH ZONE OF THE NORTH AMERICAN DATUM, U.S. SURVEY FEET.




SCALE: 1" = 4000'
0' 2000' 4000'



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
CERTIFICATE OF AUTHORIZATION NO. 1292 LS
WWW.TOPOGRAPHIC.COM

VICINITY MAP



LEASE NAME & WELL NO. TECATE 0604 34-3-2MXH

SECTION 27 TWP 6N RGE 4W MERIDIAN I.M.

COUNTY MCCLAIN STATE OKLAHOMA

DESCRIPTION 499' FSL & 1921' FEL


DISTANCE & DIRECTION

FROM CRINER, OKLA. GO WEST ON 180TH STREET FOR ±1 MILE.

TURN SOUTH ON MERIDIAN AVE FOR ± 1MILE TO SEC 27-6N-4W.

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY CPRP SERVICES, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, SOUTH ZONE OF THE NORTH AMERICAN DATUM, U.S. SURVEY FEET.



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY
13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
CERTIFICATE OF AUTHORIZATION NO. 1292 LS
WWW.TOPOGRAPHIC.COM