

API NUMBER: 087 22315 A

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

Approval Date: 06/23/2021
Expiration Date: 12/23/2022

Multi Unit Oil & Gas

Amend reason: AMEND SHL

AMEND PERMIT TO DRILL

WELL LOCATION: Section: 27 Township: 6N Range: 4W County: MCCLAIN

SPOT LOCATION: ☐ NW ☐ SE ☐ SW ☐ SE FEET FROM QUARTER: FROM SOUTH FROM EAST
SECTION LINES: 499 1901

Lease Name: TECATE Well No: 0604 34-3-WXH Well will be 499 feet from nearest unit or lease boundary.
Operator Name: CPRP SERVICES LLC Telephone: 4059223616 OTC/OCC Number: 24506 0

CPRP SERVICES LLC
123 NW 8TH ST
OKLAHOMA CITY, OK 73102-5804

TOM & DANA HARTLEY
4716 N. MCMILLAN AVENUE
BETHANY OK 73008

Formation(s) (Permit Valid for Listed Formations Only):

Name	Code	Depth
1 WOODFORD	319WDFD	10970

Spacing Orders: 666181
671208

Location Exception Orders: No Exceptions

Increased Density Orders: No Density Orders

Pending CD Numbers: 202100664
202100663
202100945
202100946

Working interest owners' notified: ***

Special Orders: No Special Orders

Total Depth: 18500

Ground Elevation: 1149

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 240

Deep surface casing has been approved

Under Federal Jurisdiction: No
Fresh Water Supply Well Drilled: No
Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 21-37653

H. (Other)

SEE MEMO

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: DUNCAN

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: DUNCAN

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1					
Section: 3	Township: 5N	Range: 4W	Meridian: IM	Total Length: 7402	
	County: MCCLAIN			Measured Total Depth: 18500	
Spot Location of End Point: SW	SE	SW	NE	True Vertical Depth: 10970	
Feet From: NORTH		1/4 Section Line: 2351		End Point Location from	
Feet From: EAST		1/4 Section Line: 1695		Lease, Unit, or Property Line: 1695	

NOTES:

Category	Description
DEEP SURFACE CASING	[6/18/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[6/18/2021 - GC2] - OCC 165:10-3-10 REQUIRES: 1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; 2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
MEMO	[6/18/2021 - GC2] - CLOSED SYSTEM=STEEL PITS (REQUIRED - CRINER CREEK AND LARGE POND), OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202100663	[6/22/2021 - GB1] - (E.O.) 34-6N-4W & 3-5N-4W EST MULTIUNIT HORIZONTAL WELL X666181 WDFD, OTHER 34-6N-4W X671208 WDFD, OTHER 3-5N-4W 67% 34-6N-4W 33% 3-5N-4W CASILLAS PETROLEUM RSOURCES PARTNERS, LLC REC 6/8/21 (NORRIS)
PENDING CD - 202100664	[6/22/2021 - GB1] - (E.O.) 34-6N-4W & 3-5N-4W X666181 WDFD, OTHER 34-6N-4W X671208 WDFD, OTHER 3-5N-4W COMPL INT (34-6N-4W) NCT 165' FNL, NCT 0' FSL, NCT 990' FEL COMPL INT (3-5N-4W) NCT 0' FNL, NCT 1320' FSL, NCT 990' FEL CASILLAS PETROLEUM RSOURCES PARTNERS, LLC REC 6/8/21 (NORRIS)
PENDING CD - 202100945	[6/22/2021 - GB1] - (E.O.) 34-6N-4W X666181 WDFD 1 WELL CASILLAS PETROLEUM RESOURCE PARTNERS, LLC REC 6/8/21 (NORRIS)
PENDING CD - 202100946	[6/22/2021 - GB1] - (E.O.) 3-5N-4W X671208 WDFD 1 WELL CASILLAS PETROLEUM RESOURCE PARTNERS, LLC REC 6/8/21 (NORRIS)
SPACING - 666181	[6/22/2021 - GB1] - (640)(HOR) 34-6N-4W VAC OTHERS EXT 626773 WDFD, OTHERS COMPL INT NLT 165' FNL/FSL, NLT 330' FEL/FWL
SPACING - 671208	[6/22/2021 - GB1] - (640)(HOR) 3-5N-4W VAC OTHERS EST WDFD, OTHERS COMPL INT NLT 165' FNL/FSL, NLT 330' FEL/FWL (COEXIST SP # 616103 WDFD, OTHER NW4 3-5N-4W)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

087 22315 TECATE 0604 34-3-3WXH

WELL LOCATION

TECATE 0604 34-3-3WXH
CPRP SERVICES LLC
SECTION 27, TOWNSHIP 6N, RANGE 4W, I.M.
MCCLAIN COUNTY, OKLAHOMA

LEGEND

--- SECTION LINE
--- TOWNSHIP LINE
--- QUARTER SECTION LINE
--- 16TH LINE
--- PROPOSED WELL BORE



GRID
OK-SOUTH
US FEET

SCALE: 1" = 2000'

0' 1000' 2000'

SURFACE LOCATION

499' FSL & 1901' FEL

NAD-27

X= 2118012

Y= 591600

LAT.: 34°57'30.1"N

LONG.: 97°36'22.2"W

LAT.: 34.958352° N

LONG.: 97.606162° W

ELEV.: 1151' (NGVD29)

NAD-83

X= 2086416

Y= 591642

LAT.: 34°57'30.3" N

LONG.: 97°36'23.3" W

LAT.: 34.958422° N

LONG.: 97.606474° W

ELEV.: 1151' (NAVD88)

FIRST TAKE POINT

165' FNL & 1695' FEL

NAD-27

X= 2118219

Y= 590936

LAT.: 34°57'23.5"N

LONG.: 97°36'19.7"W

LAT.: 34.956526° N

LONG.: 97.605480° W

NAD-83

X= 2086623

Y= 590978

LAT.: 34°57'23.7" N

LONG.: 97°36'20.8" W

LAT.: 34.956597° N

LONG.: 97.605791° W

LAST TAKE POINT

2286' FNL & 1695' FEL

NAD-27

X= 2118254

Y= 583534

LAT.: 34°56'10.3"N

LONG.: 97°36'19.7"W

LAT.: 34.936188° N

LONG.: 97.605461° W

NAD-83

X= 2086657

Y= 583576

LAT.: 34°56'10.5" N

LONG.: 97°36'20.8" W

LAT.: 34.936259° N

LONG.: 97.605773° W

BOTTOM HOLE

2351' FNL & 1695' FEL

NAD-27

X= 2118254

Y= 583469

LAT.: 34°56'09.6"N

LONG.: 97°36'19.7"W

LAT.: 34.936010° N

LONG.: 97.605461° W

NAD-83

X= 2086658



Y= 583511

LAT.: 34°56'09.9" N

LONG.: 97°36'20.8" W

LAT.: 34.936081° N

LONG.: 97.605772° W



SURVEYOR'S CERTIFICATE:

I, T. WAYNE FISCH, AN OKLAHOMA LICENSED LAND SURVEYOR AND AN AUTHORIZED AGENT OF TOPOGRAPHIC LAND SURVEYORS, DO HEREBY CERTIFY TO THE INFORMATION SHOWN HEREIN.

WELL LOCATION


TECATE 0604 34-3-3WXH
CPRP SERVICES LLC
SECTION 27, TOWNSHIP 6N, RANGE 4W, I.M.
MCCLAIN COUNTY, OKLAHOMA

LEGEND

- SECTION LINE
- TOWNSHIP LINE
- QUARTER SECTION LINE
- 16TH LINE
- PROPOSED WELL BORE




SCALE: 1" = 2000'
0' 1000' 2000'



SURVEYOR'S CERTIFICATE:
I, T. WAYNE FISCH, AN OKLAHOMA LICENSED LAND SURVEYOR AND AN AUTHORIZED AGENT OF TOPOGRAPHIC LAND SURVEYORS, DO HEREBY CERTIFY TO THE INFORMATION SHOWN HEREIN.

LOCATION & ELEVATION VERIFICATION MAP



LEASE NAME & WELL NO. TECATE 0604 34-3-3WXH

SECTION 27 TWP 6N RGE 4W MERIDIAN 1M

COUNTY MCCLAIN STATE OKLAHOMA


DESCRIPTION 499' FSL & 1901' FEL

ELEVATION 1151' (NGVD29)

ELEVATION 1151' (NAVD88)

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY CPRP SERVICES LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, SOUTH ZONE OF THE NORTH AMERICAN DATUM, U.S. SURVEY FEET.




SCALE: 1" = 4000'
0' 2000' 4000'



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
CERTIFICATE OF AUTHORIZATION NO. 1292 LS
WWW.TOPOGRAPHIC.COM

VICINITY MAP



LEASE NAME & WELL NO. TECATE 0604 34-3-3WXH

SECTION 27 TWP 6N RGE 4W MERIDIAN I.M.

COUNTY MCCLAIN STATE OKLAHOMA

DESCRIPTION 499' FSL & 1901' FEL


DISTANCE & DIRECTION

FROM CRINER, OKLA. GO WEST ON 180TH STREET FOR ± 1 MILE.

TURN SOUTH ON MERIDIAN AVE FOR ± 1 MILE TO SEC 27-6N-4W.

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY CPRP SERVICES LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE OKLAHOMA STATE PLANE COORDINATE SYSTEM, NORTH ZONE OF THE NORTH AMERICAN DATUM, U.S. SURVEY FEET.



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY
13800 WIRELESS WAY • OKLAHOMA CITY, OKLAHOMA 73134
TELEPHONE: (405) 843-4847 OR (800) 654-3219
CERTIFICATE OF AUTHORIZATION NO. 1292 LS
WWW.TOPOGRAPHIC.COM