API NUMBER: 017 25670 A

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 04/14/2021

Expiration Date: 10/14/2022

Multi Unit Oil & Gas

Amend reason: CHANGE SHL & BHL

AMEND PERMIT TO DRILL

WELL LOCATION: Section: 15 Township: 14N Range: 7W County: 0	CANADIAN	
SPOT LOCATION: NE NE NE NW FEET FROM QUARTER: FROM NORTH	FROM WEST	
SECTION LINES: 300	2350	
Lease Name: PETERS Well No: 1407 4H-	5X Well will be	e 300 feet from nearest unit or lease boundary.
Operator Name: OVINTIV MID-CONTINENT INC. Telephone: 28121051	∩∩· Q1887812Q∩·	OTC/OCC Number: 20944 0
Telephone. 20121031	00, 9100701230,	OTO/OGC Number. 20944 0
OVINTIV MID-CONTINENT INC.	WAYNE WAGNER	
4 WATERWAY AVE STE 100	511 N. 2ND STREET	
THE WOODLANDS, TX 77380-2764		OV 70700
THE WOODEANDO,	OKARCHE	OK 73762
Formation(s) (Permit Valid for Listed Formations Only):		
Name Code Depth		
1 MISSISSIPPIAN 359MSSP 8401		
2 WOODFORD 319WDFD 8851		
Spacing Orders: 621416 Location Exception Orders	: 691043	Increased Density Orders: 690775
691042	691446	715404
716445	716446	690776
	694314	715405
	716469	716453
		716454
No Donding		Special Orders: No Special Orders
Pending CD Numbers: No Pending Working interest owner	s' notified: ***	opeolal orders.
Total Depth: 19021 Ground Elevation: 1161 Surface Casing:	1500 Depth	to base of Treatable Water-Bearing FM: 270
		Deep surface casing has been approved
Under Federal Jurisdiction: No	Approved Method for disposal of Dri	Illing Fluids:
Fresh Water Supply Well Drilled: No	D. One time land application (REQUI	
Fresh Water Supply Well Drilled: No Surface Water used to Drill: No	D. One time land application (REQUI Haul to Commercial pit facility	
	D. One time land application (REQUI E. Haul to Commercial pit facility H. (Other)	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO
	E. Haul to Commercial pit facility	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498
Surface Water used to Drill: No PIT 1 INFORMATION	E. Haul to Commercial pit facility	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: C	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED	E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: C Pit Location is: BED A	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000	E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: C	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y	E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: C Pit Location is: BED A	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: C Pit Location is: BED A	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N	E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: C Pit Location is: BED A	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: C Pit Location is: BED A	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N	E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: C Pit Location is: BED A	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.	E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: C Pit Location is: BED A Pit Location Formation: DUNC.	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.	E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: C Pit Location is: BED A Pit Location Formation: DUNC.	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO QUIFER AN
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: C Pit Location is: BED A Pit Location Formation: DUNC Category of Pit: C Liner not required for Category: C	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO AQUIFER AN
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED	E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: C Pit Location is: BED A Pit Location Formation: DUNC. Category of Pit: C Liner not required for Category: C Pit Location is: BED A	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO AQUIFER AN
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000	E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: C Pit Location is: BED A Pit Location Formation: DUNC. Category of Pit: C Liner not required for Category: C Pit Location is: BED A	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO AQUIFER AN
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y	E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: C Pit Location is: BED A Pit Location Formation: DUNC. Category of Pit: C Liner not required for Category: C Pit Location is: BED A	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO AQUIFER AN

MULTI UNIT HOLE 1

Section: 22 Township: 14N Range: 7W Meridian: IM Total Length: 10265

> Measured Total Depth: 19021 County: CANADIAN

SE True Vertical Depth: 8900 Spot Location of End Point: SW SW

> Feet From: SOUTH 1/4 Section Line: 85 End Point Location from Lease, Unit, or Property Line: 85 Feet From: EAST 1/4 Section Line: 1668

NOTES:	
Category	Description
DEEP SURFACE CASING	[4/8/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
EXCEPTION TO RULE - 691446	[4/14/2021 - G56] - (I.O.) 15 & 22-14N-7W X165:10-3-28(C)(2)(B) MSSP, WDFD MAY BE CLOSER THAN 600' TO PETERS 1H-15X, ZUM MALLEN H 1, ZUM MALLEN B 1 AND/OR PROPOSED WELLS NO OP NAMED 2/14/2019
EXCEPTION TO RULE - 694314	[4/14/2021 - G56] - NPT CORRECTING ORDER # 691446 TO PROVIDE THE CORRECT WELL LOCATION FOR THE ZUM MALLEN H 1 & ZUM MALLEN B 1 WELLS
EXCEPTION TO RULE - 716469	[4/14/2021 - G56] - EXTENSION OF TIME FOR ORDER # 691446/694314
HYDRAULIC FRACTURING	[4/8/2021 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 690775	[4/14/2021 - G56] - 15-14N-7W X621416 MSSP 6 WELLS NEWFIELD EXPLOR. MID-CON. INC. (BOUGHT IN IT'S ENTIRETY BY OVINTIV MID CON INC) 2/1/2019
INCREASED DENSITY - 690776	[4/14/2021 - G56] - 22-14N-7W X621416 MSSP 6 WELLS NEWFIELD EXPLOR. MID-CON. INC. (BOUGHT IN IT'S ENTIRETY BY OVINTIV MID CON INC) 2/1/2019
INCREASED DENSITY - 715404	[4/14/2021 - G56] - 15-14N-7W X621416 WDFD 5 WELLS OVINTIV MID CON INC 11/19/2020
INCREASED DENSITY - 715405	[4/14/2021 - G56] - 22-14N-7W X621416 WDFD 5 WELLS OVINTIV MID CON INC 11/19/2020
INCREASED DENSITY - 716453	[4/14/2021 - G56] - EXTENSION OF TIME FOR ORDER # 690775
INCREASED DENSITY - 716454	[4/14/2021 - G56] - EXTENSION OF TIME FOR ORDER # 690776

LOCATION EXCEPTION - 691043	[4/14/2021 - G56] - (I.O.) 15 & 22-14N-7W X621416 MSSP, WDFD, OTHER 15 & 22-14N-7W COMPL INT (15-14N-7W) NCT 0' FSL, NCT 165' FNL, NCT 1320' FEL COMPL INT (22-14N-7W) NCT 0' FNL, NCT 165' FSL, NCT 1320' FEL NEWFIELD EXPLOR. MID-CON. INC. (BOUGHT IN IT'S ENTIRETY BY OVINTIV MID CON INC) 2/6/2019
LOCATION EXCEPTION - 716446	[4/14/2021 - G56] - EXTENSION OF TIME FOR ORDER # 691043
МЕМО	[4/8/2021 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 621416	[4/14/2021 - G56] - (640)(HOR) 15 & 22-14N-7W VAC 149833 MISS, OTHER NW4 & S2 15-14N-7W VAC 149833 MISS, OTHER SW4 & N2 22-14N-7W VAC 170593 MCSTR, WDFD 15 & 22-14N-7W VAC 171393 MCSTR 15-14N-7W EXT 604466 MSSP, WDFD, OTHER POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL POE TO BHL (MSSP) NLT 660' FB (SUPERSEDE NON-DEVELOPED NON-HORIZONTAL SPACING UNITS; COEXIST SP. ORDER # 149833 MISS, OTHER NE4 15 & SE4 22-14N-7W)
SPACING - 691042	[4/14/2021 - G56] - (I.O.) 15 & 22-14N-7W ESTABLISH MULTIUNIT HORIZONTAL WELL X621416 MSSP, WDFD, OTHER 15 & 22-14N-7W 50% 15-14N-7W 50% 22-14N-7W NEWFIELD EXPLOR. MID-CON. INC. (BOUGHT IN IT'S ENTIRETY BY OVINTIV MID CON INC) 2/6/2019
SPACING - 716445	[4/14/2021 - G56] - EXTENSION OF TIME FOR ORDER # 691042

