API NUMBER: 017 25769 A Aulti Unit Oil & Gas mend reason: CHANGE OF OPERATOR	OKLAHOMA CORPOR OIL & GAS CONSEF P.O. BO OKLAHOMA CITY (Rule 165 AMEND PERM	RVATION DIVISION X 52000 (, OK 73152-2000 5:10-3-1)	Approval Date: 02/11/2022 Expiration Date: 08/11/2023
WELL LOCATION: Section: 18 Township: 12N	Range: 8W County: CA	NADIAN	
SPOT LOCATION: NE NW NE FEET F	ROM QUARTER: FROM NORTH	FROM EAST	
	SECTION LINES: 310	2149	
Lease Name: GRANT MORTON 18_19-12N-8W	Well No: 2WHX	Well w	vill be 310 feet from nearest unit or lease boundary.
Operator Name: PALOMA OPERATING CO INC	Telephone: 7136508509	9	OTC/OCC Number: 23932 0
PALOMA OPERATING CO INC		EUGENE M. LORENZEN	N REVOCABLE TRUST
1100 LOUISANA ST STE 5100		1916 SOUTH HEASTON	
	5000		
HOUSTON, TX 77002	2-5220	EL RENO	OK 73036
Formation(s) (Permit Valid for Listed Formations	s Only):		
Name Code	Depth		
1 WOODFORD 319WDFD	11600		
Spacing Orders: 180828 144779	Location Exception Orders:	No Exceptions	Increased Density Orders: No Density
Pending CD Numbers: 202200360 202200363 202200366 Total Depth: 25000 Ground Elevation: 1425	Working interest owners' Surface Casing: 1		Special Orders: No Special Depth to base of Treatable Water-Bearing FM: 320 Deep surface casing has been approved
Under Federal Jurisdiction: No		Approved Method for disposal of	-
Fresh Water Supply Well Drilled: No Surface Water used to Drill: No		D. One time land application (R	EQUIRES PERMIT) PERMIT NO: 22-38106
		H. (Other)	SEE MEMO
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below bas		Category of Pit: C Liner not required for Category Pit Location is: N Pit Location Formation: D	y: C Non HSA
Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit <u>is not</u> located in a Hydrologically Sensitive Area.			
PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below bas Within 1 mile of municipal water well? N		Category of Pit: C Liner not required for Category Pit Location is: N Pit Location Formation: D	y: C Non HSA
Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area.			

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1			
Section: 19 Township: 12N	ange: 8W Meridian: IM	Total Length: 10200	
County: CANADIA		Measured Total Depth: 25000	
Spot Location of End Point: SE SN	SE SW	True Vertical Depth: 12000	
Feet From: SOUTH	1/4 Section Line: 65	End Point Location from	
Feet From: WEST	1/4 Section Line: 1700	Lease,Unit, or Property Line: 65	

NOTES:	
Category	Description
DEEP SURFACE CASING	[2/10/2022 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[2/10/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
МЕМО	[2/10/2022 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 202200360	[2/10/2022 - G56] - (E.O.) 18 & 19-12N-8W EST MULTIUNIT HORIZONTAL WELL X180828 WDFD 18-12N-8W X144779 WDFD 19-12N-8W 50% 18-12N-8W 50% 19-12N-8W NO OP NAMED REC 2/4/2022 (P. PORTER)
PENDING CD - 202200363	[2/10/2022 - G56] - (E.O.) 18 & 19-12N-8W X180828 WDFD 18-12N-8W X144779 WDFD 19-12N-8W COMPL INT (18-12N-8W) NCT 165' FNL, NCT 0' FSL, NCT 450' FWL COMPL INT (19-12N-8W) NCT 0' FNL, NCT 165' FSL, NCT 450' FWL NO OP NAMED REC 2/4/2022 (P. PORTER)
PENDING CD - 202200366	[2/10/2022 - G56] - (E.O.) 18-12N-8W X180828 WDFD 1 WELL NO OP NAMED REC 2/4/2022 (P. PORTER)
SPACING - 144779	[2/10/2022 - G56] - (640) 19-12N-8W EXT OTHERS EXT 139652 WDFD
SPACING - 180828	[2/10/2022 - G56] - (640) 18-12N-8W EXT 86236/VAR/167299 WDFD, OTHERS