API NUMBER: 051 24990 Α

Oil & Gas

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 12/02/2022 06/02/2024 **Expiration Date:** 

Multi Unit

Amend reason: AMEND SHL

## AMEND PERMIT TO DRILL

WELL LOCATION:	Section:	20	Township: 6l	N Range:	6W	County:	GRADY							
SPOT LOCATION:	SW	NE	NE	FEET FROM QUARTER:	FROM	NORTH	FROM	EAST						
				SECTION LINES:		1025		1060						
Lease Name:	LEONA FAYE				Well No	: 2-20-29-3	32XHS		Well	vill be	1025	feet from nearest unit or	r lease boun	dary
Operator Name:	CONTINENTAL	RESOL	JRCES INC	Te	elephone	: 40523490	000; 4052	349000;				OTC/OCC Number	er: 318	6 0
							. —							

CONTINENTAL RESOURCES INC

OKLAHOMA CITY. 73126-8870 OK

SUMNER FAMILY PARTNERSHIP, LTD, A TEXAS LIMITED **PARTNERSHIP** 

PO BOX 1130

CHICKASHA OK 73023

## Formation(s) (Permit Valid for Listed Formations Only):

	Name	Code	Depth
1	MORROW	402MRRW	13090
2	SPRINGER	401SPRG	13310
3	BOATWRIGHT	401BTRG	13960
4	BLACK MARKER	354BLKM	14400
5	HORSE FLY	401HRFY	14840

Spacing Orders: 116468

Total Depth: 28149

729772 729774

Location Exception Orders: 729829

Increased Density Orders:

Special Orders:

729775 729826 3186 0

729827

No Special

Pending CD Numbers: No Pending

Ground Elevation: 1053

Working interest owners' notified: Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 530

SEE MEMO

Deep surface casing has been approved

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 22-38657

H. (Other)

**PIT 1 INFORMATION** 

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area? N

located in a Hydrologically Sensitive Area.

Category of Pit: C

Pit Location is: ALLUVIAL

**PIT 2 INFORMATION** 

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area? N

Pit located in a Hydrologically Sensitive Area.

Liner not required for Category: C

Pit Location Formation: ALLUVIUM

Category of Pit: C

Liner not required for Category: C

Pit Location is: ALLUVIAL Pit Location Formation: ALLUVIUM **MULTI UNIT HOLE 1** 

Section: 32 Township: 6N Range: 6W Meridian: IM Total Length: 14792

County: GRADY Measured Total Depth: 28149

Spot Location of End Point: SE SE SW SE True Vertical Depth: 15000

Feet From: SOUTH 1/4 Section Line: 50 End Point Location from
Feet From: EAST 1/4 Section Line: 1600 Lease,Unit, or Property Line: 50

NOTES:

Category	Description
DEEP SURFACE CASING	[11/30/2022 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[11/30/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 729775	[12/2/2022 - G56] - (E.O.) 20-6N-6W X116468 SPRG 1 WELL CONTINENTAL RESOURCES, INC 11/10/2022
INCREASED DENSITY - 729826	[12/2/2022 - G56] - (E.O.) 29-6N-6W X202202502 BLKM 1 WELL CONTINENTAL RESOURCES, INC 11/14/2022
INCREASED DENSITY - 729827	[12/2/2022 - G56] - (E.O.) 32-6N-6W X116468 SPRG 1 WELL CONTINENTAL RESOURCES, INC 11/14/2022
LOCATION EXCEPTION - 729829	[12/2/2022 - G56] - (E.O.) 20, 29, 32-6N-6W X116468 MRRW, SPRG 20, 29, 32-6N-6W X2022002502 BTRG, BLKM, HRFY 29-6N-6W COMPL INT (20-6N-6W) NCT 150' FNL, NCT 0' FSL, NCT 660' FEL COMPL INT (29-6N-6W) NCT 0' FNL, NCT 0' FSL, NCT 660' FEL COMPL INT (32-6N-6W) NCT 0' FNL, NCT 150' FSL, NCT 660' FEL CONTINENTAL RESOURCES, INC 11/14/2022
МЕМО	[11/30/2022 - GC2] - CLOSED SYSTEM=STEEL PITS (REQUIRED - WASHITA RIVER), OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 116468	[12/2/2022 - G56] - (640) 20, 29, 32-6N-6W EST MRRW, SPRG, OTHERS
SPACING - 729772	[12/2/2022 - G56] - (E.O.)(640)(HOR) 29-6N-6W EXT 725997 BTRG, BLKM, HRFY COMPPL INT NCT 660' FB (COEXIST WITH SP # 116468 SPRG)
SPACING - 729774	[12/2/2022 - G56] - (E.O.) 20, 29, 32-6N-6W EST MULTIUNIT HORIZONTAL WELL X116468 MRRW, SPRG 20, 29, 32-6N-6W X2022002502 BTRG, BLKM, HRFY 29-6N-6W (MRRW, BTRG, HRFY ARE ADJACENT CSS TO SPRG, BLKM) 29% 20-6N-6W 36% 29-6N-6W 35% 32-6N-6W CONTINENTAL RESOURCES, INC 11/10/2022