| PI NUMBER: 057 | 1 25003 Oil & Gas | | OIL & GAS | CONSE P.O. BO | , OK 73152-2000 | | Approval Date Expiration Da | | 31/2023 31/2024 |
|--|--|--------------------|--------------------------|---------------------|---|--------------|--------------------------------|-------------|--------------------|
| | | | <u>PE</u> | RMIT 1 | O DRILL | | | | |
| VELL LOCATION: | Section: 01 To | wnship: 6N | Range: 5W | County: GF | ADY | | | | |
| | N NE NW | NE FEET FROM | M QUARTER: FROM | NORTH | FROM EAST | | | | |
| | | SEC | CTION LINES: | 213 | 1850 | | | | |
| ease Name: SH | IAW | | Well No: | 3-1-12XHW | | Well will be | 213 feet from ne | earest unit | or lease boundary. |
| perator Name: CC | ONTINENTAL RESOURC | ES INC | Telephone: | 405234900 |); 4052349000; | | OTC/0 | OCC Numl | ber: 3186 0 |
| OKLAHOMA CIT formation(s) (P Name MISSISSIPPI | RESOURCES INC Y, Permit Valid for Liste | Code 351MISS | Dnly): Depth 10990 | | STEVE & KAREN 1088 STEPHEN FARMERSVILLE | COURT | TX | 75442 | |
| 2 SYCAMORE 352SCMR 3 WOODFORD 319WDFD | | 352SCMR 319WDFD | 11139 11143 | | | | | | |
| HUNTON | | 269HNTN | 11346 | | | | | | |
| pacing Orders: 5948 147 6093 | 146 | | Location Excep | otion Orders: | No Exceptions | i | Increased Densi | ty Orders: | No Density |
| rending CD Numbers: | 202300122 202300123 202300124 202300125 | | Working int | erest owners | notified: *** | | Speci | al Orders: | No Special |
| Total Depth: 21315 | 5 Ground Eleva | ation: 1197 | Surface (| Casing: 1 | 500 | Depth to | base of Treatable W | ater-Bearin | g FM: 360 |
| | | | | | | | Deep surfac | e casing | has been approv |
| Under Federal Jurisdiction: No | | | | Approved Method for | | | | | |

D. One time land application -- (REQUIRES PERMIT)

SEE MEMO

H. (Other)

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: Yes

PERMIT NO: 23-38752

| PIT 1 INFORMATION | Category of Pit: C | | | | | | |
|--|------------------------------------|--|--|--|--|--|--|
| Type of Pit System: CLOSED Closed System Means Steel Pits | Liner not required for Category: C | | | | | | |
| Type of Mud System: WATER BASED | Pit Location is: BED AQUIFER | | | | | | |
| Chlorides Max: 5000 Average: 3000 | Pit Location Formation: duncan | | | | | | |
| Is depth to top of ground water greater than 10ft below base of pit? $\ \ Y$ | | | | | | | |
| Within 1 mile of municipal water well? N | | | | | | | |
| Wellhead Protection Area? N | | | | | | | |
| Pit <u>is</u> located in a Hydrologically Sensitive Area. | | | | | | | |
| PIT 2 INFORMATION | Category of Pit: C | | | | | | |
| Type of Pit System: CLOSED Closed System Means Steel Pits | Liner not required for Category: C | | | | | | |
| Type of Mud System: OIL BASED | Pit Location is: BED AQUIFER | | | | | | |
| Chlorides Max: 300000 Average: 200000 | Pit Location Formation: duncan | | | | | | |
| Is depth to top of ground water greater than 10ft below base of pit? Y | | | | | | | |
| Within 1 mile of municipal water well? N | | | | | | | |
| Wellhead Protection Area? N | | | | | | | |
| Pit <u>is</u> located in a Hydrologically Sensitive Area. | | | | | | | |
| | | | | | | | |
| /ULTI UNIT HOLE 1 | | | | | | | |
| Continue 12 Townships (N. Dongos F.W. Maridiana | IM Total Length: 9908 | | | | | | |
| Section: 12 Township: 6N Range: 5W Meridian: | | | | | | | |

Feet From:SOUTH1/4 Section Line:50Feet From:EAST1/4 Section Line:1330

SE

SW

SE

True Vertical Depth: 11713 End Point Location from Lease,Unit, or Property Line: 50

NOTES:

Spot Location of End Point: SE

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

| Category | Description | | | | |
|--------------------------|--|--|--|--|--|
| DEEP SURFACE CASING | [1/19/2023 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. | | | | |
| HYDRAULIC FRACTURING | [1/19/2023 - GC2] - OCC 165:10-3-10 REQUIRES: 1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; 2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS | | | | |
| мемо | TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG [1/19/2023 - GC2] - CLOSED SYSTEM=STEEL PITS (REQUIRED - LAFLIN CREEK), OBM RETURNED | | | | |
| PENDING CD - 2023-000122 | TO VENDOR, CUTTINGS PERMITTED PER DISTRICT [1/31/2023 - GC2] - (E.O.) 1 & 12-6N-5W X594811 SCMR, WDFD 1-6N-5W X147146 MSSP, HNTN 12-6N-5W X609304 WDFD 12-6N-5W X165:10-3-28(C)(2)(B) WDFD MAYBE CLOSER THAN 600' FROM GREEN ACRES 5-36-25XHW AND GREEN ACRES 7-36-25XHW COMPL. INT. (1-6N-5W) NCT 165' FNL, NCT 0' FSL, NCT 330' FEL COMPL. INT. (1-6N-5W) NCT 0' FNL, NCT 165' FSL, NCT 330' FEL COMPL. INT. (12-6N-5W) NCT 0' FNL, NCT 165' FSL, NCT 330' FEL CONTINENTAL RESOURCES, INC REC. 1/27/2023 (P. PORTER) | | | | |
| PENDING CD - 2023-000123 | [1/31/2023 - GC2] - (E.O.) 1 & 12-6N-5W EST MULTIUNIT HORIZONTAL WELL X594811 SCMR, WDFD 1-6N-5W X147146 MSSP, HNTN 12-6N-5W X609304 WDFD 12-6N-5W (WDFD ADJACENT COMMOR SOURCE OF SUPPLY TO SCMR, MSSP) 50% 1-6N-5W 50% 12-6N-5W CONTINENTAL RESOURCES, INC REC. 1/27/2023 (P. PORTER) | | | | |
| PENDING CD - 2023-000124 | [1/31/2023 - GC2] - 1-6N-5W X594811 SCMR, WDFD 2 WELLS WDFD 1 WELL SCMR CONTINENTAL RESOURCES, INC HEARING 2/13/2023 | | | | |
| PENDING CD - 2023-000125 | [1/31/2023 - GC2] - 12-6N-5W X147146 MSSP X609304 WDFD 1 WELL MSSP 2 WELLS WDFD CONTINENTAL RESOURCES, INC HEARING 2/13/2023 | | | | |
| SPACING - 147146 | [1/31/2023 - GC2] - (640) 12-6N-5W EST MSSP, OTHERS EXT 131103 HNTN, OTHERS | | | | |
| SPACING - 594811 | [1/31/2023 - GC2] - (640) 1-6N-5W EXT 581222 WDFD, OTHERS EXT 188337 HNTN EXT OTHER EST SCMR | | | | |
| SPACING - 609304 | [1/31/2023 - GC2] - (640) 12-6N-5W EXT 581120 WDFD, OTHERS | | | | |

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.