

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

API NUMBER: 051 24705 A

Approval Date: 08/29/2019
Expiration Date: 02/28/2021

Horizontal Hole
Oil & Gas
Multi Unit

Amend reason: AMEND BHL, ADD SECTION 34, UPDATE ORDERS

AMEND PERMIT TO DRILL

WELL LOCATION: Sec: 22 Twp: 6N Rge: 5W County: GRADY
SPOT LOCATION: ☐ NE ☐ NE ☐ SE ☐ SW FEET FROM QUARTER: FROM SOUTH FROM WEST
SECTION LINES: 1000 2410

Lease Name: SPARKS Well No: 2-22-27-34XHW Well will be 1000 feet from nearest unit or lease boundary.
Operator Name: CONTINENTAL RESOURCES INC Telephone: 4052349020; 4052349 OTC/OCC Number: 3186 0

CONTINENTAL RESOURCES INC
PO BOX 269000
OKLAHOMA CITY, OK 73126-9000

WAYNE BOWEN RIMER
305 CR 1942
YANTIS TX 75497

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	12058	6	
2	WOODFORD	12285	7	
3	HUNTON	12478	8	
4			9	
5			10	

Spacing Orders: 147146
590519
595406
106361
640315

Location Exception Orders:

Increased Density Orders:

Pending CD Numbers: 201903621
201903799
201904510
201904509

Special Orders:

Total Depth: 21960 Ground Elevation: 1155 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 290

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION

Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 3000 Average: 2000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: DUNCAN

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 19-36760
H. SEE MEMO

This permit does not address the right of entry or settlement of surface damages.
The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.
Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: DUNCAN

HORIZONTAL HOLE 1

Sec 34 Twp 6N Rge 5W County GRADY

Spot Location of End Point: N2 SW SW NW

Feet From: NORTH 1/4 Section Line: 2181

Feet From: WEST 1/4 Section Line: 330

Depth of Deviation: 11946

Radius of Turn: 397

Direction: 210

Total Length: 9390

Measured Total Depth: 21960

True Vertical Depth: 12764

End Point Location from Lease,
Unit, or Property Line: 330

Additional Surface Owner	Address	City, State, Zip
RODNEY DALE RIMER	2277 STATE HWY 39	BLANCHARD, OK 73010
DEWAYNE BOWEN RIMER	2271 STATE HWY 39	BLANCHARD, OK 73010

Notes:

Category

Description

DEEP SURFACE CASING

8/8/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING

HYDRAULIC FRACTURING

8/8/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO

8/8/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201903621

8/8/2019 - G56 - 22-6N-5W
X590519 WDFD
9 WELLS
NO OP NAMED
REC 8/5/2019 (M. PORTER)

This permit does not address the right of entry or settlement of surface damages.

051 24705 SPARKS 2-22-27-34XHW

The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PENDING CD - 201903799	8/8/2019 - G56 - 27-6N-5W X595406 WDFD 4 WELLS NO OP NAMED REC 8/6/2019 (NORRIS)
PENDING CD - 201904509	9/16/2019 - G56 - (E.O.) 22, 27 & 34-6N-5W ESTABLISH MULTIUNIT HORIZONTAL WELL X147146 MSSP, HNTN 22-6N-5W X590519 WDFD 22-6N-5W X595406 MSSP, WDFD 27-6N-5W X106361 HNTN 27-6N-5W X640315 MSSP, WDFD 34-6N-5W (MSSP, HNTN ARE ADJACENT COMMON SOURCES OF SUPPLY TO WDFD) 12.9% 22-6N-5W 58.7% 27-6N-5W 28.4% 34-6N-5W CONTINENTAL RESOURCES, INC. REC 9/10/2019 (NORRIS)
PENDING CD - 201904510	9/16/2019 - G56 - (E.O.) 22 & 27-6N-5W X147146 MSSP, HNTN 22-6N-5W X590519 WDFD 22-6N-5W X595406 MSSP, WDFD 27-6N-5W X106361 HNTN 27-6N-5W X640315 MSSP, WDFD 34-6N-5W X165:10-3-28(C)(2)(B) WDFD MAY BE CLOSER THAN 600' TO SPARKS 1-27H, GALVIN 4-22- 15XHW, GALVIN 5-22-15XHW WELLS COMPL INT (22-6N-5W) NCT 1320' FNL, NCT 0' FSL, NCT 330' FWL COMPL INT (27-6N-5W) NCT 0' FNL, NCT 0' FSL, NCT 330' FWL COMPL INT (34-6N-5W) NCT 0' FNL, NCT 1320' FSL, NCT 330' FWL CONTINENTAL RESOURCES, INC. REC 9/10/2019 (NORRIS)
SPACING - 106361	8/8/2019 - G56 - (640) 27 & 34-6N-5W EST HNTN, OTHERS
SPACING - 147146	8/8/2019 - G56 - (640) 22-6N-5W EST MSSP, OTHERS EXT 131103 HNTN, OTHERS
SPACING - 590519	8/8/2019 - G56 - (640) 22-6N-5W EXT 587940/153801 WDFD
SPACING - 595406	8/8/2019 - G56 - (640) 27-6N-5W EXT 167964/VAR/190352 MSSP, WDFD, OTHERS
SPACING - 640315	9/16/2019 - G56 - (640) 34-6N-5W EXT 595406 MSSP, WDFD, OTHERS

EXHIBIT: A (1 of 4)
 SHEET: 8.5x11
 SHL: 22-6N-5W
 BHL-2 34-6N-5W
 BHL-4 15-6N-5W



COVER SHEET

CONTINENTAL RESOURCES, INC.

P.O. BOX 26900 OKLAHOMA CITY, OK 73126 * (T) 1-800-256-8955 (F) 405-234-9253

Section 22 Township 6N Range 5W I.M.

Well: SPARKS 2-22-27-34XHW

County GRADY State OK

Well: GALVIN 4-22-15XHW

Operator CONTINENTAL RESOURCES, INC.

NAD-83

POINT	WELL NAME	NORTHING	EASTING	LATITUDE LONGITUDE	LATITUDE LONGITUDE		EXISTING ELEVATION	DESIGN ELEVATION
W2	SPARKS 2-22-27-34XHW	597278	2053730	34° 58' 27.15" -97° 42' 55.81"	34.974208 -97.715503	1000' FSL / 2410' FWL (SW/4 SEC 22)	1154.53	1155.11'
LP-2	LANDING POINT	597278	2053795	34° 58' 27.15" -97° 42' 55.03"	34.974208 -97.715286	1000' FSL / 2475' FWL (SW/4 SEC 22)	--	--
PI-2	POINT OF INTERSECT	592187	2053808	34° 57' 36.80" -97° 42' 55.05"	34.960222 -97.715292	1200' FSL / 2475' FWL (SW/4 SEC 27)	--	--
BHL-2	BOTTOM HOLE LOCATION	588800	2051675	34° 57' 03.35" -97° 43' 20.79"	34.950931 -97.722440	2181' FNL / 330' FWL (NW/4 SEC 34)	--	--
W4	GALVIN 4-22-15XHW	597308	2053730	34° 58' 27.45" -97° 42' 55.81"	34.974291 -97.715503	1030' FSL / 2410' FWL (SW/4 SEC 22)	1154.12'	1155.11'
LP-4	LANDING POINT	597307	2053498	34° 58' 27.45" -97° 42' 58.60"	34.974292 -97.716277	1030' FSL / 2178' FWL (SW/4 SEC 22)	--	--
BHL-4	BOTTOM HOLE LOCATION	606806	2053490	35° 00' 01.41" -97° 42' 58.38"	35.000391 -97.716217	50' FNL / 2178' FWL (NW/4 SEC 15)	--	--
X-1	GOOD #1	604502	2055288	34° 59' 38.56" -97° 42' 36.65"	34.994044 -97.710235	15-6N-5W: TD: 13,850' 2,352' FNL / 1,331' FEL	--	--
X-2	SPIVEY #1-15	603099	2052147	34° 59' 24.77" -97° 43' 14.65"	34.990214 -97.720735	15-6N-5W: TD: 13,778' 1,529' FSL / 829' FWL	--	--
X-3	GOOD MARTIN #5-10-3XH	606555	2054271	34° 59' 58.90" -97° 42' 49.00"	34.999694 -97.713610	15-6N-5W: TD: 20,041' 300' FNL / 2,340' FEL	--	--
X-4	GOOD MARTIN #3-10-3XH	606557	2052932	34° 59' 58.96" -97° 43' 05.09"	34.999711 -97.718081	15-6N-5W: TD: 17,821' 300' FNL / 1,620' FWL	--	--
X-5	GOOD MARTIN #1-10-3XH	606560	2051612	34° 59' 59.02" -97° 43' 20.98"	34.999727 -97.722489	15-6N-5W: TD: 20,102' 300' FNL / 300' FWL	--	--
X-6	GOOD MARTIN #4-10-3XH	606557	2052977	34° 59' 58.96" -97° 43' 04.55"	34.999710 -97.717931	15-6N-5W: TD: 20,268' 300' FNL / 1,665' FWL	--	--
X-7	GOOD MARTIN #2-10-3XH	606560	2051657	34° 59' 59.02" -97° 43' 20.42"	34.999727 -97.722338	15-6N-5W: TD: 20,242' 300' FNL / 345' FWL	--	--
X-8	GOOD MARTIN #6-10-3XH	606555	2054316	34° 59' 58.90" -97° 42' 48.46"	34.999693 -97.713460	15-6N-5W: TD: 20,170' 300' FNL / 2,295' FEL	--	--
X-9	PAYNE #1-22	600170	2055097	34° 58' 55.72" -97° 42' 39.29"	34.982144 -97.710913	22-6N-5W: TD: 13,750' 1,400' FNL / 1,534' FEL	--	--
X-10	GRIBI #1-22	598096	2052640	34° 58' 35.28" -97° 43' 08.88"	34.976466 -97.719134	22-6N-5W: TD: 12,990' 1,820' FSL / 1,320' FWL	--	--
X-11	GALVIN #1-22-27XH	601270	2051770	34° 59' 06.69" -97° 43' 19.23"	34.985191 -97.722009	22-6N-5W: TD: 19,635' 300' FNL / 450' FWL	--	--
X-12	SPARKS #1-27H	591182	2052136	34° 57' 26.90" -97° 43' 15.17"	34.957474 -97.720881	27-6N-5W: TD: 17,443' 200' FSL / 800' FWL	--	--

Certificate of Authorization No. 7318

Date Staked: 7-19-19
 Date Drawn: 9-11-19



Prepared By:
 Petro Land Services South
 10400 Vineyard Blvd.
 Suite C
 Oklahoma City, OK 73120

REVISIONS

No.	DATE	BY	DESCRIPTION	COMMENTS
00	7-18-19	HOG	ISSUED FOR APPROVAL	--
01	9-11-19	HOG	REV'D SPARKS 2 BHL/NAME	REV'D ALL SHEETS

EXHIBIT: A (2 of 4)
 SHEET: 8.5x11
 SHL: 22-6N-5W
 BHL-2 34-6N-5W
 BHL-4 15-6N-5W



COVER SHEET CONTINUED...

CONTINENTAL RESOURCES, INC.

P.O. BOX 26900 OKLAHOMA CITY, OK 73126 * (T) 1-800-256-8955 (F) 405-234-9253

Section 22 Township 6N Range 5W I.M.

Well: SPARKS 2-22-27-34XHW

County GRADY State OK

Well: GALVIN 4-22-15XHW

Operator CONTINENTAL RESOURCES, INC.

NAD-27						EXISTING ELEVATION	DESIGN ELEVATION
POINT	WELL NAME	NORTHING	EASTING	LATITUDE LONGITUDE	LATITUDE LONGITUDE		
W2	SPARKS 2-22-27-34XHW	597236	2085327	34° 58' 26.90" -97° 42' 54.88"	34.974139 -97.715188	1000' FSL / 2410' FWL (SW/4 SEC 22)	1154.53 1155.11'
LP-2	LANDING POINT	597236	2085392	34° 58' 26.90" -97° 42' 53.89"	34.974139 -97.714970	1000' FSL / 2475' FWL (SW/4 SEC 22)	-- --
PI-2	POINT OF INTERSECT	592145	2085404	34° 57' 38.55" -97° 42' 53.92"	34.960153 -97.714977	1200' FSL / 2475' FWL (SW/4 SEC 27)	-- --
BHL-2	BOTTOM HOLE LOCATION	588758	2083272	34° 57' 03.10" -97° 43' 19.65"	34.950862 -97.722125	2181' FNL / 330' FWL (NW/4 SEC 34)	-- --
W4	GALVIN 4-22-15XHW	597266	2085327	34° 58' 27.20" -97° 42' 54.67"	34.974222 -97.715187	1030' FSL / 2410' FWL (SW/4 SEC 22)	1154.12 1155.11'
LP-4	LANDING POINT	597265	2085095	34° 58' 27.20" -97° 42' 57.46"	34.974223 -97.715961	1030' FSL / 2178' FWL (SW/4 SEC 22)	-- --
BHL-4	BOTTOM HOLE LOCATION	606764	2085086	35° 00' 01.16" -97° 42' 57.24"	35.000322 -97.715901	50' FNL / 2178' FWL (NW/4 SEC 15)	-- --
X-1	GOOD #1	604460	2086884	34° 59' 38.31" -97° 42' 35.71"	34.993975 -97.709920	15-6N-5W: TD: 13,850' 2,352' FNL / 1,331' FEL	-- --
X-2	SPVEY #1-15	603057	2083743	34° 59' 24.52" -97° 43' 13.51"	34.990145 -97.720420	15-6N-5W: TD: 13,778' 1,529' FSL / 829' FWL	-- --
X-3	GOOD MARTIN #5-10-3XH	606513	2085868	34° 59' 58.65" -97° 42' 47.86"	34.999625 -97.713295	15-6N-5W: TD: 20,041' 300' FNL / 2,340' FEL	-- --
X-4	GOOD MARTIN #3-10-3XH	606515	2084529	34° 59' 58.71" -97° 43' 03.96"	34.999642 -97.717765	15-6N-5W: TD: 17,821' 300' FNL / 1,620' FWL	-- --
X-5	GOOD MARTIN #1-10-3XH	606518	2083209	34° 59' 58.77" -97° 43' 19.82"	34.999659 -97.722173	15-6N-5W: TD: 20,102' 300' FNL / 300' FWL	-- --
X-6	GOOD MARTIN #4-10-3XH	606515	2084574	34° 59' 58.71" -97° 43' 03.41"	34.999642 -97.717615	15-6N-5W: TD: 20,268' 300' FNL / 1,685' FWL	-- --
X-7	GOOD MARTIN #2-10-3XH	606518	2083254	34° 59' 58.77" -97° 43' 19.28"	34.999658 -97.722022	15-6N-5W: TD: 20,242' 300' FNL / 345' FWL	-- --
X-8	GOOD MARTIN #6-10-3XH	606513	2085913	34° 59' 58.65" -97° 42' 47.32"	34.999625 -97.713144	15-6N-5W: TD: 20,170' 300' FNL / 2,295' FEL	-- --
X-9	PAYNE #1-22	600128	2086694	34° 58' 55.47" -97° 42' 38.15"	34.982076 -97.710598	22-6N-5W: TD: 13,750' 1,400' FNL / 1,534' FEL	-- --
X-10	GRIBI #1-22	598054	2084237	34° 58' 35.03" -97° 43' 07.75"	34.976397 -97.718818	22-6N-5W: TD: 12,990' 1,820' FSL / 1,320' FWL	-- --
X-11	GALVIN #1-22-27XH	601228	2083367	34° 59' 06.44" -97° 43' 18.10"	34.985123 -97.721693	22-6N-5W: TD: 19,635' 300' FNL / 450' FWL	-- --
X-12	SPARKS #1-27H	591140	2083733	34° 57' 26.66" -97° 43' 14.04"	34.957404 -97.720566	27-6N-5W: TD: 17,443' 200' FSL / 800' FWL	-- --

Certificate of Authorization No. 7318

Date Staked: 7-19-19
 Date Drawn: 9-11-19



Prepared By:
 Petro Land Services South
 10400 Vineyard Blvd.
 Suite C
 Oklahoma City, OK 73120

CURRENT REV.: 1

