API NUMBER: 017 25550

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 10/29/2019 04/29/2021 **Expiration Date**

PERMIT TO DRILL

WELL LOCATION: Sec: 23 Twp: 13N Rge: 6W County: CANADIAN

FEET FROM QUARTER: SPOT LOCATION: NW NORTH WEST NW llnw SECTION LINES:

Lease Name: JOHNNY 1306 Well No: 1-14WH Well will be 482 feet from nearest unit or lease boundary.

482

RED BLUFF RESOURCES OPERATING LLC Operator Telephone: 4052088667 OTC/OCC Number: 23828 0 Name:

630

RED BLUFF RESOURCES OPERATING LLC 3030 NW EXPRESSWAY STE 900

OKLAHOMA CITY. OK 73112-5447

SPECIAL NEEDS TRUST FOR THE BENEFIT OF KRYSTAL NICHOLE HURST COX

8170 NW 44TH

BETHANY OK 73008

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 1 8047 6 2 WOODFORD 8299 7 HUNTON 8376 8 3 9 10 624779 Spacing Orders: Location Exception Orders: Increased Density Orders:

Pending CD Numbers: 201904219 Special Orders:

201904220

Total Depth: 13200 Ground Elevation: 1359 Surface Casing: 660 Depth to base of Treatable Water-Bearing FM: 610

Under Federal Jurisdiction: Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 19-37048 H. CLOSED SYSTEM=STEEL PITS (REQUIRED - DEER CREEK & RIVERS J.B.) Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER

Pit Location Formation: DUNCAN

HORIZONTAL HOLE 1

CANADIAN Sec 14 Twp 13N Rge 6W County

Spot Location of End Point: N2 NI\// NI\// NΙ\Λ Feet From: NORTH 1/4 Section Line: 165 Feet From: WEST 1/4 Section Line: 330

Depth of Deviation: 7600 Radius of Turn: 382 Direction: 355 Total Length: 5000

Measured Total Depth: 13200 True Vertical Depth: 9000 End Point Location from Lease. Unit, or Property Line: 165

Additional Surface Owner	Address	City, State, Zip
JOHNNY D. HOLLMAN	12250 N. CIMARRON RD	YUKON, OK 73009
ROBERT P. HOLLMAN	12250 N. CIMARRON RD	YUKON, OK 73009

Notes:

Description Category

HYDRAULIC FRACTURING 10/21/2019 - GC2 - OCC 165:10-3-10 REQUIRES:

> 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS. USING THE FOLLOWING LINK: FRACFOCUS.ORG

PENDING CD - 201904219 10/24/2019 - GC2 - (E.O.)(640)(HOR) 14-13N-6W

EXT 649888 MSSP VAC 96519 MISS

COMPL. INT. NCT 660' FB REC. 10-15-2019 (NORRIS)

PENDING CD - 201904220 10/24/2019 - GC2 - (E.O.) 14-13N-6W

X624779 WDFD, HNTN X201904219 MSSP

COMPL. INT. NCT 165' FNL, NCT 165' FSL, NCT 330' FEL/FWL

RED BLUFF RESOURCES OPERATING LLC

REC. 10-15-2019 (NORRIS)

SPACING - 624779 10/24/2019 - GC2 - (640)(HOR) 14-13N-6W

EXT 615782 WDFD, HNTN

COMPL. INT. (WDFD) NLT 330' FEL/FWL, NLT 165' FNL/FSL

COMPL. INT. (HNTN) NLT 660' FB

(COEXIST EXISTING NON-HORIZONTAL SPACING UNITS; SUPERSEDE NON-DEVELOPED NON-

HORIZONTAL SPACING UNITS)

