API NUMBER: 121 24897 A

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 05/24/2022
Expiration Date: 11/24/2023

Multi Unit Oil & Gas

Amend reason: UPDATED SHL

AMEND PERMIT TO DRILL

			AIVIE	IND PER	X IVII I	וט טו	<u> XILL</u>						
WELL LOCATION:	Section: 05	Township: 7N	Range: 13	BE County:	PITTSB	JRG							
SPOT LOCATION:	SE SE NE	NW FEE	T FROM QUARTER:	ROM NORTH	FROM	WEST							
			SECTION LINES:	1090		2446							
Lease Name:	EAGLE		We	ell No: 2-5-29W	/H		Well will b	e 1090	feet fron	n nearest unit	or leas	e boundary.	
Operator Name:	CALYX ENERGY III LLO	:	Teler	hone: 9189494	1224				OTO	C/OCC Num	her:	23515 0	
CALYX ENERGY III LLC						STONE MOUNTAIN HUNTING CLUB LLC							
6120 S YALE AVE STE 1480						33315 S 321ST STREET WEST							
TULSA, OK 74136-4226				$\ \ _{B}$	RISTOW			OK	74010				
F ('(-)	(Danas') \	ata d Easta d'a	O-1-)										
Formation(s)	(Permit Valid for Li				7								
Name		Code	Dep										
1 MAYES		353MYES	470										
2 WOODFORI 3 HUNTON	D	319WDFD 269HNTN	477 484										
4 SYLVAN		203SLVN	484										
Spacing Orders:	724863		Location	Evention Order	ro: 72	5368		In	crossed De	ensity Orders:	72485	56	
Spacing Orders: 724863 Location Exception Orders 720707					15. 72	0300			icreased De	many Orders.	72555		
	725592										7233	<i>31</i>	
Pending CD Number	ers: No Pending		Worl	king interest own	ers' notifi	ed: ***			Sp	ecial Orders:	No s	Special	
Total Depth: 1	15500 Ground E	Elevation: 960	Surf	ace Casing:	500		Dep	th to base	of Treatable	e Water-Bearin	g FM:	320	
Under Federal Jurisdiction: No					Ар	Approved Method for disposal of Drilling Fluids:							
Fresh Water Supply Well Drilled: No						A. Evaporation/dewater and backfilling of reserve pit.							
Surface Water used to Drill: Yes					B. Solidification of pit contents.								
					D.	One time land	application (REQL	JIRES PE	RMIT)	PERI	MIT NO:	: 22-38338	
					H.	(Other)		PITS 2 REQUI		TE LINED PIT	PER O	PERATOR	
PIT 1 INFOR	MATION					Cat	tegory of Pit: 4						
Type of Pit System: ON SITE						Liner not required for Category: 4							
Type of Mud System: AIR						Pit Location is: BED AQUIFER							
						Pit Location	n Formation: SEN	ORA					
Is depth to top of ground water greater than 10ft below base of pit? Y						Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).							
Within 1 i	mile of municipal water wel	l? N											
	Wellhead Protection Area	a? N											
Pit <u>is</u> lo	ocated in a Hydrologically S	Sensitive Area.											
PIT 2 INFOR	MATION					Cat	tegory of Pit: C						
Type of Pit System: CLOSED Closed System Means Steel Pits						Liner not required for Category: C							
Type of Mud System: WATER BASED						Pit Location is: BED AQUIFER							
Chlorides Max: 80	000 Average: 5000					Pit Location Formation: SENORA							
Is depth to	top of ground water greate	r than 10ft below t	ase of pit? Y										
Within 1 i	mile of municipal water wel	II? N											

Wellhead Protection Area? N

located in a Hydrologically Sensitive Area.

Pit

MULTI UNIT HOLE 1

Section: 29 Township: 8N Range: 13E Meridian: IM Total Length: 11000

County: PITTSBURG Measured Total Depth: 15500

Spot Location of End Point: NE NW NE NW True Vertical Depth: 4900

Feet From: NORTH

1/4 Section Line: 165
End Point Location from
Lease, Unit, or Property Line: 165
Lease, Unit, or Property Line: 165

NOTES:

NOTES:						
Category	Description					
HYDRAULIC FRACTURING	[5/23/2022 - GC2] - OCC 165:10-3-10 REQUIRES:					
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;					
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,					
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG					
INCREASED DENSITY - 724856	[5/24/2022 - G56] - (I.O.) 29 & 32-8N-13E X720707 WDFD 3 WELLS CALYX ENERGY III, LLC 4/13/2022					
INCREASED DENSITY - 725557	[5/24/2022 - G56] - (I.O.) 5-7N-13E X724863 WDFD 2 WELLS CALYX ENERGY III, LLC 5/16/2022					
LOCATION EXCEPTION - 725368	[5/24/2022 - G56] - (I.O.) 5-7N-13E, 29 & 32-8N-13E X724863 MYES, WDFD, HNTN, SLVN 5-7N-13E X720707 MYES, WDFD, SLVN 29 & 32-8N-13E COMPL INT (5-7N-13E) NCT 2640' FSL, NCT 0' FNL, NCT 1320' FWL COMPL INT (29 & 32-8N-13E) NCT 165' FNL, NCT 0' FSL, NCT 1320' FWL CALYX ENERGY III, LLC 5/6/2022					
SPACING - 720707	[5/24/2022 - G56] - (1280)(HOR) 29 & 32-8N-13E EST MYES, WDFD, SLVN, OTHER COMPL INT (MYES) NLT 660' FB COMPPL INT (SLVN) NLT 330' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL (COEXIST WITH SP # 590132 MYES, WDFD, SLVN; # 544573 WDFD)					
SPACING - 724863	[5/24/2022 - G56] - (640)(HOR) 5-7N-13E EXT 714384 MYES, WDFD, HNTN, SLVN COMPL INT (MYES, HNTN) NLT 660' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL COMPL INT (SLVN) NLT 330' FB					
SPACING - 725592	[5/24/2022 - G56] - (I.O.) 5-7N-13E, 29 & 32-8N-13E EST MULTIUNIT HORIZONTAL WELL X724863 MYES, WDFD, HNTN, SLVN 5-7N-13E X720707 MYES, WDFD, SLVN 29 & 32-8N-13E (MYES, HNTN, SLVN ARE ADJACENT CSS TO WDFD) 5% 5-7N-13E 95% 29 & 32-8N-13E NO OP NAMED 5/17/2022					

