API NUMBER: 121 24898 A	OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)		Approval Date:05/24/2022Expiration Date:11/24/2023	
Iulti Unit Oil & Gas	(Rule 16	5:10-3-1)		
mend reason: UPDATED SHL	AMEND PERI	MIT TO DRILL		
WELL LOCATION: Section: 05 Township: 7N	Range: 13E County: PI	ITTSBURG	]	
SPOT LOCATION: SE SE NE NW FEET FROM	QUARTER: FROM NORTH	FROM WEST		
SECT	ION LINES: 1090	2461		
Lease Name: EAGLE	Well No: 3-5-29WH	Well	will be 1090 feet from nearest unit or lease boundary.	
Operator Name: CALYX ENERGY III LLC	<b>T</b>     04004040			
	Telephone: 918949422		OTC/OCC Number: 23515 0	
CALYX ENERGY III LLC		STONE MOUNTAIN HU	INTING CLUB LLC	
6120 S YALE AVE STE 1480		33315 S 321ST STREET WEST		
	226			
TULSA, OK 74136-42	.20	BRISTOW	OK 74010	
L				
Formation(s) (Permit Valid for Listed Formations O	nly):			
Name Code	Depth			
1 MAYES 353MYES	4700			
2 WOODFORD 319WDFD	4775			
3 HUNTON 269HNTN	4845			
4 SYLVAN 203SLVN	4845			
Spacing Orders: 724863 720707 725522	Location Exception Orders:	725369	Increased Density Orders: 724856 725557	
725623			Special Orders: No Special	
Pending CD Numbers: No Pending	Working interest owners			
Total Depth: 15500 Ground Elevation: 964	Surface Casing:	500	Depth to base of Treatable Water-Bearing FM: 320	
Under Federal Jurisdiction: No		Approved Method for disposal of Drilling Fluids:		
Fresh Water Supply Well Drilled: No		<ul><li>A. Evaporation/dewater and backfilling of reserve pit.</li><li>B. Solidification of pit contents.</li></ul>		
Surface Water used to Drill: Yes				
		D. One time land application (F	REQUIRES PERMIT) PERMIT NO: 22-38338	
		H. (Other)	PIT 2 - CONCRETE LINED PIT PER OPERATOR REQUEST	
<b></b>				
PIT 1 INFORMATION		Category of Pit:		
Type of Pit System: ON SITE		Liner not required for Category: 4		
Type of Mud System: AIR		Pit Location is:		
Is depth to top of ground water greater than 10ft below base of	pit? Y	Pit Location Formation: SENORA Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).		
Within 1 mile of municipal water well? N				
Wellhead Protection Area? N				
Pit <u>is</u> located in a Hydrologically Sensitive Area.				
PIT 2 INFORMATION		Category of Pit:	с	
Type of Pit System: CLOSED Closed System Means Stee	el Pits	Liner not required for Category: C		
Type of Mud System: WATER BASED		Pit Location is: BED AQUIFER		
Chlorides Max: 8000 Average: 5000		Pit Location Formation:	SENORA	
Is depth to top of ground water greater than 10ft below base of	pit? Y			
Within 1 mile of municipal water well? N				
Wellhead Protection Area? N				
Pit <u>is</u> located in a Hydrologically Sensitive Area.				

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HO	LE 1			
Section: 29	Township: 8N Ra	nge: 13E Meridian: IM	Total Length:	11000
	County: PITTSBURG		Measured Total Depth:	15500
Spot Location	of End Point: NE NW	NW NE	True Vertical Depth:	4900
Feet From: NORTH 1/4 Section Line: 165		End Point Location from		
	Feet From: EAST	1/4 Section Line: 2280	Lease, Unit, or Property Line: 165	
1				

NOTES:	
Category	Description
HYDRAULIC FRACTURING	[5/23/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 724856	[5/24/2022 - G56] - (I.O.) 29 & 32-8N-13E X720707 WDFD 3 WELLS CALYX ENERGY III, LLC 4/13/2022
INCREASED DENSITY - 725557	[5/24/2022 - G56] - (I.O.) 5-7N-13E X724863 WDFD 2 WELLS CALYX ENERGY III, LLC 5/16/2022
LOCATION EXCEPTION - 725369	[5/24/2022 - G56] - (I.O.) 5-7N-13E, 29 & 32-8N-13E X724863 MYES, WDFD, HNTN, SLVN 5-7N-13E X720707 MYES, WDFD, SLVN 29 & 32-8N-13E COMPL INT (5-7N-13E) NCT 2640' FSL, NCT 0' FNL, NCT 1320' FEL COMPL INT (29 & 32-8N-13E) NCT 165' FNL, NCT 0' FSL, NCT 1320' FEL CALYX ENERGY III, LLC 5/6/2022
SPACING - 720707	[5/24/2022 - G56] - (1280)(HOR) 29 & 32-8N-13E EST MYES, WDFD, SLVN, OTHER COMPL INT (MYES) NLT 660' FB COMPPL INT (SLVN) NLT 330' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL (COEXIST WITH SP # 590132 MYES, WDFD, SLVN; # 544573 WDFD)
SPACING - 724863	[5/24/2022 - G56] - (640)(HOR) 5-7N-13E EXT 714384 MYES, WDFD, HNTN, SLVN COMPL INT (MYES, HNTN) NLT 660' FB COMPL INT (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL COMPL INT (SLVN) NLT 330' FB
SPACING - 725623	[5/24/2022 - G56] - (I.O.) 5-7N-13E, 29 & 32-8N-13E EST MULTIUNIT HORIZONTAL WELL X724863 MYES, WDFD, HNTN, SLVN 5-7N-13E X720707 MYES, WDFD, SLVN 29 & 32-8N-13E (MYES, HNTN, SLVN ARE ADJACENT CSS TO WDFD) 5% 5-7N-13E 95% 29 & 32-8N-13E NO OP NAMED 5/18/2022

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

