

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

API NUMBER: 045 23824

Approval Date: 12/16/2019

Expiration Date: 06/16/2021

Horizontal Hole
Multi Unit

Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 14 Twp: 18N Rge: 25W County: ELLIS

SPOT LOCATION: ☐ NE ☐ SW ☐ SE ☐ SW FEET FROM QUARTER: FROM SOUTH FROM WEST
SECTION LINES: 350 1745

Lease Name: PARKER 23X26-18-25B

Well No: 2H

Well will be 350 feet from nearest unit or lease boundary.

Operator
Name: FOURPOINT ENERGY LLC

Telephone: 3032900990

OTC/OCC Number: 23429 0

FOURPOINT ENERGY LLC
100 SAINT PAUL ST STE 400
DENVER, CO 80206-5140

CHARLES AND JANICE PARKER
14835 LONG IRON DRIVE
HUNTERSVILLE NC 28078

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	CLEVELAND	8820	6	
2			7	
3			8	
4			9	
5			10	

Spacing Orders: 100886
706079

Location Exception Orders: 706080

Increased Density Orders:

Pending CD Numbers: 201904818

Special Orders:

Total Depth: 19521

Ground Elevation: 2155

Surface Casing: 540

Depth to base of Treatable Water-Bearing FM: 390

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: Yes

PIT 1 INFORMATION

Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 40000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: CLOUD CHIEF

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 19-37135

H. SEE MEMO

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: CLOUD CHIEF

HORIZONTAL HOLE 1

Sec 26 Twp 18N Rge 25W County ROGER MILLS

Spot Location of End Point: SW SE SW SW

Feet From: SOUTH 1/4 Section Line: 30

Feet From: WEST 1/4 Section Line: 900

Depth of Deviation: 8737

Radius of Turn: 456

Direction: 185

Total Length: 10067

Measured Total Depth: 19521

True Vertical Depth: 9224

End Point Location from Lease,
Unit, or Property Line: 30

Notes:

Category

Description

HYDRAULIC FRACTURING

12/11/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

LOCATION EXCEPTION - 706080
(201904831)

12/16/2019 - G56 - (I.O.) 23 & 26-18N-25W
X100886 CLVD
COMPL INT (23-18N-25W) NCT 165' FNL, NCT 0' FSL, NCT 330' FWL
COMPL INT (26-18N-25W) NCT 0' FNL, NCT 165' FSL, NCT 330' FWL
FOURPOINT ENERGY, LLC
12/9/2019

MEMO

12/11/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS (REQUIRED - SD, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201904818

12/16/2019 - G56 - 23-18N-25W
X100886 CLVD
3 WELLS
NO OP NAMED
REC 11/4/2019 (JOHNSON)

This permit does not address the right of entry or settlement of surface damages.

045 23824 PARKER 23X26-18-25B 2H

The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

SPACING - 100886

12/16/2019 - G56 - (640) 23 & 26-18N-25W
EST OTHERS
EXT OTHERS
EXT 88225 CLVD, OTHER

SPACING - 706079 (201904830)

12/16/2019 - G56 - (I.O.) 23 & 26-18N-25W
EST MULTIUNIT HORIZONTAL WELL
X100886 CLVD
50% 23-18N-25W
50% 26-18N-25W
FOURPOINT ENERGY, LLC
12/9/2019



This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PROPOSED LOCATION PLAT 045-23824

COMPANY: FOURPOINT ENERGY, LLC LEASE NAME: PARKER 23X26-18-25B 2H
SECTION: 14 TOWNSHIP: T-18-N RANGE: R-25-W FOOTAGES: 350'FSL & 1745'FWL
COUNTY: ELLIS STATE: OK
LATITUDE: 36°01'43.40" LONGITUDE: -99°50'20.55" ELEVATION: 2155'GR
DIRECTION: ±11 MILES SOUTHWEST OF ARNETT, OK
TOPOGRAPHY & VEGETATION: PASTURE
BEST ACCESSIBILITY: FROM LEASE ROAD TO THE EAST



I, CODI LAMBERSON, HEREBY STATE THAT THE LOCATION PLAT SHOWN HEREON IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AS SURVEYED BY ME OR UNDER MY SUPERVISION.




Codi Lamberson
October 24, 2019
CODI LAMBERSON, P.L.S. 1963

- LEGEND
- SURFACE
 - KICK OF POINT
 - PENETRATION PT.
 - FIRST TAKE
 - LAST TAKE
 - BOTTOM HOLE
 - EXISTING WELLS
 - PROPOSED WELLS
 - ▬ LEASE LINE



FILE: ORFS-8500-162
DATE: 3-14-18
SURVEYED BY: B.A.
DRAWN BY: K.Y.
CHECKED BY: C.L.

REVISION:		
1	KW	ADD KOP
2	KY	MOVED DRILL PATH



OKLAHOMA NORTH, NAD-27
SURFACE LOCATION
SECTION: 350'FSL & 1745'FWL
LAT: 36°01'43.40"
LON: -99°50'20.55"
X: 1456234.48
Y: 379612.67
LAT: 36.02872200
LON: -99.83904131

FIRST TAKE POINT
SECTION: 165'FNL & 1200'FWL
LEASE: 165'FNLL & 1200'FWLL
LAT: 36°01'38.30"
LON: -99°50'27.20"
X: 1455678.90
Y: 379107.78
LAT: 36.02730629
LON: -99.84088750

WAYPOINT 1
SECTION: 1300'FSL & 1200'FWL
LEASE: 1300'FSL & 1200'FWLL
LAT: 36°01'00.48"
LON: -99°50'26.62"
X: 1455653.29
Y: 375283.57
LAT: 36.01680110
LON: -99.84072891

WAYPOINT 2
SECTION: 800'FNL & 900'FWL
LEASE: 800'FNLL & 900'FWLL
LAT: 36°00'39.70"
LON: -99°50'30.11"
X: 1455327.06
Y: 373188.18
LAT: 36.01102876
LON: -99.84169740

LAST TAKE POINT
SECTION: 165'FSL & 900'FWL
LEASE: 165'FSL & 900'FWLL
LAT: 35°59'59.74"
LON: -99°50'30.27"
X: 1455237.41
Y: 369147.89
LAT: 35.99992671
LON: -99.84174134

BOTTOM HOLE
SECTION: 30'FSL & 900'FWL
LEASE: 30'FSL & 900'FWLL
LAT: 35°59'58.40"
LON: -99°50'30.27"
X: 1455234.41
Y: 369012.92
LAT: 35.99955584
LON: -99.84174281

OKLAHOMA NORTH, NAD-83
SURFACE LOCATION
SECTION: 350'FSL & 1745'FWL
LAT: 36°01'43.56"
LON: -99°50'21.97"
X: 1424631.11
Y: 379640.54
LAT: 36.028765840
LON: -99.839435730

FIRST TAKE POINT
SECTION: 165'FNL & 1200'FWL
LEASE: 165'FNLL & 1200'FWLL
LAT: 36°01'38.46"
LON: -99°50'28.62"
X: 1424075.52
Y: 379135.64
LAT: 36.027350168
LON: -99.841281941

WAYPOINT 1
SECTION: 1300'FSL & 1200'FWL
LEASE: 1300'FSL & 1200'FWLL
LAT: 36°01'00.64"
LON: -99°50'28.04"
X: 1424049.94
Y: 375311.40
LAT: 36.016845167
LON: -99.841123208

WAYPOINT 2
SECTION: 800'FNL & 900'FWL
LEASE: 800'FNLL & 900'FWLL
LAT: 36°00'39.86"
LON: -99°50'31.53"
X: 1423723.72
Y: 373216.00
LAT: 36.01102876
LON: -99.84169740

LAST TAKE POINT
SECTION: 165'FSL & 900'FWL
LEASE: 165'FSL & 900'FWLL
LAT: 35°59'59.90"
LON: -99°50'31.69"
X: 1423634.09
Y: 369175.67
LAT: 35.999971062
LON: -99.842135452

BOTTOM HOLE
SECTION: 30'FSL & 900'FWL
LEASE: 30'FSL & 900'FWLL
LAT: 35°59'58.56"
LON: -99°50'31.69"
X: 1423631.10
Y: 369040.70
LAT: 35.999600190
LON: -99.842136931

NOTE:
BEARINGS, DISTANCES & COORDINATES BASED ON OKLAHOMA STATE
PLANE COORDINATE SYSTEM
GPS OBSERVATION, OK NORTH ZONE, NAD-27
GRID, US SURVEY FEET

BORE PATH INFORMATION PROVIDED BY FOURPOINT ENERGY, LLC
OPEN RANGE FIELD SERVICES HAS NOT PERFORMED A SURVEY ON THE
GROUND