PI NUMBER: 017 25581	OIL & GAS CO P.C OKLAHOMA	RPORATION COMMISS NSERVATION DIVISIO D. BOX 52000 CITY, OK 73152-2000		01/02/2020 : 07/02/2021
izontal Hole Oil & Gas ti Unit	(Ru	le 165:10-3-1)		
	PEF	RMIT TO DRILL		
WELL LOCATION: Sec: 14 Twp: 14N Rge:	7W County: CANADIAN			
SPOT LOCATION: NE SE NW NW	FEET FROM QUARTER: FROM NOR SECTION LINES: 879	TH FROM WEST 1035		
Lease Name: BRUEGGEN 1407	Well No: 3H-2	x	Well will be 879 feet from nea	rest unit or lease boundary.
Operator NEWFIELD EXPLORATION MID- Name:	CON INC T	elephone: 2812105100; 91887	81 OTC/OCC Number:	20944 0
NEWFIELD EXPLORATION MID-COM	N INC	CINDY F	BRUEGGEN	
4 WATERWAY AVE STE 100		702 W O	KLAHOMA AVE	
THE WOODLANDS, TX	77380-2764	TULSA	ОК	73750
Formation(s) (Permit Valid for Listed F	ormations Only): Depth	Name	De	pth
1 MISSISSIPPIAN	8109	6		
2 WOODFORD	8595	7		
3		8		
4		9		
5		10		
Spacing Orders: 604466	Location Exception Order	s: 705664	Increased Density Orders:	705330
705652		705653		705331
		100000		705332
				705333
Pending CD Numbers:			Special Orders:	
Total Depth: 18711 Ground Elevation:	¹¹³⁸ Surface Casi	ng: 1500	Depth to base of Treatable Wa	ter-Bearing FM: 240
		Deep surface cas	ing has been approved	
Under Federal Jurisdiction: No	Fresh Water Supply Well Drilled: No		Surface Water used to Drill: No	
PIT 1 INFORMATION		Approved Method fo	r disposal of Drilling Fluids:	
Type of Pit System: CLOSED Closed System Mean	s Steel Pits			
Type of Mud System: WATER BASED			pplication (REQUIRES PERMIT)	PERMIT NO: 19-3717
Chlorides Max: 5000 Average: 3000			cial pit facility: Sec. 31 Twn. 12N Rng. 8W	Cnty. 17 Order No: 587498
Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N	base of pit? Y	H. SEE MEMO		
Wellhead Protection Area? N				
Pit is not located in a Hydrologically Sensitive Area				
Category of Pit: C				

PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

Pit Location is NON HSA Pit Location Formation: BISON

HORIZONTAL HOLE 1

Sec 02 Twp 14N Rge 7W Count Spot Location of End Point: NW NE NE Feet From: NORTH 1/4 Section Line: Feet From: WEST 1/4 Section Line: Depth of Deviation: 7807 Radius of Turn: 575	
Direction: 360	
Total Length: 10000	
Measured Total Depth: 18711	
True Vertical Depth: 8595	
End Point Location from Lease, Unit, or Property Line: 85	
Notes:	
Category	Description
DEEP SURFACE CASING	12/30/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
EXCEPTION TO THE RULE - 705664 (201904752)	1/2/2020 - GC2 - (I.O.) 2 & 11-14N-7W X165:10-3-28(C)(2)(B) MSSP, WDFD (BRUEGGEN 1407 3H-2X) MAY BE CLOSER THAN 600' TO BRUEGGEN 1407 2H-2X, BRUEGGEN 1407 4H-2X, BRUEGGEN 1407 5H-2X, BRUEGGEN 1407 6H-2X, BRUEGGEN 1407 7H-2X, BRUEGGEN 8H-2X, BRUEGGEN 1407 2X, VOSS 11-6 NO OP. NAMED 11-26-2019
HYDRAULIC FRACTURING	12/30/2019 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG INCREASED DENSITY - 705330 (201904734) 1/2/2020 - GC2 - (I.O.) 2-14N-7W X604466 MSSP

6 WELLS NEWFIELD EXPLORATION MID-CONTINENT INC 11-19-2019 This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1.

017 25581 BRUEGGEN 1407 3H-2X

The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

INCREASED DENSITY - 705331 (201904735)	1/2/2020 - GC2 - 2-14N-7W X604466 WDFD 7 WELLS NEWFIELD EXPLORATION MID-CONTINENT INC 11-19-2019
INCREASED DENSITY - 705332 (201904736)	1/2/2020 - GC2 - (I.O.) 11-14N-7W X604466 MSSP 6 WELLS NEWFIELD EXPLORATION MID-CONTINENT INC 11-19-2019
INCREASED DENSITY - 705333 (201904737)	1/2/2020 - GC2 - 11-14N-7W X604466 WDFD 7 WELLS NEWFIELD EXPLORATION MID-CONTINENT INC 11-19-2019
LOCATION EXCEPTION - 705653 (201904741)	1/2/2020 - GC2 - (I.O.) 2 & 11-14N-7W X604466 MSSP, WDFD, OTHER 2 & 11-14N-7W COMPL. INT. (11-14N-7W) NCT 165' FSL, NCT 0' FNL, NCT 1,320' FWL COMPL. INT. (2-14N-7W) NCT 0' FSL, NCT 165' FNL, NCT 1,320' FWL NEWFIELD EXPLORATION MID-CONTINENT INC 11-26-2019
МЕМО	12/30/2019 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS (REQUIRED - UNCLE JOHN CREEK), WBM/CUTTINGS & OBM CUTTINGS CAPTURED IN STEEL HALF PITS, WBM/CUTTINGS WILL BE SOIL FARMED, OBM CUTTINGS TRANSFERRED TO R360 587498 (31-12N-8W), CANADIAN CO, PIT 2 - OBM TO VENDOR
SPACING - 604466	1/2/2020 - GC2 - (640)(HOR) 2 & 11-14N-7W VAC OTHER VAC 127148 MSSLM VAC 286856 MCSMN EXT 599529 MSSP, WDFD, OTHER COMPL. INT. (MSSP) NCT 660' FB COMPL. INT. (WDFD) NCT 165' FNL/FSL, NCT 330' FEL/FWL
SPACING - 705652 (201904740)	1/2/2020 - GC2 - (I.O.) 2 & 11-14N-7W EST MULTIUNIT HORIZONTAL WELL X604466 MSSP, WDFD 2 & 11-14N-7W 50% 2-14N-7W 50% 11-14N-7W NEWFIELD EXPLORATION MID-CONTINENT INC 11-26-2019

