API NUMBER: 011 24220 A

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 06/12/2019
Expiration Date: 12/12/2020

Horizontal Hole Oil & Gas

Amend reason: CHANGE WELL NAME FROM THE RANDALL #3-

AMEND PERMIT TO DRILL

| O THE RANDALL #2-10H AN | Alvi | AMENDIERMITIONNEL | | | | |
|-----------------------------|-----------------------------|-----------------------|------------------------|--------------------------|--|--|
| LL LOCATION: Sec: 1 | 0 Twp: 15N Rge: 10W | County: BLA | NE | | | |
| OT LOCATION: SE | SW SE SW FEE | ET FROM QUARTER: FROM | SOUTH FROM | WEST | | |
| | SEC | CTION LINES: | 285 | 1805 | | |
| Lease Name: RANDALL | | Well No: | #2-10H | W | ell will be 285 feet from nearest unit or lease boundary | |
| Operator UNIT PE Name: | TROLEUM COMPANY | | Telephone: 91 | 84774489; 9184937 | OTC/OCC Number: 16711 0 | |
| UNIT PETROLEUM | // COMPANY | | | LINDA AND C | NIARI EC DANDALI | |
| PO BOX 702500 | | | | NDA AND CHARLES RANDALL | | |
| TULSA, | OK 74 | 170-2500 | | 543 E. 790 RO | | |
| · | | | | OMEGA | OK 73764 | |
| Name | it Valid for Listed Format | Depth | | Name | Depth | |
| 1 MISSISSIPP 2 | 1 | 10150 | 6 7 | | | |
| 3 | | | 8 | | | |
| 4 | | | 9 | | | |
| 5 | | | 10 |) | | |
| acing Orders: 302663 | | Location Exception | Orders: 699483 | | Increased Density Orders: 698555 | |
| ending CD Numbers: | _ | | | | Special Orders: | |
| Total Depth: 15100 | Ground Elevation: 1393 | Surface | Casing: 1500 | | Depth to base of Treatable Water-Bearing FM: 40 | |
| | | | Deep | surface casing ha | as been approved | |
| Under Federal Jurisdiction: | No | Fresh Wate | r Supply Well Drilled: | No | Surface Water used to Drill: No | |
| IT 1 INFORMATION | | | App | proved Method for dispos | sal of Drilling Fluids: | |
| una of Dit Sustam: CLOSE | D Closed System Means Steel | Dite | | | | |

D. One time land application -- (REQUIRES PERMIT)

Type of Mud System: WATER BASED

Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: BLAINE

PERMIT NO: 19-36665

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED Chlorides Max: 65000 Average: 40000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is NON HSA Pit Location Formation: BLAINE

HORIZONTAL HOLE 1

Sec. 10 Twp 15N Rge 10W County **BLAINE** Spot Location of End Point: NW NE NW NW Feet From: NORTH 1/4 Section Line: 165 WEST Feet From: 1/4 Section Line: 860

Depth of Deviation: 9500 Radius of Turn: 405 Direction: 350 Total Length: 4963

Measured Total Depth: 15100 True Vertical Depth: 10150 End Point Location from Lease.

Unit, or Property Line: 165

Notes:

Category Description

6/5/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF **DEEP SURFACE CASING**

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 6/5/2019 - G71 - OCC 165:10-3-10 REQUIRES:

> 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH

WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 698555 (201902314) 1/2/2020 - G56 - 10-15N-10W

X302663 MISS

3 WELLS

UNIT PETROLEUM COMPANY

6/28/2019

INTERMEDIATE CASING

6/5/2019 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

LOCATION EXCEPTION - 699483 1/2/2020 - G56 - (I.O.) 10-15N-10W

(201902313) X302663 MISS

COMPL. INT. NCT 165' FSL, NCT 165' FNL, NCT 330' FWL

UNIT PETROLEUM COMPANY

7/22/2019

MEMO 6/5/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

SPACING - 302663 1/2/2020 - G56 - (640) 10-15N-10W

VAC OTHER

EXT 176185 MISS, OTHERS

