API NUMBER: 047 25193

Oil & Gas

Horizontal Hole

### OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	02/25/2019
Expiration Date:	08/25/2020

16896 0

Well will be 249 feet from nearest unit or lease boundary.

OTC/OCC Number:

### PERMIT TO DRILL

WELL LOCATION:	Sec: 11	Twp: 22	N Rge:	5W	County	y: GAR	FIELD			
SPOT LOCATION:	NE N	w NW	NW		FEET FROM QUARTER:	FROM	NORTH	FROM	WEST	
					SECTION LINES:		249		549	
Lease Name:	FICUS 2205				W	ell No:	1MOH-10	)		
Operator	CHAPARE	RAL ENERGY	LLC				Teleph	none:	4054788770; 40	54264

CHAPARRAL ENERGY LLC 701 CEDAR LAKE BLVD

OKLAHOMA CITY, OK 73114-7800

WENDELL & JUDY VENCL 20113 E. PHILLIPS AVE

D. One time land application -- (REQUIRES PERMIT)

H. SEE MEMO

GARBER OK 73738

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	4720	6	
2			7	
3			8	
4		•	9	
5			10	
Spacing Orders:	No Spacing	Location Exception Orders:		Increased Density Orders:

Pending CD Numbers: 201900472 Special Orders:

201900475

Total Depth: 11500 Ground Elevation: 1172 Surface Casing: 570 Depth to base of Treatable Water-Bearing FM: 320

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

**Liner not required for Category: C**Pit Location is NON HSA

Pit Location Formation: FAIRMONT

PERMIT NO: 19-36127

#### PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA

Pit Location Formation: FAIRMONT

### HORIZONTAL HOLE 1

Sec 10 Twp 22N Rge 5W County GARFIELD

Spot Location of End Point: SW SE SE SE Feet From: SOUTH 1/4 Section Line: 165
Feet From: EAST 1/4 Section Line: 380

Depth of Deviation: 5600 Radius of Turn: 601 Direction: 185

Total Length: 4956

Measured Total Depth: 11500

True Vertical Depth: 6200

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

**MEMO** 

Category Description

HYDRAULIC FRACTURING 1/25/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

1/25/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS (REQUIRED - BLACK BEAR

1/25/2019 - G/1 - PHS 1 & 2 - CLOSED SYSTEM=STEEL PHS (REQUIRED - BLACK BEAR CREEK), PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201900472 2/25/2019 - G58 - (640)(HOR) 10-22N-5W

EXT 684476 MSSP

POE TO BHL NLT 660' FB

(COEXIST SP. ORDER 58223 & 60341 MSSLM)

**REC 2/5/2019 (JACKSON)** 

PENDING CD - 201900475 2/25/2019 - G58 - (I.O.) 10-22N-5W

X201900472 MSSP

COMPL. INT. NCT 165' FNL, NCT 165' FSL, NCT 330' FEL

NO OP. NAMED

REC 2/5/2019 (JACKSON)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

047 25193 FICUS 2205 1MOH-10

EXHIBIT: A
SHEET: 11x17

## FICUS 2205 1MOH-10

 Section
 11
 Township
 22N
 Range
 5W
 I.M.

 County
 GARFIELD
 State
 Oklahoma

 Operator
 Chaparral Energy

### WELL LOCATION PLAT

# 047-25193 X: (2053506.76) Y: (511536.22) X: (2085106.22) Y: (511511.11) X: 2050857.42 Y: 511555.66 X: 2082456.88 Y: 511530.55 X: 2056150.74 Y: 511533.79 X: 2087750.19 Y: 511508.68 2649' 2644' SHL LΡ 165' FNL - 380' FEL Y: 511373.00' X: 2053127.64' LAT: N36.4044481099' LONG: W97.7124249992 249' FNL - 549' FWL 2644 ELEVATION: 1172' Y: 511289.04' X: 2054057.13' LAT: N36.4042071459' LONG: W97.7092673453' Y: 511264.70' X: 2085657.36' LAT: N36.4041757850' LONG: W97.7089338466' Y: 511349.65' X: 2084727.87' LAT: N36.4044167600' LONG: W97.7120914173' X: 2053521.13 Y: 508891.93 X: 2085120.59 Y: 508866.82 10 11 180 **GPS DATUM NAD-83** NAD-27 OK NORTH ZONE BHL US FEET 165' FSL - 380' FEL Y: 506417.01' X: 2053147.75' LAT: N36.3908316147' LONG: W997.7124065566' SCALE: 1'' = 600'Y: 506392.70' X: 2084747.98' LAT: N36.3908000241' LONG: W97.7120730370' X: 2050907.90 Y: 506274.46 X: 2082507.36 Y: 506249.35 X: (2056167.91) X: 2053528.20 Y: (506262.42) X: (2087767.37) Y: (506237.31) (2640')2620'

Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Pan-Op promptly if any inconsistency is determined. GPS data is observed from RTK-GPS. NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey. Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true Boundary Survey.





Prepared By:
Pan-Op Survey & Consulting, LLC
11900 N MacArthur Blvd.
Suite C2
Oklahoma City, OK 73162
CA# 8166

DATE STAKED: <u>12/5/18</u>

### CERTIFICATE:

No.1980

I, Cory D. Culpepper an Oklahoma Licensed Land Surveyor and an authorized agent of Pan-Op, LLC, do hereby certify to the information shown herein.

12/13/18 Oklahoma RPLS