

API NUMBER: 051 24806

OKLAHOMA CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
P.O. BOX 52000  
OKLAHOMA CITY, OK 73152-2000  
(Rule 165:10-3-1)

Approval Date: 10/16/2020

Expiration Date: 04/16/2022

Multi Unit

Oil & Gas

## PERMIT TO DRILL

WELL LOCATION: Section: 01 Township: 3N Range: 6W County: GRADY

SPOT LOCATION:     FEET FROM QUARTER: FROM SOUTH FROM EAST  
SECTION LINES: 1832 2405

Lease Name: HALE Well No: 5-1X36H Well will be 1832 feet from nearest unit or lease boundary.

Operator Name: GULFPORT MIDCON LLC Telephone: 4052524600 OTC/OCC Number: 24020 0

GULFPORT MIDCON LLC  
3001 QUAIL SPRINGS PKWY  
OKLAHOMA CITY, OK 73134-2640

D.T.E LAND&CATTLE LLC ATTN DONNIE ENTZ  
1212 S BROADWAY  
HINTON OK 73047

### Formation(s) (Permit Valid for Listed Formations Only):

|   | Name     | Code    | Depth |
|---|----------|---------|-------|
| 1 | WOODFORD | 319WDFD | 14056 |
| 2 | HUNTON   | 269HNTN | 14278 |

Spacing Orders: 146081 184773 238020 257588 713494  
Location Exception Orders: 710829  
Increased Density Orders: 710922 710923

Pending CD Numbers: No Pending

Working interest owners' notified: \*\*\*

Special Orders: No Special Orders

Total Depth: 23056 Ground Elevation: 1279

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 580

Deep surface casing has been approved

Under Federal Jurisdiction: No  
Fresh Water Supply Well Drilled: No  
Surface Water used to Drill: Yes

#### Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 20-37371

H. (Other) SEE MEMO

### PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: MARLOW

### PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is: BED AQUIFER

Pit Location Formation: MARLOW

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

| MULTI UNIT HOLE 1              |               |                        |              |                                   |  |
|--------------------------------|---------------|------------------------|--------------|-----------------------------------|--|
| Section: 36                    | Township: 4N  | Range: 6W              | Meridian: IM | Total Length: 8941                |  |
|                                | County: GRADY |                        |              | Measured Total Depth: 23056       |  |
| Spot Location of End Point: NW | NE            | NW                     | NE           | True Vertical Depth: 14500        |  |
| Feet From: <b>NORTH</b>        |               | 1/4 Section Line: 25   |              | End Point Location from           |  |
| Feet From: <b>EAST</b>         |               | 1/4 Section Line: 1950 |              | Lease, Unit, or Property Line: 25 |  |

#### NOTES:

| Category                                | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DEEP SURFACE CASING                     | [10/14/2020 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| HYDRAULIC FRACTURING                    | <p>[10/16/2020 - GC2] - OCC 165:10-3-10 REQUIRES:</p> <p>1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;</p> <p>2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: <a href="http://OCCWEB.COM/OG/OGFORMS.HTML">OCCWEB.COM/OG/OGFORMS.HTML</a>; AND,</p> <p>3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT <a href="http://FRACFOCUS.ORG">FRACFOCUS.ORG</a></p> |
| INCREASED DENSITY - 710922 (202000470)  | <p>[10/15/2020 - GC2] - 1-3N-6W<br/>X238020/257588 HNTN, WDFD, OTHER<br/>6 WELLS<br/>NO OP NAMED<br/>4-23-2020</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| INCREASED DENSITY - 710923 (202000471)  | <p>[10/15/2020 - GC2] - 36-4N-6W<br/>X146081 HNTN, OTHER<br/>X184773 WDFD<br/>6 WELLS<br/>NO OP NAMED<br/>4-23-2020</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| LOCATION EXCEPTION - 710828 (202000467) | <p>[10/15/2020 - GC2] - (I.O.) 1-3N-6W &amp; 36-4N-6W<br/>X238020/257588 WDFD, HNTN, OTHER<br/>X146081 HNTN<br/>X184773 WDFD<br/>COMPL. INT. (1-3N-6W) NCT 500' FSL, NCT 1350' FEL, NCT 0' FNL, NCT 1550' FEL<br/>COMPL. INT. (36-4N-6W) NCT 0' FSL, NCT 1550' FEL, NCT 150' FNL, NCT 1750' FWL<br/>GULFPORT MIDCON LLC<br/>4-21-2020</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| MEMO                                    | [10/14/2020 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| SPACING - 146081                        | [10/15/2020 - GC2] - (640) 36-4N-6W<br>EXT OTHER<br>EST HNTN, OTHERS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| SPACING - 184773                        | [10/15/2020 - GC2] - (640) 36-4N-6W<br>EST WDFD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| SPACING - 238020                        | [10/15/2020 - GC2] - (640) 1-3N-6W<br>EST OTHER<br>EXT OTHERS<br>EXT 146081 HNTN, OTHERS<br>EXT 184773 WDFD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| SPACING - 257588                        | [10/15/2020 - GC2] - NPT 238020 THAT ORDER NO 235439 BE VACATED INSOFAR AND ONLY INSOFAR AS SAID ORDER DISMISSED THE APPLICATION IN 84137; FURTHERMORE 84137, ORDER 238020, BE REINSTATED AS CORRECT AND PROPER.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

SPACING - 713494 (202000462)

[10/15/2020 - GC2] - (I.O.) 1-3N-6W & 36-4N-6W  
EST MULTIUNIT HORIZONTAL WELL  
X238020/257588 WDFD, HNTN, OTHER  
X146081 HNTN  
X184773 WDFD  
(HNTN ARE ADJACENT COMMON SOURCE OF SUPPLY TO WDFD)  
49% 1-3N-6W  
51% 36-4N-6W  
GULFPORT MIDCON, LLC  
7-27-2020

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

051 24806 HALE 5-1X36H



# Well Location Plat

S.H.L. Sec. 1-3N-6W I.M.  
B.H.L. Sec. 36-4N-6W I.M.

Operator: GULFPORT MIDCON, LLC

Lease Name and No.: HALE 5-1X36H

Surface Hole Location: 1832' FSL - 2405' FEL Gr. Elevation: 1279'

NW/4-SW/4-NW/4-SE/4 Section: 1 Township: 3N Range: 6W I.M.

Bottom Hole Location: 25' FNL - 1950' FEL

NW/4-NE/4-NW/4-NE/4 Section: 36 Township: 4N Range: 6W I.M

County: Grady State of Oklahoma

Terrain at Loc.: Location fell on a sloped cattle field.

API:051-24806




All bearings shown  
are grid bearings.

0' 660' 1320' 1980'

1" = 1320'

GPS DATUM  
NAD 27  
OK SOUTH ZONE



Surface Hole Loc.:  
Lat: 34°45'32.55"N  
Lon: 97°46'52.85"W  
Lat: 34.75904188  
Lon: -97.78134848  
X: 2065675  
Y: 518904

Landing Point:  
Lat: 34°45'30.54"N  
Lon: 97°46'41.90"W  
Lat: 34.75848343  
Lon: -97.77830456  
X: 2066590  
Y: 518702

Bottom Hole Loc.:  
Lat: 34°46'58.87"N  
Lon: 97°46'47.28"W  
Lat: 34.78301880  
Lon: -97.77980018  
X: 2066121  
Y: 527631

-Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined. GPS data is observed from RTK - GPS. NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey. Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.



# Well Location Plat

S.H.L. Sec. 1-3N-6W I.M.  
B.H.L. Sec. 36-4N-6W I.M.

Operator: GULFPORT MIDCON, LLC

Lease Name and No.: HALE 5-1X36H

Surface Hole Location: 1832' FSL - 2405' FEL Gr. Elevation: 1279'

NW/4-SW/4-NW/4-SE/4 Section: 1 Township: 3N Range: 6W I.M.

Bottom Hole Location: 25' FNL - 1950' FEL

NW/4-NE/4-NW/4-NE/4 Section: 36 Township: 4N Range: 6W I.M

County: Grady State of Oklahoma

Terrain at Loc.: Location fell on a sloped cattle field.




All bearings shown  
are grid bearings.

0' 660' 1320' 1980'

1" = 1320'

GPS DATUM  
NAD 27  
OK SOUTH ZONE



Surface Hole Loc.:  
Lat: 34°45'32.55"N  
Lon: 97°46'52.85"W  
Lat: 34.75904188  
Lon: -97.78134848  
X: 2065675  
Y: 518904

Landing Point:  
Lat: 34°45'30.54"N  
Lon: 97°46'41.90"W  
Lat: 34.75848343  
Lon: -97.77830456  
X: 2066590  
Y: 518702




Bottom Hole Loc.:  
Lat: 34°46'58.87"N  
Lon: 97°46'47.28"W  
Lat: 34.78301880  
Lon: -97.77980018  
X: 2066121  
Y: 527631

-Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Atkoma Surveying and Mapping promptly if any inconsistency is determined. GPS data is observed from RTK - GPS. NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey. Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.

# Gulfport Anti-Collision

Sec. 1-3N-6W I.M.

Operator: GULFPORT MIDCON, LLC  
 Lease Name and No.: HALE 5-1X36H  
 Surface Hole Location: 1832' FSL - 2405' FEL  
 Landing Point: 1632' FSL - 1490' FEL  
 Section: 1 Township: 3N Range: 6W I.M.  
 Bottom Hole Location: 25' FNL - 1950' FEL  
 Section: 36 Township: 4N Range: 6W I.M.  
 County: Grady State of Oklahoma



# County Highway Vicinity Map

Job #: 9003-C-C

Operator: GULFPORT MIDCON, LLC

Lease Name and No.: HALE 5-1X36H

Accessibility: From the South.

Directions: From the junction of "CS 291 RD." & State HWY 29 in the town of Bray, OK, go 6.8 miles North on "CS 291 RD." to "NS 292 RD.", continue 2.6 miles Northeast on "NS 292 RD.", to the Southeast Quarter of Section 1-3N-6W on the East side of the road.

**Gulfport**  
MIDCON



1 inch = 1.25 mile

provided by:  
Arkoma Surveying and Mapping, PLLC  
P.O. Box 238 Wilburton, OK 74578  
Ph. 918-465-5711 Fax 918-465-5030  
Certificate of Authorization No. 5348  
Expires June 30, 2020

