API NUMBER: 063 24880

Disposal

is located in a Hydrologically Sensitive Area.

Category of Pit: 4

Liner not required for Category: 4 Pit Location is AP/TE DEPOSIT Pit Location Formation: TERRACE

Straight Hole

## **OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

02/01/2019 Approval Date: Expiration Date: 08/01/2020

## DEBMIT TO DRILL

				I LIXIVIII TO	DIVILL				
WELL LOCATION:	: Sec: 36 Twp: 9N	Rge: 10E	County: HUG	HES					
SPOT LOCATION:	SW SE NW	NE FEET FRO	OM QUARTER: FROM	NORTH FROM	EAST				
		SECTION	LINES:	1134	1718				
Lease Name:	WETUMKA		Well No:	36-1 SWD		Well will be	1134 feet from nearest	unit or lease boundary.	
								·	
Operator Name:	CALYX ENERGY III LLC			Telephone:	91894942	24	OTC/OCC Number:	23515 0	
CALVYE	NEDOVILLIO								
CALYX ENERGY III LLC 6120 S YALE AVE STE 1480				CALYX ENERGY LAND, LLC					
	ALE AVE STE 1460				6	6120 S YALE AVE STE 1480			
TULSA,		OK 74136	-4226		Т	ULSA	OK 74	136	
1 2	Name WILCOX SIMPSON ARBUCKLE	acu i dimaioni	Depth 4056 4206 4688  Location Exception	Orders:	6 7 8 9 10	Name	Depth  ncreased Density Orders:		
	No Spacing	-							
Pending CD Numb	bers:					S	Special Orders:		
Total Depth: 5700 Ground Elevation: 743			Surface	Surface Casing: 1500 Depth to base of Treat			to base of Treatable Water-E	Bearing FM: 280	
Under Federal Jurisdiction: No Fresh Water S				· Supply Well Drille	ed: No		Surface Water use	ed to Drill: Yes	
PIT 1 INFORMATION					Approved Method for disposal of Drilling Fluids:				
Type of Pit System: ON SITE					A. Evaporation/dewater and backfilling of reserve pit.				
Type of Mud System: AIR					B. Solidific	cation of pit contents.			
Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N					F. Haul to Commercial soil farming facility: Sec. 14 Twn. 7N Rng. 9E Cnty. 63 Order No: 551649				
Wellhead Protection Area? N					LL DIT 2. CLOSED SVETEM STEEL DITS (DECULDED SIGN CDEEK)				

H. PIT 2 - CLOSED SYSTEM=STEEL PITS (REQUIRED - FISH CREEK)

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

## PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

Notes:

Category Description

DEEP SURFACE CASING 1/31/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 1/31/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH

WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

SPACING 1/31/2019 - G71 - N/A - DISPOSAL WELL