API NUMBER: 017 25978

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 07/14/2023
Expiration Date: 01/14/2025

Multi Unit Oil & Gas

## **PERMIT TO DRILL**

WELL LOCATION:	Section:	25	Township:	: 12N	Range:	8W	County: C	CANA	ADIAN					
SPOT LOCATION:	SE NE	NE	NE	FEET FR	ROM QUARTER:	FROM	NORTH	FRC	DM EAST					
				s	SECTION LINES:		451		167					
Lease Name:	JOHNSTON 1	207			,	Well No:	30-31-5M	хн		Well will be	167	feet from nearest unit	or lease boundary.	
Operator Name:	CAMINO NAT	URAL RE	ESOURCES	LLC	Te	lephone:	72040527	29				OTC/OCC Num	nber: 24097 0	
CAMINO NAT	ΓURAL RES	OURC	ES LLC						MICHAEL J. S	CHLECHT				
1401 17TH ST STE 1000									3904 S. REFC	RMATORY RE	).			
DENVER,			CO	80202	-1247				EL RENO			OK 73036		
								-						
Formation(s)	(Permit Va	lid for L	_isted For	rmations	Only):									
Name			Code	•	Г	Pepth								
1 MISSISSIPP	PIAN		359N	ISSP	9	925								
-	164795 155968				Locati	on Excep	tion Orders	s: <b> </b>	No Exception	ns	In	creased Density Orders:	No Density	
Pending CD Number	ers: 2023020	52			w	orking int	erest owner	rs' no	otified: YES			Special Orders:	No Special	
	2023020	51												
	2023020	32												
	2023020	33												
Total Depth: 2	1012	Ground	Elevation:	1437	Su	rface (	Casing:	150	nn	Depth	to base	of Treatable Water-Bearin	na FM: 390	
. 0 (4) 2 0 0 1 1		0.00	2.074		- Ou	iiuoc (	Jushig.	Γ.						
								L			L	Deep surface casing	g has been approved	
Under Federal Jurisdiction: No									Approved Method	for disposal of Dril	ling Flu	ids:		
Fresh Water Supply Well Drilled: No								D. One time land application (REQUIRES PERMIT) PERMIT NO: 23-39149						
Surface	e Water used to	Jrill: Ye	IS						H. (Other)		SEE M	EMO		
										/ <b>P</b> ' 0				
PIT 1 INFOR		OSED (	Closed Syste	m Moone 9	Stool Dite				_	ory of Pit: C				
Type of Pit System: CLOSED Closed System Means Steel Pits  Type of Mud System: WATER BASED									Liner not required	cation is: AP/TE	DEPOSI	т		
Chlorides Max: 5000 Average: 3000										ormation: Terrace				
	top of ground wa		ter than 10ft	below base	e of pit? Y				2004					
	mile of municipal													
vidini	Wellhead Prote													
Pit <u>is</u> lo	ocated in a Hydro			rea.										
PIT 2 INFORMATION								_	ory of Pit: C					
Type of Pit System: CLOSED Closed System Means Steel Pits									Liner not required for Category: C					
Type of Mud System: OIL BASED									Pit Location is: AP/TE DEPOSIT					
Chlorides Max: 300000 Average: 200000									Pit Location Fo	ormation: Terrace	•			
Is depth to	top of ground wa	ater great	er than 10ft	below base	e of pit? Y									
Within 1 r	mile of municipal	water we	ell? N											
	Wellhead Prote	ction Are	∍a? N											
Pit <u>is</u> lo	ocated in a Hydro	ologically	Sensitive A	rea.										

**MULTI UNIT HOLE 1** 

Section: 31 Township: 12N Range: 7W Meridian: IM Total Length: 10000

County: CANADIAN Measured Total Depth: 21012

Spot Location of End Point: SW SE SW SW True Vertical Depth: 10464

Feet From: SOUTH 1/4 Section Line: 100 End Point Location from
Feet From: WEST 1/4 Section Line: 740 Lease,Unit, or Property Line: 100

Additional Surface Owner(s)

MARY C BOUSE 2013 REVOCABLE TRUST

14112 RHONDA LANE

EDMOND, OK 73013

MARY C BOUSE 2013 REVOCABLE TRUST 14112 RHONDA LANE OKLAHOMA CITY, OK 73130

NOTES:

Category	Description					
DEEP SURFACE CASING	[7/13/2023 - GE7] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.					
HYDRAULIC FRACTURING	[7/13/2023 - GE7] - OCC 165:10-3-10 REQUIRES:  1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING					
	WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;					
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,					
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG					
МЕМО	[7/13/2023 - GE7] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT					
PENDING - CD2023-002032	[7/13/2023 - GB7] - (E.O.) 30-12N-7W X155968 MSSP 3 WELLS CAMINO NATURAL RESOURCES LLC REC 07/11/2023 (NORRIS)					
PENDING - CD2023-002033	[7/13/2023 - GB7] - (E.O.) 31-12N-7W X164795 MSSP 3 WELLS CAMINO NATURAL RESOURCES LLC REC 07/11/2023 (NORRIS)					
PENDING - CD2023-002051	[7/13/2023 - GB7] - (E.O.) 30 & 31-12N-7W EST MULTIUNIT HORIZONTALL WELL X164795 MSSP X155968 MSSP 50% 30-12N-7W 50% 31-12N-7W CAMINO NATURAL RESOURCES LLC REC 07/14/2023 (DENTON)					
PENDING - CD2023-002052	[7/13/2023 - GB7] - (E.O.) 30 & 31-12N-7W X164795 MSSP 30-12N-7W X155968 MSSP 31-12N-7W X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO MATHIES 31-2 (API# 017-22721), BETTY 1-30 (API# 017-24004) COMPL INT NCT 165' FNL, NCT 0' FSL, NCT 740' FWL (30-12N-7W) COMPL INT NCT 0' FNL, NCT 165' FSL, NCT 740' FWL (31-12N-7W) CAMINO NATURAL RESOURCES LLC REC 07/14/2023 (DENTON)					
SPACING - 155968	[7/13/2023 - GB7] - (640) 31-12N-7W EST OTHERS EXT OTHER EXT 126170 MSSP					
SPACING - 164795	[7/13/2023 - GB7] - (640) 30-12N-7W EXT 124533/158955 MSSP					