API NUMBER: 051 24837

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 05/21/2021

Expiration Date: 11/21/2022

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION:	Section:	36	Township	: 9N Ra	ange: 6W	County: G	GRADY							
SPOT LOCATION:	SW SW	SW	SE	FEET FROM QUA	ARTER: FROM	SOUTH	FROM EA	ST	_					
				SECTION	LINES:	215	237	5						
Lease Name:	GHJ&J ARTE	RBERRY			Well No	: 1H-36-25		We	II will be	215	feet from neares	t unit or lea	se boundary.	
Operator Name:	CITIZEN ENE	RGY III LL	-C		Telephone	: 91894946	80				OTC/OCC	Number:	24120 0	
CITIZEN ENERGY III LLC							GEOR	GIA LEE ARTE	RBERR	RΥ				
320 S BOSTON AVE STE 900							1794 0	1794 COUNTY ROAD 1230						
TULSA, OK 74103-3729							TUTTL	TUTTLE OK 73089						
Formation(s)	(Dormit \/o	lid for l	istad Es	rmations Only	۸.									
Name	(Femili va	iiu ioi L	Code		-									
1 MISSISSIPP	PLLIME			SSLM	Depth 10500									
	471793					ntion Ordon	: 718171			Inc	creased Density Ord	ders: 7179	050	
3	545991				Location Exce	plion Orders	. /101/1			1110	Sreased Density Ord	7179		
	718140								-					
Pending CD Numbers: No Pending Working interest owners' notific								***			Special Ord	lers: No S	pecial Orders	
Total Depth: 21000 Ground Elevation: 1341 Surface Casing: 1000 Depth to base of Treatable Water-Bearing FM: 430														
										D	eep surface ca	sing has	been approved	
Under Federal Jurisdiction: No							Approved Method for disposal of Drilling Fluids:							
Fresh Water Supply Well Drilled: No							D. One time land application (REQUIRES PERMIT) PERMIT NO: 21-37625							
Surface	e Water used to	Drill: Yes	6				H. (Other)			SEE ME	EMO			
PIT 1 INFORMATION								Category of Pit:	С					
Type of Pit System: CLOSED Closed System Means Steel Pits							Liner not required for Category: C							
Type of Mud System: WATER BASED								Pit Location is: NON HSA Pit Location Formation: CHICKASHA						
Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y						Pit L	ocation Formation:	CHICKA	ASHA					
	mile of municipal			below base of pil	r T									
VVIIIIIIIII	Wellhead Prote													
Pit <u>is not</u> lo	ocated in a Hydro	ologically	Sensitive A	rea.										
PIT 2 INFOR	MATION							Category of Pit:	С					
Type of Pit System: CLOSED Closed System Means Steel Pits							Liner not required for Category: C							
Type of Mud System: OIL BASED								Pit Location is: NON HSA						
Chlorides Max: 300000 Average: 250000							Pit L	ocation Formation:	CHICKA	ASHA				
Is depth to top of ground water greater than 10ft below base of pit? Y														
Within 1 mile of municipal water well? N														
Wellhead Protection Area? N														
Pit is not located in a Hydrologically Sensitive Area.														

MULTI UNIT HOLE 1

Section: 25 Range: 6W Township: 9N Meridian: IM Total Length: 10243

> County: GRADY Measured Total Depth: 21000

True Vertical Depth: 10500 Spot Location of End Point: N2 N2 NE NE

> Feet From: NORTH 1/4 Section Line: 165 End Point Location from Lease, Unit, or Property Line: 165 Feet From: EAST 1/4 Section Line: 660

NOTES:						
Category	Description					
DEEP SURFACE CASING	[5/10/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING					
HYDRAULIC FRACTURING	[5/10/2021 - GC2] - OCC 165:10-3-10 REQUIRES:					
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;					
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,					
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG					
INCREASED DENSITY - 717949	[5/12/2021 - G56] - 25-9N-6W X471793 MSSLM 3 WELLS CITIZEN ENERGY III, LLC 4/23/2021					
INCREASED DENSITY - 717950	[5/12/2021 - G56] - 36-9N-6W X545991 MSSLM 3 WELLS CITIZEN ENERGY III, LLC 4/23/2021					
LOCATION EXCEPTION - 718171	[5/12/2021 - G56] - (I.O.) 25 & 36-9N-6W X471793 MSSLM 25-9N-6W X545991 MSSLM 36-9N-6W COMPL INT (25-9N-6W) NCT 165' FNL, NCT 0' FSL, NCT 660' FEL COMPL INT (36-9N-6W) NCT 0' FNL, NCT 165' FSL, NCT 660' FEL CITIZEN ENERGY III, LLC 5/5/2021					
MEMO	[5/10/2021 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT					
SPACING - 471793	[5/12/2021 - G56] - (640) 25-9N-6W EXT 466739 MSSLM, OTHERS					
SPACING - 545991	[5/12/2021 - G56] - (640) 36-9N-6W EXT 459029 MSSLM, OTHERS					
SPACING - 718140	[5/12/2021 - G56] - (I.O.) 25 & 36-9N-6W EST MULTIUNIT HORIZONTAL WELL X471793 MSSLM 25-9N-6W X545991 MSSLM 36-9N-6W 50% 25-9N-6W 50% 36-9N-6W CITIZEN ENERGY III, LLC 5/4/2021					



Well Location Plat

S.H.L. Sec. 36-9N-6W I.M. B.H.L. Sec. 25-9N-6W I.M.

Operator: CITIZEN ENERGY, LLC


Lease Name and No.: GHJ&J ARTERBERRY 1H-36-25


Surface Hole Location: 215' FSL - 2375' FEL Gr. Elevation: 1341' SW/4-SW/4-SE/4 Section: 36 Township: 9N Range: 6W I.M.

Bottom Hole Location: 165' FNL - 660' FEL NW/4-NE/4-NE/4-NE/4 Section: 25 Township: 9N Range: 6W I.M.

County: Grady State of Oklahoma

Terrain at Loc.: Location fell in mostly open field with a pond to the North.





GPS DATUM NAD 83 NAD 27 OK SOUTH ZONE

Surface Hole Loc.: Lat: 35°12'15.50"N Lon: 97°47'05.63"W Lat: 35.20430656 Lon: -97.78489746 X: 2032763 Y: 680976

Surface Hole Loc.: Lat: 35°12'15,27"N Lon: 97°47'04.48"W Lat: 35.20424269 Lon: -97.78457751 X: 2064360 Y: 680933

Landing Point: Lat: 35°12'15.00"N Lon: 97°46'44.97"W Lat: 35.20416634 Lon: -97.77915740 X: 2034478 Y: 680928

Landing Point.: Lat: 35°12'14.77"N Lon: 97°46'43.82"W Lat: 35.20410241 Lon: -97.77883757 X: 2066075 Y: 680886

Bottom Hole Loc.: Lat: 35°13'56,30"N Lon: 97°46'44 80"W Lat: 35.23230647 Lon: -97.77911082 X: 2034469 Y: 691171

Bottom Hole Loc.: Lat: 35°13'56.07"N Lon: 97°46'43.65"W Lat: 35.23224305 Lon: -97.77879069 X: 2066066 Y: 691129

-Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined. GPS data is observed from RTK - GPS.
-NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey Plat or assumed at a proportionate distance may be assumed from a Covernment Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.

Arkoma Surveying and Mapping, PLLC P.O. Box 238 Wilburton, OK 74578 Ph. 918-465-5711 Fax 918-465-5030 Certificate of Authorization No. 5348 Expires June 30, 2022

Invoice #9350-A

Date Staked: 04/13/2021 Date Drawn: 04/15/2021 By: S.S.
Revise Lse. Nm.: 05/10/2021 By: R.M

Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.



WILL SS IONAL OF SOCOOD LANCE G. MATHIS OKLAHOMA "LAHOMA

Well Location Plat

Operator: CITIZEN ENERGY, LLC

Lease Name and No.: GHJ&J ARTERBERRY 1H-36-25

Surface Hole Location: 215' FSL - 2375' FEL Gr. Elevation: 1341' SW/4-SW/4-SW/4-SE/4 Section: 36 Township: 9N Range: 6W I.M.

Bottom Hole Location: 165' FNL - 660' FEL

NW/4-NE/4-NE/4 Section: 25 Township: 9N Range: 6W I.M.


County: Grady State of Oklahoma

Terrain at Loc.: Location fell in mostly open field with a pond to the North.



S.H.L. Sec. 36-9N-6W I.M.

B.H.L. Sec. 25-9N-6W I.M.



GPS DATUM
NAD 83
NAD 27
OK SOUTH ZONE

1" = 1320'

Surface Hole Loc.: Lat: 35°12'15.50"N Lon: 97°47'05.63"W Lat: 35.20430656 Lon: -97.78489746

X: 2032763 Y: 680976

Surface Hole Loc.: Lat: 35°12'15.27"N Lon: 97°47'04.48"W Lat: 35.20424269 Lon: -97.78457751 X: 2064360 Y: 680933

Landing Point: Lat: 35°12'15.00"N Lon: 97°46'44.97"W Lat: 35.20416634 Lon: -97.77915740 X: 2034478 Y: 680928

Landing Point.: Lat: 35°12'14.77"N Lon: 97°46'43.82"W Lat: 35.20410241 Lon: -97.77883757 X: 2066075 Y: 680886

Bottom Hole Loc.: Lat: 35°13'56,30"N Lon: 97°46'44,80"W Lat: 35.23230647 Lon: -97.77911082 X: 2034469 Y: 691171

Bottom Hole Loc.: Lat: 35°13'56.07"N Lon: 97°46'43.65"W Lat: 35.23224305 Lon: -97.77879069 X: 2066066 Y: 691129

Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined. GPS data is observed from RTK- GPS, -NOTE: X and Y data shown hereon for Section Conners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey. Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true boundary survey.

Survey and plat by

Arkoma Surveying and Mapping, PLLC P.O. Box 238 Wilburton, OK 74578 Ph. 918-465-5711 Fax 918-465-5030 Certificate of Authorization No. 5348 Expires June 30, 2022

Invoice #9350-A


Date Staked: 04/13/2021 By: D.W.
Date Drawn: 04/15/2021 By: S.S.
Revise Lse. Nm.: 05/10/2021 By: R.M

Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.









Topographic Vicinity Map

Operator: CITIZEN ENERGY, LLC

Lease Name and No.: GHJ&J ARTERBERRY 1H-36-25

Surface Hole Location: 215' FSL - 2375' FEL

Landing Point: 165' FSL - 660' FEL


Sec.: 36 Township: 9N Range: 6W I.M. Bottom Hole Location: 165' FNL - 660' FEL Sec.: 25 Township: 9N Range: 6W I.M.

County: Grady State of Oklahoma

Ground Elevation at Surface Hole Location: 1341'



Scale 1" = 2000' Contour Interval: 10'



Provided by:

Arkoma Surveying and Mapping, PLLC

P.O. Box 238 Wilburton, OK 74578 Ph. 918-465-5711 Fax 918-465-5030

Certificate of Authorization No. 5348 Expires June 30, 2022

Date Staked: 04/13/2021

The purpose of this map is to verify the location and elevation as staked on the ground and to show the surrounding Topographic features. The footage shown hereon is only as SCALED onto a U.S.G.S. Topographic Map.

Please note that this location was staked carefully on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed.

Please contact Arkoma Surveying and Mapping promptly if any inconsistency is determined.

