API NUMBER: 011 24192

Disposal

Straight Hole

## OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	03/13/2019
Expiration Date:	09/13/2020

PERMIT TO DRILL

VELL LOCATION:         Sec:         30         Twp:         15N         Rge:         12W           SPOT LOCATION:         SW         SW         SW         NW         FEET FRO	County: BLAII		EST		
SECTION			90		
Lease Name: ZAZU SWD	Well No:	1	Well will	be 330 feet from nearest unit or lease boundary.	
Operator LAGOON WATER LOGISTICS LLC Name:		Telephone: 4057	531195	OTC/OCC Number: 24110 0	
LAGOON WATER LOGISTICS LLC 16224 MUIRFIELD PL			CAROL MCCRARY LIVING TRUST 1201 NORTH PROUTY		
EDMOND, OK 73013	-9790		WATONGA	OK 73772	
1 WOLFCAMPIAN 2 VIRGILIAN 3 MISSOURIAN 4 MORROW 5  Spacing Orders: No Spacing	4300 5300 7200 10200 Location Exception	6 7 8 9 10 Orders:		Increased Density Orders:	
Pending CD Numbers:				Special Orders:	
Total Depth: 10800 Ground Elevation: 0	Surface	Casing: 560	De	pth to base of Treatable Water-Bearing FM: 310	
Under Federal Jurisdiction: No	Fresh Water	Supply Well Drilled:	No	Surface Water used to Drill: No	
PIT 1 INFORMATION	ON		Approved Method for disposal of Drilling Fluids:		
Type of Pit System: ON SITE Type of Mud System: WATER BASED		A. E	aporation/dewater and back	filling of reserve pit.	
Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Within 1 mile of municipal water well? N	Y	Н. М	IN. SOIL COMPACTED PIT,	NOTIFY DISTRICT PRIOR TO TESTING SOIL PIT LINE	
Wellhead Protection Area? N					
Pit is located in a Hydrologically Sensitive Area.  Category of Pit: 1B					
Liner required for Category: 1B					

Notes:

Pit Location is AP/TE DEPOSIT

Pit Location Formation:

TERRACE

Category Description

INTERMEDIATE CASING

HYDRAULIC FRACTURING 2/5/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,


3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

2/5/2019 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER

RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

SPACING 2/5/2019 - G71 - N/A - DISPOSAL WELL



AGOON'S ZAZU SWD 1 SW SW SW NW (2565 FNL 190 FWL) 30 15N 12W BLAINE COUNTY