

OKLAHOMA CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
P.O. BOX 52000  
OKLAHOMA CITY, OK 73152-2000  
(Rule 165:10-3-1)

API NUMBER: 121 24841

Approval Date: 03/28/2019

Expiration Date: 09/28/2020

Horizontal Hole  
Oil & Gas  
Multi Unit

PERMIT TO DRILL

WELL LOCATION: Sec: 02 Twp: 7N Rge: 18E County: PITTSBURG  
SPOT LOCATION: ☐ NW ☐ SE ☐ NE ☐ NW FEET FROM QUARTER: FROM NORTH FROM WEST  
SECTION LINES: 900 2280

Lease Name: REDBUD Well No: 1-35/26H Well will be 900 feet from nearest unit or lease boundary.  
Operator Name: TRINITY OPERATING (USG) LLC Telephone: 9185615600 OTC/OCC Number: 23879 0

TRINITY OPERATING (USG) LLC  
1717 S BOULDER AVE STE 201  
TULSA, OK 74119-4842

TYLER R & MEAGAN K BREEDLOVE  
P.O. BOX 271  
QUINTON OK 74561

Formation(s) (Permit Valid for Listed Formations Only):

Name	Depth	Name	Depth
1 WOODFORD	7499	6	
2		7	
3		8	
4		9	
5		10	

Spacing Orders: 676151  
677959

Location Exception Orders: 678132

Increased Density Orders:

Pending CD Numbers:

Special Orders:

Total Depth: 17729

Ground Elevation: 710

**Surface Casing: 300**

Depth to base of Treatable Water-Bearing FM: 250

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: No

**PIT 1 INFORMATION**

Type of Pit System: ON SITE

Type of Mud System: AIR

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

**Category of Pit: 4**

**Liner not required for Category: 4**

Pit Location is BED AQUIFER

Pit Location Formation: SAVANNA

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

Approved Method for disposal of Drilling Fluids:

A. Evaporation/dewater and backfilling of reserve pit.

B. Solidification of pit contents.

E. Haul to Commercial pit facility: Sec. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874

H. SEE MEMO

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

#### PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

**Category of Pit: C**

**Liner not required for Category: C**

Pit Location is BED AQUIFER

Pit Location Formation: SAVANNA

#### PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

**Category of Pit: C**

**Liner not required for Category: C**

Pit Location is BED AQUIFER

Pit Location Formation: SAVANNA

#### HORIZONTAL HOLE 1

Sec 26 Twp 8N Rge 18E County PITTSBURG

Spot Location of End Point: NW NE NW NW

Feet From: NORTH 1/4 Section Line: 1

Feet From: WEST 1/4 Section Line: 830

Depth of Deviation: 6523

Radius of Turn: 382

Direction: 350

Total Length: 10606

Measured Total Depth: 17729

True Vertical Depth: 7499

End Point Location from Lease,  
Unit, or Property Line: 1

Notes:

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

121 24841 REDBUD 1-35/26H

Category	Description
HYDRAULIC FRACTURING	<p>2/20/2019 - G71 - OCC 165:10-3-10 REQUIRES:</p> <p>1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;</p> <p>2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: <a href="http://OCCEWEB.COM/OG/OGFORMS.HTML">OCCEWEB.COM/OG/OGFORMS.HTML</a>; AND,</p> <p>3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: <a href="http://FRACFOCUS.ORG">FRACFOCUS.ORG</a></p>
LOCATION EXCEPTION - 678132	<p>3/13/2019 - GA8 - (I.O.) 35 &amp; 26-8N-18E X676151 WDFD COMPL. INT. (35-8N-18E) NCT 165' FSL, NCT 0' FNL, NCT 600' FWL COMPL. INT. (26-8N-18E) NCT 0' FSL, NCT 165' FNL, NCT 600' FWL TRINITY OPERATING (USG) LLC 5/22/2018</p>
MEMO	<p>2/20/2019 - G71 - PIT 2 &amp; 3 - CLOSED SYSTEM=STEEL PITS (REQUIRED - SAN BOIS CREEK), WBM &amp; OBM CUTTINGS CAPTURED IN CONCRETE-LINED PIT, SOLIDIFIED AND HELD UNTIL DISPOSAL APPROVED BY OCC; PIT 3 - OBM TO VENDOR</p>
SPACING - 676151	<p>3/13/2019 - GA8 - (640)(HOR) 35 &amp; 26-8N-18E EXT 666050 WDFD, OTHERS POE TO BHL 165' FSL &amp; FNL, NLT 330' FEL &amp; FWL</p>
SPACING - 677959	<p>3/13/2019 - GA8 - (I.O.) 35 &amp; 26-8N-18E EST MULTIUNIT HORIZONTAL WELL X676151 WDFD 50% 35-8N-18E 50% 26-8N-18E TRINITY OPERATING (USG) LLC 5/18/2018</p>

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.



All bearings shown  
are grid bearings.

1" = 1500'

Bottom Hole Loc.:  
Lat: 35°08'44.24"N  
Lon: 95°22'54.43"W  
Lat: 35.14562356  
Lon: -95.38178501  
X: 2782685  
Y: 669680

attached from this location was taken at the point under the assumption of a random placement. Data survey, and the accuracy of the survey is not questioned. "What's behind Shing Shing and Mapping" (http://www.earthlink.net/~shingshing/).  
NOTE: X and Y has shown how to use the Shing Shing Survey, and an answer on-site, and further, does NOT represent a Boundary Survey. Quicker Service estimates may be assumed from a Government Boundary Plot, as assumed at a professional distance from opposing section corners, or occupation thereof, and may not have been measured on-bounds, and further, does not represent a true boundary survey.

 02/07/19  
LANCE G. MATHIS OK LPLS 1664

