API NUMBER: 087 22220

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 02/26/2019
Expiration Date: 08/26/2020

24070 0

Well will be 525 feet from nearest unit or lease boundary.

OTC/OCC Number:

Horizontal Hole Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION	I: Sec: 21 Twp: 9N Rg	e: 4W Cor	unty: MC0	CLAIN	
SPOT LOCATION	I: SW NE NE NE	FEET FROM QUARTE	R: FROM	NORTH FROM	EAST
		SECTION LINES:		525	650
Lease Name:	CRAZY SNAKE 21-28-0904		Well No:	1WXH	
Operator NATIVE EXPLORATION OPERATING LLC Name:				Telephone:	4058210568

OK

73154-0108

BOBBY & CONNIE LEE FARMS TRUST

1822 HWY 130

NEWCASTLE OK 73065

Formation(s) (Permit Valid for Listed Formations Only):

NATIVE EXPLORATION OPERATING LLC

	Name	Depth	Name	Depth
1	WOODFORD	9180 6		
2		7		
3		8		
4		9		
5		10	1	
Spacing Orders:	681230	Location Exception Orders:		Increased Density Orders:

Pending CD Numbers: 201807431

PO BOX 18108

OKLAHOMA CITY.

201807432 201807433

201810586

Total Depth: 19662 Ground Elevation: 1256 **Surface Casing: 1500** Depth to base of Treatable Water-Bearing FM: 1040

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Chlorides Max: 5000 Average: 3000

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 19-36161

Special Orders:

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

HORIZONTAL HOLE 1

Sec 28 Twp 9N Rge 4W County MCCLAIN

Spot Location of End Point: SW SE SE SE
Feet From: SOUTH 1/4 Section Line: 50
Feet From: EAST 1/4 Section Line: 380

Depth of Deviation: 8453 Radius of Turn: 534

Direction: 178

Total Length: 10370

Measured Total Depth: 19662
True Vertical Depth: 9180
End Point Location from Lease,
Unit, or Property Line: 50

Notes:

MEMO

Category Description

DEEP SURFACE CASING 1/25/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 1/25/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG 1/25/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201804543 2/25/2019 - G58 - (E.O.)(640)(HOR) 21-9N-4W

VAC OTHER EST WDFD, OTHER

POE TO BHL NCT 165' FNL & FSL, NCT 330' FEL & FWL

EOG RESOURCES, INC. REC 10-23-2018 (MILLER)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category Description

PENDING CD - 201807431 2/25/2019 - G58 - (E.O.)(640)(HOR) 21-9N-4W

VAC OTHER

EXT 681230 WDFD, OTHERS

POE TO BHL NLT 165' FNL & FSL, NLT 330' FEL & FWL

NATIVE EXPLOR, OP., LLC REC 10-23-2018 (MILLER)

PENDING CD - 201807432 2/25/2019 - G58 - (E.O.) 28-21-9N-4W

EST MULTIUNIT HORIZONTAL WELL

X201807431 WDFD X681230 WDFD 50% 28-9N-4W 50% 21-9N-4W NO OP. NAMED

REC 2/4/2019 (M. NORRIS)

2/25/2019 - G58 - (E.O.) 28 & 21-9N-4W X201807431 WDFD, OTHERS PENDING CD - 201807433

X681230 WDFD, OTHERS

COMPL. INT. 28-9N-4W NCT 150' FSL, NCT 0' FNL, NCT 250' FWL COMPL. INT. 21-9N-4W NCT 0' FSL, NCT 150' FNL, NCT 250' FWL

NO OP. NAMED

REC 2/4/2019 (M. NORRIS)

PENDING CD - 201810586 2/26/2019 - G58 - 21-9N-4W

X201807431 WDFD

7 WELLS NO OP. NAMED

2/4/2019

SPACING - 681230 2/25/2019 - G58 - (640)(HOR) 28-9N-4W

VAC OTHERS EST WDFD, OTHERS

POE TO BHL NCT 165' FNL & FSL, NCT 330' FEL & FWL

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA
13800 Wireless Way, Okla. City, OK. 73134 *LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219

Certificate of Authorization No. 1293 LS 087-22220 McCLAIN County, Oklahoma 525'FNL - 650'FEL 21 4W_1.M-9N Section Township _ Range X 211**42**1**3** Y 696**766** 30 X 2111570 Y 696751 THE INFORMATION SHOWN HEREIN IS FOR CONSTRUCTION PURPOSES ONLY 1993: 1650--N-5 2121 FIRST PERF 150'FNL-380'FEL NAD-27 (US Feet) 35'14'48.9" N 97'37'07.6" W 35.246920879' N 97.618780448' W X=2113834 GRID
NAD-27
OK NORTH
US FEET
Scale:
" = 1000' Y=696614 21 1000' X 2108944 Y 694093 X 211422 Y 694119 Best Accessi Distance & Good Operator: NATIVE EXPLORATION Topography Accessibility H₩y Drill 0 & Direction Jct or Tow Site? & Vegetation CRAZY Town ó Location Yes From Loc 2 OPERATING, X 2114241 Y 691472 X 21**08952** Y 691449 X 2111597 Y 691460 fell Newcastle, From 28 -0904⊒. North terraced PROPOSED DRILL Reference S Stakes Set 웃 off grass go £ ±1.0 S ROCKWELL AVE. Hwy. PATH Stakes o pasture ∄. 130 LAST PERF 150'FSL-380'FEL NAD-27 (US Feet) 35'13'07.3" N 97'37'07.6" W 35.218705635' N 97.618786670' W X=2113871 Y=686344 West 9 Well Alternate ŧο No. the 1WXH X 2108966 Y 688808 X 2114246 Y 688833 Z Location 28 Cor BOTTOM HOLE 50'FSL-380'FEL NAD-27 (US Feet) 35'13'06.4" N 97'37'07.6" W 35.218430895' N 97.618787294' W X=2113871 Y=686244 of ELEVATION: 1256' Gr. at 9 Sec. 2 -T9N-R4W LAST PERF X 2108974 Y 686159 X 2111611 Y 686191 FIRST PERF, LAST PERF, BOTTOM HOLE AND DRILL PATH INFORMATION PROVIDED BY OPERATOR LISTED, NOT SURVEYED. Date of Drawing: Dec. 28, 2018 ESSIONAL Invoice # 310225 Date Staked: Dec. 27, 2018 AC DATUM: NAD-27 LAT: 35'14'45.2"N LONG: 97'37'10.9"W NAD-27 was receiver accuracy, **CERTIFICATE:** THOMAS I LAT: __35.245889493° N i, Thomas L. Howell an Oklahoma Licensed Land Surveyor and an authorized agent of Topographic Land LONG; 97.619682852' W
STATE PLANE
COORDINATES: (US Feet)
ZONE; OK SOUTH HOWELL Surveyors of Oklahoma, do hereby certify to the 1433 information shown herein 2-29 OK LAHOMA Fromu Z.Na X: 2113566 696238 Oklahoma Lic. No. _