API NUMBER: 087 22274 **OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

11/19/2019 Approval Date: 05/19/2021 **Expiration Date** 

Horizontal Hole Multi Unit

Oil & Gas

## PERMIT TO DRILL

			I LINWIII IO L	TVILL	
WELL LOCATION		4W County: MCC  FEET FROM QUARTER: FROM  SECTION LINES:	SOUTH FROM 965	EAST 1770	
Lease Name	e: LARRY	Well No:	0804 3H-22X	Well will be	e 965 feet from nearest unit or lease boundary.
Operator Name:	NEWFIELD EXPLORATION MID	CON INC	Telephone: 2	812105100; 9188781	OTC/OCC Number: 20944 0
4 WAT	ELD EXPLORATION MID-COI ERWAY AVE STE 100 OODLANDS, TX	N INC 77380-2764		MCCLAIN CO LAND PO BOX 538 BLANCHARD	COMPANY, LARRY KNIPPELMIER OK 73010
Formation	(s) (Permit Valid for Listed F Name	ormations Only): Depth		Name	Depth
1	MISSISSIPPIAN	9534	(	3	
2	WOODFORD	9610	-	•	

Location Exception Orders: 685504

Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 340 Total Depth: 20157 Ground Elevation: 1228

8 9 10

685503

Deep surface casing has been approved

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION

3

Spacing Orders:

Pending CD Numbers:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

665488

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is AP/TE DEPOSIT Pit Location Formation: TERRACE Approved Method for disposal of Drilling Fluids:

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 19-37084 E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

Increased Density Orders:

Special Orders:

683388 683389

H. SEE MEMO

#### PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

### **HORIZONTAL HOLE 1**

Sec 22 Twp 8N Rge 4W County MCCLAIN

Spot Location of End Point: NE NE NE NW
Feet From: NORTH 1/4 Section Line: 50
Feet From: WEST 1/4 Section Line: 2400

Depth of Deviation: 9203 Radius of Turn: 607 Direction: 355

Total Length: 10000

Measured Total Depth: 20157

True Vertical Depth: 9610

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

DEEP SURFACE CASING 11/7/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 11/7/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH

WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 683388 11/19/2019 - GC2 - 22-8N-4W

X665488 WDFD

7 WELLS

NEWFIELD EXPLORATION MID-CONTINENT INC

9-20-2018

INCREASED DENSITY - 683389 11/19/2019 - GC2 - 27-8N-4W

X665488 WDFD

7 WELLS

NEWFIELD EXPLORATION MID-CONTINENT INC

9-20-2018

**LOCATION EXCEPTION - 685502** 11/19/2019 - GC2 - (I.O.) 22 & 27-8N-4W

X665488 MSSP, WDFD

COMPL. INT. (27-8N-4W) NCT 165' FSL, NCT 990' FWL, NCT 0' FNL

COMPL. INT. (22-8N-4W) NCT 0' FSL, NCT 990' FWL, NCT 165' FNL NEWFIELD EXPLORATION

MID-CONTINENT INC

10-25-2018

**LOCATION EXCEPTION - 705001** 11/19/2019 - GC2 - EXT OF TIME FOR ORDER 685502 UNTIL 10-25-2020.

11/7/2019 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST, **MEMO** 

WBM/CUTTINGS & OBM CUTTINGS CAPTURED IN STEEL HALF PITS, WBM/CUTTINGS WILL BE

SOIL FARMED, OBM CUTTINGS TRANSFERRED TO R360 587498 (31-12N-8W), CANADIAN CO,

PIT 2 - OBM TO VENDOR

**SPACING - 665488** 11/19/2019 - GC2 - (640)(HOR) 22 & 27-8N-4W

EXT 663347 MSSP, WDFD, OTHER COMPL. INT. (MSSP) NLT 660' FB

COMPL. INT. (WDFD) NLT 165' FNL/FSL, NLT 330' FEL/FWL (COEXIST SP ORDER 84785 HNTN, SP ORDER 187081 HNTN)

**SPACING - 685501** 11/19/2019 - GC2 - (I.O.) 22 & 27-8N-4W

EST MULTIUNIT HORIZONTAL WELL

X665488 MSSP, WDFD

(MSSP ASSOCIATED COMMON SOURCE OF SUPPLY TO WDFD)

50% 22-8N-4W 50% 27-8N-4W

NEWFIELD EXPLORATION MID-CONTINENT INC

10-25-2018

**SPACING - 705000** 11/19/2019 - GC2 - EXT OF TIME FOR ORDER 685501 UNTIL 10-25-2020.

# PERMIT PLAT

M & M Land Surveying, Inc. Phone (580) 226-0446 520 E Street N.W. Ardmore, OK 73401

SHEET:

Company Name: NEWFIELD EXPLORATION MID-CONTINENT INC.

Lease Name: LARRY 0804 3H-22X


Section 27 Township 8 N Range 4 W, I.B.M, County of McClain, State of Oklahoma

> Good Location? Elevation YES

> > SURFACE LOCATION

965'FSL - 1770'FEL Original Location: 1228' GROUND

Distance & Direction From Nearest Town: 3.0 miles East of Blanchard.



DATUN	1: NAD27	DATUM	1: NAD27	
	35° 08' 02.46"N			
LONG:	97° 36' 20.15"W	LONG:	97° 36' 33.72"W	
LAT:	35.134016°N	LAT:	35.131816°N	
LONG:	97.605598°W	LONG:	97.609365°W	
Y (N):	655534.3	Y (N):	654729.29	
X (E):	2117931.17	X (E):	2116807.89	
DATUM	1: NAD83	DATUM: NAD83		
LAT:	35° 08' 02.70"N			
LONG:	97° 36' 21.29"W	LONG:	97° 36' 34.85"W	
LAT:	35.134083°N	LAT:	35.131883°N	
LONG:	97.605913°W	LONG:	97.609680°W	
	655576.95	Y (N):	654771.93	
X (E):	2086334.41	X (E):	2085211.13	
		BOTTOM HOLE		
LAST 1	AKE POINT	BOTTO	M HOLE	
	AKE POINT 1: NAD27		M HOLE I: NAD27	
DATUM LAT:	1: NAD27 35° 09' 35.83"N	DATUN LAT:	1: NAD27 35° 09' 36.97"N	
DATUM LAT:	1: NAD27	DATUN LAT:	1: NAD27	
DATUN LAT: LONG:	1: NAD27 35° 09' 35.83"N	DATUN LAT: LONG:	1: NAD27 35° 09' 36.97"N	
DATUM LAT: LONG: LAT:	1: <u>NAD27</u> 35° 09' 35.83"N 97° 36' 33.64"W	DATUM LAT: LONG: LAT:	1: <u>NAD27</u> 35° 09' 36.97"N 97° 36' 33.64"W	
DATUM LAT: LONG: LAT: LONG:	1: NAD27 35° 09' 35.83"N 97° 36' 33.64"W 35.159952°N	DATUM LAT: LONG: LAT: LONG:	1: NAD27 35° 09' 36.97"N 97° 36' 33.64"W 35.160268°N	
DATUN LAT: LONG: LAT: LONG: Y (N):	1: NAD27 35° 09' 35.83"N 97° 36' 33.64"W 35.159952°N 97.609344°W 664969.95	DATUM LAT: LONG: LAT: LONG: Y (N):	1: NAD27 35° 09' 36.97"N 97° 36' 33.64"W 35.160268°N 97.609344°W	
DATUM LAT: LONG: LAT: LONG: Y (N): X (E):	1: NAD27 35° 09' 35.83"N 97° 36' 33.64"W 35.159952°N 97.609344°W	DATUM LAT: LONG: LAT: LONG: Y (N): X (E):	1: NAD27 35° 09' 36.97"N 97° 36' 33.64"W 35.160268°N 97.609344°W 665084.95	
DATUM LAT: LONG: LAT: LONG: Y (N): X (E):	1: NAD27 35° 09' 35.83"N 97° 36' 33.64"W 35.159952°N 97.609344°W 664969.95 2116774.67 1: NAD83	DATUM LAT: LONG: LAT: LONG: Y (N): X (E):	1: NAD27 35° 09' 36.97"N 97° 36' 33.64"W 35.160268°N 97.609344°W 665084.95 2116774.3	
DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT:	1: NAD27 35° 09' 35.83"N 97° 36' 33.64"W 35.159952°N 97.609344°W 664969.95 2116774.67 1: NAD83	DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT:	I: NAD27 35° 09' 36.97"N 97° 36' 33.64"W 35.160268°N 97.609344°W 665084.95 2116774.3 I: NAD83 35° 09' 37.20"N	
DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT: LONG:	1: NAD27 35° 09' 35.83"N 97° 36' 33.64"W 35.159952°N 97.609344°W 664969.95 2116774.67 1: NAD83 35° 09' 36.07"N	DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT:	I: NAD27 35° 09' 36.97"N 97° 36' 33.64"W 35.160268°N 97.609344°W 665084.95 2116774.3 I: NAD83 35° 09' 37.20"N 97° 36' 34.77"W	
DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT: LONG: LAT:	1: NAD27 35° 09' 35.83"N 97° 36' 33.64"W 35.159952°N 97.609344°W 664969.95 2116774.67 1: NAD83 35° 09' 36.07"N 97° 36' 34.77"W	DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT: LONG: LAT:	I: NAD27 35° 09' 36.97"N 97° 36' 33.64"W 35.160268°N 97.609344°W 665084.95 2116774.3 I: NAD83 35° 09' 37.20"N 97° 36' 34.77"W	
DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT: LONG: LAT: LONG:	1: NAD27 35° 09' 35.83"N 97° 36' 33.64"W 35.159952°N 97.609344°W 664969.95 2116774.67 1: NAD83 35° 09' 36.07"N 97° 36' 34.77"W 35.160018°N	DATUM LAT: LONG: LAT: LONG: Y (N): X (E): DATUM LAT: LONG: LAT:	1: NAD27 35° 09' 36.97"N 97° 36' 33.64"W 35.160268°N 97.609344°W 665084.95 2116774.3 1: NAD83 35° 09' 37.20"N 97° 36' 34.77"W 35.160334°N 97.609658°W	

LANDING POINT

This location has been staked according to the best official survey records available to us. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified. Please review this plat and notify us immediately of any discrepancy. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified.

# CERTIFICATE:

I Aaron Morris a Registered Land Surveyor in the State Of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown and that said plat meets or exceeds the Oklahoma Minimum Technical Standards for the practice of land surveying as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Land Surveyors.

10/23/2019

Aaron L. Morris R.P.L.S. No.1477 Bennett-Morris & Associates Land Surveying P.C. ~ C.A. No. 5795 (LS) Phone (580) 226-5108 Fax (888) 662-7778

1010 Northwest Boulevard Ardmore, OK 73401