API NUMBER: 137 27574 A Iorizontal Hole Oil & Gas Iulti Unit	OKLAHOMA CORPOR OIL & GAS CONSEI P.O. BO OKLAHOMA CITY (Rule 16	RVATION DIVISION X 52000 7, OK 73152-2000	Approval Date: 08/26/2019 Expiration Date: 02/26/2021
nend reason: OCC CORRECTION - UPDATE ORDERS	AMEND PERI		
	<u>AMEND PERI</u>		
WELL LOCATION: Sec: 24 Twp: 2N Rge: 4W SPOT LOCATION: NW SW NW SW FEET	County: STEPHENS	ROM WEST	
SECTI	ON LINES: 1763	250	
Lease Name: MARY J	Well No: 2-4-25-36-4	A Well will	l be 250 feet from nearest unit or lease boundary.
Operator NEWFIELD EXPLORATION MID-CON INC Name:	Telephon	e: 2812105100; 9188781	OTC/OCC Number: 20944 0
NEWFIELD EXPLORATION MID-CON INC 4 WATERWAY AVE STE 100	20.0764	NEWFIELD EXPLO	ORATION MID-CON INC 2 PLACE STE 100
THE WOODLANDS, TX 773	80-2764	THE WOODLAND	S TX 77380
Formation(s) (Permit Valid for Listed Formation Name 1 SYCAMORE 2 WOODFORD 3 HUNTON 4 5 Spacing Orders: 622176 684428 699746	Depth 13419 13566 13789 Location Exception Orders: 68 69 68	Name 6 7 8 9 10 3974 3971 9752	Depth Increased Density Orders: 682466 682467 699736 699737
Pending CD Numbers:			Special Orders:
Total Depth: 21361 Ground Elevation: 1147	Surface Casing: 1	500 D	epth to base of Treatable Water-Bearing FM: 900
Under Federal Jurisdiction: No	Fresh Water Supply Well	Drilled: No	Surface Water used to Drill: No
PIT 1 INFORMATION		Approved Method for disposal of I	Drilling Fluids:
Type of Pit System: CLOSED Closed System Means Steel P	its		
Type of Mud System: WATER BASED		D. One time land application (F	REQUIRES PERMIT) PERMIT NO: 19-36913
Chlorides Max: 5000 Average: 3000		E. Haul to Commercial pit facility	: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587468
Is depth to top of ground water greater than 10ft below base of p Within 1 mile of municipal water well? N	bit? Y	H. SEE MEMO	
Wellhead Protection Area? N			
Pit is located in a Hydrologically Sensitive Area. Category of Pit: C			
Liner not required for Category: C Pit Location is BED AQUIFER			
Pit Location is BED AQUIPER Pit Location Formation: DUNCAN			

PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? $\ \ Y$ Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

Pit Location is BED AQUIFER Pit Location Formation: DUNCAN

HORIZONTAL HOLE 1

Sec	36	Twp	2N	Rge	4W	/ (County	STER	PHENS	
Spot	Locatior	n of En	d Point	SI	N	SW	SE	NW		
Feet	From:	NO	RTH	1/4 Se	ction	Line	: 2	2634		
Feet	From:	WE	ST	1/4 Se	ctior	n Line	: 1	616		
Depth of Deviation: 12888										
Radius of Turn: 482										
Direction: 175										
Total Length: 7716										
Measured Total Depth: 21361										
True Vertical Depth: 13800										
End Point Location from Lease,										
Unit, or Property Line: 1616										

Notes:		
Category	Description	
DEEP SURFACE CASING	8/14/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDI. CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON SURFACE CASING	
EXCEPTION TO RULE - 683974	8/19/2019 - GC0 - (I.O.) 25 & 36-2N-4W X165:10-3-28(C)(2)(B) SCMR, WDFD, HNTN (MARY J 2-4-25-36 4H) MAY BE CLOSER THAN 600' TO MARY J 1H-25X, 5H, 12H, 13H, 3H, 11H, NEWFIELD EXPLORATION MID-CONTINENT INC. 9/28/2018	10H AND 2H***
	*** ALL WELL NAMES SHOULD HAVE "A" ON END; WILL BE CORRECTE PER ATTORNEY FOR OPERATOR	D AT FINAL HEARING
EXCEPTION TO RULE - 699752	8/19/2019 - GC0 - EXT. OF TIME FOR ORDER 683974 UNTIL 9/28/2020	
HYDRAULIC FRACTURING	8/14/2019 - G71 - OCC 165:10-3-10 REQUIRES:	
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERAT WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSE WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WI	T OPERATORS WITH
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT O "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,	
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREI TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CON HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LIN	CLUSION THE
This permit does not address the right of er	try or settlement of surface damages.	137 27574 MARY J 2-4-25-36-4HA

Category	Description
INCREASED DENSITY - 682466	8/19/2019 - GC0 - 25-2N-4W X622176 WDFD 8 WELLS NEWFIELD EXPLORATION MID-CONTINENT INC. 9/05/2018
INCREASED DENSITY - 682467	8/19/2019 - GC0 - 36-2N-4W X622176 WDFD 8 WELLS NEWFIELD EXPLORATION MID-CONTINENT INC. 9/5/2018
INCREASED DENSITY - 699736	8/19/2019 - GC0 - EXT OF TIME FOR ORDER 682466 UNTIL 9/5/2020
INCREASED DENSITY - 699737	8/19/2019 - GC0 - EXT. OF TIME ORDER 682467 UNTIL 9/5/2020
LOCATION EXCEPTION - 683971	8/26/2019 - GC0 - (I.O.) 25 & 36-2N-4W X622176 SCMR, WDFD, HNTN 25 & 36-2N-4W COMPL. INT. (25-2N-4W) NCT 0' FSL, NCT 165' FNL, NCT 1400' FWL COMPL. INT. (36-2N-4W) NCT 0' FNL, NCT 2640' FSL, NCT 1400' FWL NEWFIELD EXPLORATION MID-CONTINENT INC. 9/28/18
LOCATION EXCEPTION - 699747	8/26/2019 - GC0 - EXT. OF TIME FOR ORDER 683971 UNTIL 9/28/2020
MEMO	8/14/2019 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST, WBM/CUTTINGS & OBM CUTTINGS CAPTURED IN STEEL HALF PITS, WBM & WBM CUTTINGS WILL BE SOIL FARMED, OBM CUTTINGS TRANSFERRED TO R360 587498 (31-12N-8W), CANADIAN CO, PIT 2 - OBM TO VENDOR
SPACING - 622176	8/16/2019 - GC0 - (640)(HOR) 25 & 36-2N-4W EST SCMR, WDFD, HNTN COMPL. INT. (WDFD) NLT 330' FB COMPL. INT. (SCMR, HNTN) NLT 660' FB
SPACING - 684428	8/26/2019 - GC0 - (I.O.) 25 & 36-2N-4W EST MULTIUNIT HORIZONTAL WELL X622176 SCMR, WDFD, HNTN 25 & 36-2N-4W (SCMR, HNTN ASSOCIATED COMMON SOURCE OF SUPPLY TO WDFD) 67% 25-2N-4W 33% 36-2N-4W NEWFIELD EXPLORATION MID-CONTINENT INC. 10/5/18
SPACING - 699746	8/26/2019 - GC0 - EXT. OF TIME FOR ORDER 684428 UNTIL 10/05/2020