PI NUMBER: 073 26432 prizontal Hole Oil & Gas	OIL & GAS OKLAHO	CORPORATION CONSERVATIO P.O. BOX 52000 DMA CITY, OK 73 (Rule 165:10-3-1	N DIVISION 152-2000	Approval Date: 02/08/2019 Expiration Date: 08/08/2020	
		PERMIT TO DRIL	L		
WELL LOCATION: Sec: 31 Twp: 16N Rge: 8	W County: KINGF	ISHER			
SPOT LOCATION: SW SE SE SW	FEET FROM QUARTER: FROM	SOUTH FROM W	EST		
	SECTION LINES:	249 21	63		
Lease Name: KENNETH FED	Well No:	1608 3H-30X	Well will	be 249 feet from nearest unit or lease bou	undarı
					maary
Operator NEWFIELD EXPLORATION MID-C Name:	ON INC	Telephone: 28121	05100; 9188781	OTC/OCC Number: 20944 0	
NEWFIELD EXPLORATION MID-CON	INC				
24 WATERWAY AVE STE 900	INC		KAREN SUE YOST	T, TRUSTEE	
		7847 E 840 RD			
THE WOODLANDS, TX	77380-2764		KINGFISHER	OK 73750	
Formation(s) (Permit Valid for Listed Fo Name	rmations Only): Depth		Name	Depth	
1 MISSISSIPPIAN	8363	6			
2	0000	7			
3		8			
4		9			
5		10			
Spacing Orders: 630460	Location Exception 0	Drders:		Increased Density Orders: 688775 688776	
Pending CD Numbers: 201807858				Special Orders:	
201807859				Special Orders.	
201807870					
201007070					
Total Depth: 19276 Ground Elevation: 1	177 Surface C	Casing: 1500	De	pth to base of Treatable Water-Bearing FM: 60	
Under Federal Jurisdiction: Yes	Fresh Water	Supply Well Drilled: N	lo	Surface Water used to Drill: Yes	
PIT 1 INFORMATION		Approv	ved Method for disposal of D	rilling Fluids:	
Type of Pit System: CLOSED Closed System Means Type of Mud System: WATER BASED	Steel Pits				
Chlorides Max: 5000 Average: 3000		E. Ha	ul to Commercial pit facility:	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 58	37498
Is depth to top of ground water greater than 10ft below base of pit? Y		H. SE	H. SEE MEMO		
Within 1 mile of municipal water well? N					
Wellhead Protection Area? N					
Pit is not located in a Hydrologically Sensitive Area.					
Category of Pit: C					
Liner not required for Category: C					
Pit Location is NON HSA					
Pit Location Formation: CHICKASHA					

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

Pit Location is NON HSA Pit Location Formation: CHICKASHA

HORIZONTAL HOLE 1

Sec 30 Twp 16N Rge 8W Cou	
•	IE NW
Feet From: NORTH 1/4 Section Line:	85
Feet From: WEST 1/4 Section Line:	2231
Depth of Deviation: 8230	
Radius of Turn: 477	
Direction: 1	
Total Length: 10297	
Measured Total Depth: 19276	
True Vertical Depth: 8895	
End Point Location from Lease,	
Unit, or Property Line: 85	
Notes:	Description
Category	Description
DEEP SURFACE CASING	12/17/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	12/17/2018 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY - 688775	1/25/2019 - G58 - 30-16N-8W X630460 MSSP 7 WELLS NEWFIELD EXPLORATION MID-CONTINENT INC. 12/21/2018
INCREASED DENSITY - 688776	1/25/2019 - G58 - 31-16N-8W X630460 MSSP 7 WELLS NEWFIELD EXPLORATION MID-CONTINENT INC. 12/21/2018

073 26432 KENNETH FED 1608 3H-30X

Category	Description
INTERMEDIATE CASING	12/17/2018 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
MEMO	12/17/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST, WBM/CUTTINGS & OBM CUTTINGS CAPTURED IN STEEL HALF PITS & TRANSFERRED TO R360 587498 (31-12N-8W), CANADIAN CO; PIT 3 - OBM TO VENDOR
PENDING CD - 201807858	1/25/2019 - G58 - (I.O.) 30 & 31-16N-8W EST MULTIUNIT HORIZONTAL WELL X630460 MSSP, OTHER 50% 30-16N-8W 50% 31-16N-8W NO OP. NAMED REC 10/24/2018 (M. PORTER)
PENDING CD - 201807859	1/25/2019 - G58 - (I.O.) 30 & 31-16N-8W X630460 MSSP, OTHER COMPL. INT. 31-16N-8W NCT 165' FSL, NCT 0' FNL, NCT 1320' FWL COMPL. INT. 30-16N-8W NCT 0' FSL, NCT 165' FNL, NCT 1320' FWL NO OP. NAMED REC 10/24/2018 (M. PORTER)
PENDING CD - 201807870	1/25/2019 - G58 - (I.O.) 30 & 31-16N-8W X165:10-3-28(C)(2)(B) MSSP (KENNETH FED 1608 3H-30X) MAY BE CLOSER THAN 600' TO PROPOSED WELL MAY BE CLOSER THAN 600' TO THE KENNETH 1H-30X WELL MAY BE CLOSER THAN 600' TO THE LOUISE 1-30 WELL MAY BE CLOSER THAN 600' TO THE JINDRA 1-30 WELL REC 10/24/2018 (M. PORTER)
SPACING - 630460	1/25/2019 - G58 - (640)(HOR) 30 & 31-16N-8W VAC 41819 MCSTR VAC 83896 MNNG, MISS E2 NW4, NE4, E2 SE4, SW4 30 & ALL 31-16N-8W EXT 614033 MSSP, OTHER POE TO BHL (MSSP) NCT 660' FB (COEXIST SP. ORDER 83896 MNNG, MISS W2 NW4 & W2 SE4)

