API NUMBER:	017	25670	
/ I I NOMBER.	017	20070	

Oil & Gas

Multi Unit

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 04/14/2021 Expiration Date: 10/14/2022

PERMIT TO DRILL

WELL LOCATION: Section: 15 Township: 14N Range: 7W County:	CANADIAN		
SPOT LOCATION: NE NE NE NW FEET FROM QUARTER: FROM NORTH	FROM WEST		
SECTION LINES: 300	2375		
Lease Name: PETERS Well No: 1407 4	I-15X Well wi	II be 300 feet from nearest un	it or lease boundary.
Operator Name: OVINTIV MID-CONTINENT INC. Telephone: 281210	5100: 9188781290:	OTC/OCC Nu	mber: 20944 0
		010,000114	
OVINTIV MID-CONTINENT INC.	WAYNE WAGNER		
4 WATERWAY AVE STE 100	511 N. 2ND STREET		
THE WOODLANDS, TX 77380-2764	OKARCHE	OK 73762	
Formation(s) (Permit Valid for Listed Formations Only):	_		
Name Code Depth			
1 MISSISSIPPIAN 359MSSP 8401			
2 WOODFORD 319WDFD 8851			
Spacing Orders: 621416 Location Exception Orde	ers: 691043	Increased Density Orders	: 690775
691042	691446		715404
716445	716446		690776
	694314		715405
	716469		716453
			716454
			No. On a sint Orders
Pending CD Numbers: No Pending Working interest own			
Pending CD Numbers: No Pending Working interest owr	ers' notified: ***	Special Orders:	
Pending CD Numbers: Not of of onling Working interest own Total Depth: 19021 Ground Elevation: 1161 Surface Casing	lers notined.	epth to base of Treatable Water-Bear	•
	lers notined.	epth to base of Treatable Water-Bear	•
	lers notined.	epth to base of Treatable Water-Bear Deep surface casir	ring FM: 270
Total Depth: 19021 Ground Elevation: 1161 Surface Casing	1500 D Approved Method for disposal of	epth to base of Treatable Water-Bear Deep surface casir f Drilling Fluids:	ring FM: 270
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No	1500 D Approved Method for disposal of D. One time land application (RE	epth to base of Treatable Water-Bear Deep surface casir f Drilling Fluids: QUIRES PERMIT) PE	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	1500 D Approved Method for disposal of D. One time land application (RE E. Haul to Commercial pit facility	epth to base of Treatable Water-Bear Deep surface casir f Drilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cm	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	1500 D Approved Method for disposal of D. One time land application (RE	epth to base of Treatable Water-Bear Deep surface casir f Drilling Fluids: QUIRES PERMIT) PE	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No	1500 D Approved Method for disposal of D. One time land application (RE E. Haul to Commercial pit facility	epth to base of Treatable Water-Bear Deep surface casir f Drilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cm	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No	1500 D Approved Method for disposal of D. One time land application (RE E. Haul to Commercial pit facility H. (Other)	epth to base of Treatable Water-Bear Deep surface casir f Drilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cn SEE MEMO	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION	Toolined. D D Approved Method for disposal of D. One time land application (RE E. Haul to Commercial pit facility H. (Other) Category of Pit: C	epth to base of Treatable Water-Bear Deep surface casir Prilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cm SEE MEMO	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	Toulieu. D D D D D D D One time land application (RE E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category:	epth to base of Treatable Water-Bear Deep surface casir Prilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cm SEE MEMO C D AQUIFER	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED	Totalieu. D D D D One time land application (RE E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: Pit Location is: BE	epth to base of Treatable Water-Bear Deep surface casir Prilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cm SEE MEMO C D AQUIFER	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000	Totalieu. D D D D One time land application (RE E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: Pit Location is: BE	epth to base of Treatable Water-Bear Deep surface casir Prilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cm SEE MEMO C D AQUIFER	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y	Totalieu. D D D D One time land application (RE E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: Pit Location is: BE	epth to base of Treatable Water-Bear Deep surface casir Prilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cm SEE MEMO C D AQUIFER	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	Totalieu. D D D D One time land application (RE E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: Pit Location is: BE	epth to base of Treatable Water-Bear Deep surface casir Prilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cm SEE MEMO C D AQUIFER	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N	Totalieu. D D D D One time land application (RE E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: Pit Location is: BE	epth to base of Treatable Water-Bear Deep surface casir Prilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cm SEE MEMO C D AQUIFER	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.	: 1500 D Approved Method for disposal of D. One time land application (RE E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: Pit Location is: BE Pit Location Formation: DU	epth to base of Treatable Water-Bear Deep surface casir Prilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cm SEE MEMO C D AQUIFER JNCAN	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.	1500 D Approved Method for disposal of D. One time land application (RE E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: Pit Location is: BE Pit Location Formation: DL Category of Pit: C Liner not required for Category: Pit Location Formation: DL	epth to base of Treatable Water-Bear Deep surface casir F Drilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cn SEE MEMO C C D AQUIFER JNCAN C D AQUIFER	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Steel Pits	1500 D Approved Method for disposal of D. One time land application (RE E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: Pit Location is: BE Pit Location Formation: DL Category of Pit: C Liner not required for Category:	epth to base of Treatable Water-Bear Deep surface casir F Drilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cn SEE MEMO C C D AQUIFER JNCAN C D AQUIFER	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Type of Pit System: CLOSED Closed System Means Steel Pits Type of Pit System: CLOSED Closed System Means Steel Pits	1500 D Approved Method for disposal of D. One time land application (RE E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: Pit Location is: BE Pit Location Formation: DL Category of Pit: C Liner not required for Category: Pit Location Formation: DL	epth to base of Treatable Water-Bear Deep surface casir F Drilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cn SEE MEMO C C D AQUIFER JNCAN C D AQUIFER	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Type of Pit System: CLOSED Closed System Means Steel Pits Type of Pit System: N Wellhead Protection Area? Pit is located in a Hydrologically Sensitive Area. Pit of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 30000 Chlorides Max: 30000 Average: 20000	1500 D Approved Method for disposal of D. One time land application (RE E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: Pit Location is: BE Pit Location Formation: DL Category of Pit: C Liner not required for Category: Pit Location Formation: DL	epth to base of Treatable Water-Bear Deep surface casir F Drilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cn SEE MEMO C C D AQUIFER JNCAN C D AQUIFER	ring FM: 270 ng has been approved RMIT NO: 21-37574
Total Depth: 19021 Ground Elevation: 1161 Surface Casing Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No PIT 1 INFORMATION Type of Pit System: CLOSED Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Type of Pit System: CLOSED N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y	1500 D Approved Method for disposal of D. One time land application (RE E. Haul to Commercial pit facility H. (Other) Category of Pit: C Liner not required for Category: Pit Location is: BE Pit Location Formation: DL Category of Pit: C Liner not required for Category: Pit Location Formation: DL	epth to base of Treatable Water-Bear Deep surface casir F Drilling Fluids: QUIRES PERMIT) PE Sec. 31 Twn. 12N Rng. 8W Cn SEE MEMO C C D AQUIFER JNCAN C D AQUIFER	ring FM: 270 ng has been approved RMIT NO: 21-37574

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Μ	ULTI UNIT HO	LE 1							
5	Section: 22	Township:	14N	Rar	nge: 7W	Meridia	an: IM	Total Length:	10265
		County:	CANAD	IAN				Measured Total Depth:	19021
	Spot Location	of End Point:	SW	SE	SW	SE		True Vertical Depth:	8900
		Feet From:	SOUTH	I	1/4 Secti	on Line: 85	5	End Point Location from	
		Feet From:	EAST		1/4 Secti	on Line: 17	750	Lease, Unit, or Property Line:	85

NOTES:	
Category	Description
DEEP SURFACE CASING	[4/8/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
EXCEPTION TO RULE - 691446	[4/14/2021 - G56] - (I.O.) 15 & 22-14N-7W X165:10-3-28(C)(2)(B) MSSP, WDFD MAY BE CLOSER THAN 600' TO PETERS 1H-15X, ZUM MALLEN H 1, ZUM MALLEN B 1 AND/OR PROPOSED WELLS NO OP NAMED 2/14/2019
EXCEPTION TO RULE - 694314	[4/14/2021 - G56] - NPT CORRECTING ORDER # 691446 TO PROVIDE THE CORRECT WELL LOCATION FOR THE ZUM MALLEN H 1 & ZUM MALLEN B 1 WELLS
EXCEPTION TO RULE - 716469	[4/14/2021 - G56] - EXTENSION OF TIME FOR ORDER # 691446/694314
HYDRAULIC FRACTURING	 [4/8/2021 - GC2] - OCC 165:10-3-10 REQUIRES: 1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN; 2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 690775	[4/14/2021 - G56] - 15-14N-7W X621416 MSSP 6 WELLS NEWFIELD EXPLOR. MID-CON. INC. (BOUGHT IN IT'S ENTIRETY BY OVINTIV MID CON INC) 2/1/2019
INCREASED DENSITY - 690776	[4/14/2021 - G56] - 22-14N-7W X621416 MSSP 6 WELLS NEWFIELD EXPLOR. MID-CON. INC. (BOUGHT IN IT'S ENTIRETY BY OVINTIV MID CON INC) 2/1/2019
INCREASED DENSITY - 715404	[4/14/2021 - G56] - 15-14N-7W X621416 WDFD 5 WELLS OVINTIV MID CON INC 11/19/2020
INCREASED DENSITY - 715405	[4/14/2021 - G56] - 22-14N-7W X621416 WDFD 5 WELLS OVINTIV MID CON INC 11/19/2020
INCREASED DENSITY - 716453	[4/14/2021 - G56] - EXTENSION OF TIME FOR ORDER # 690775
INCREASED DENSITY - 716454	[4/14/2021 - G56] - EXTENSION OF TIME FOR ORDER # 690776

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

LOCATION EXCEPTION - 691043	[4/14/2021 - G56] - (I.O.) 15 & 22-14N-7W X621416 MSSP, WDFD, OTHER 15 & 22-14N-7W COMPL INT (15-14N-7W) NCT 0' FSL, NCT 165' FNL, NCT 1320' FEL COMPL INT (22-14N-7W) NCT 0' FNL, NCT 165' FSL, NCT 1320' FEL NEWFIELD EXPLOR. MID-CON. INC. (BOUGHT IN IT'S ENTIRETY BY OVINTIV MID CON INC) 2/6/2019
LOCATION EXCEPTION - 716446	[4/14/2021 - G56] - EXTENSION OF TIME FOR ORDER # 691043
МЕМО	[4/8/2021 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 621416	[4/14/2021 - G56] - (640)(HOR) 15 & 22-14N-7W VAC 149833 MISS, OTHER NW4 & S2 15-14N-7W VAC 149833 MISS, OTHER SW4 & N2 22-14N-7W VAC 170593 MCSTR, WDFD 15 & 22-14N-7W VAC 171393 MCSTR 15-14N-7W EXT 604466 MSSP, WDFD, OTHER POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL POE TO BHL (MSSP) NLT 660' FB (SUPERSEDE NON-DEVELOPED NON-HORIZONTAL SPACING UNITS; COEXIST SP. ORDER # 149833 MISS, OTHER NE4 15 & SE4 22-14N-7W)
SPACING - 691042	[4/14/2021 - G56] - (I.O.) 15 & 22-14N-7W ESTABLISH MULTIUNIT HORIZONTAL WELL X621416 MSSP, WDFD, OTHER 15 & 22-14N-7W 50% 15-14N-7W 50% 22-14N-7W NEWFIELD EXPLOR. MID-CON. INC. (BOUGHT IN IT'S ENTIRETY BY OVINTIV MID CON INC) 2/6/2019
SPACING - 716445	[4/14/2021 - G56] - EXTENSION OF TIME FOR ORDER # 691042

