API NUMBER: 011 23816 A

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 12/03/2019
Expiration Date: 06/03/2021

Horizontal Hole Multi Unit Oil & Gas

PERMIT TO RECOMPLETE

Lease Name: HC FIU		SECTION LINES: 25 Well No: 1-	29 12-13XH		will be 25 feet from nea	rest unit or lease boundary.
Operator CONTINI Name:	ENTAL RESOURCES INC	;	Telephone: 40523	349020; 4052349	OTC/OCC Number	: 3186 0
CONTINENTAL RE				WELMAR AND 95954 NORTH	DONMAR RANCH PRO 2503 ROAD	PERTIES
OKLAHOMA CITY,	OK	73126-9000		GEARY	ОК	73040
Name	t Valid for Listed Fo	Depth		Name	De	pth
` , ` `	AN	• ,	6 7 8 9 10	Name	De	pth
Name 1 MISSISSIPP 2 WOODFORD 3 4	AN	Depth 14469	7 8 9 10	Name	De Increased Density Orders:	pth
Name 1 MISSISSIPP 2 WOODFORE 3 4 5 pacing Orders: 670946 694473 670993 705593	AN	Depth 14469 14657	7 8 9 10 ders: 694474	Name		pth
Name 1 MISSISSIPP 2 WOODFORE 3 4 5 pacing Orders: 670946 694473 670993 705593	AN	Depth 14469 14657 Location Exception Ord	7 8 9 10 ders: 694474 705593	Name	Increased Density Orders:	

HORIZONTAL HOLE 1

Sec 13 Twp 13N Rge 13W County BLAINE

Spot Location of End Point: SW SE SE SE
Feet From: SOUTH 1/4 Section Line: 34
Feet From: EAST 1/4 Section Line: 350

Depth of Deviation: 14114
Radius of Turn: 397
Direction: 179

Total Length: 9748

Measured Total Depth: 24303

True Vertical Depth: 14772

End Point Location from Lease,
Unit. or Property Line: 34

Notes:

Category Description

HYDRAULIC FRACTURING 6/14/2017 - G71 - OCC 165:10-3-10 REQUIRES: 1) THE CHEMICAL DISCLOSURE OF HYDRAULIC

FRACTURING INGREDIENTS FOR ALL WELLS BE REPORTED TO FRACFOCUS USING THE FOLLOWING LINK HTTP://FRACFOCUS.ORG/ WITH NOTICE GIVEN 48 HOURS IN ADVANCE OF FRACTURING TO THE LOCAL OCC DISTRICT OFFICE; AND, 2) PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE ALSO GIVEN FIVE BUSINESS

DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME

COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE

LOCATION EXCEPTION - 694474 11/27/2019 - GB1 - (F.O.) 12 & 13-13N-13W

X670946 WDFD 12-13N-13W X670993 WDFD 13-13N-13W SHL 25' FSL, 290' FEL 1-13N-13W

FIRST PERF (12-13N-13W) 658' FNL, 295' FEL LAST PERF (12-13N-13W) 23' FSL, 318' FEL FIRST PERF (13-13N-13W) 35' FNL, 319' FEL LAST PERF (13-13N-13W) 239' FSL, 354' FEL

CONTINENTAL RESOURCES INC.

4/11/2019

LOCATION EXCEPTION - 705594 11/27/2019 - GB1 - MOD 694474 TO CORRECT MSSP PERF INTERVALS

FIRST PERF WDFD (12-13N-13W) 658' FNL, 295' FEL LAST PERF WDFD (12-13N-13W) 2144' FNL, 342' FEL FIRST PERF MSSP (12-13N-13W) 2200' FNL, 345' FEL LAST PERF MSSP (12-13N-13W) 2169' FSL, 361' FEL 2ND PERF WDFD (12-13N-13W) 2111' FSL, 361' FEL LAST PERF WDFD (12-13N-13W) 23' FSL, 318' FEL FIRST PERF WDFD (13-13N-13W) 35' FNL, 319' FEL LAST PERF WDFD (13-13N-13W) 1709' FNL, 379' FEL LAST PERF MSSP (13-13N-13W) 1767' FNL, 379' FEL LAST PERF MSSP (13-13N-13W) 1889' FNL, 380' FEL 2ND PERF WDFD (13-13N-13W) 2250' FSL, 377' FEL 2ND PERF MSSP (13-13N-13W) 2192' FSL, 378' FEL LAST PERF MSSP (13-13N-13W) 2192' FSL, 378' FEL LAST PERF MSSP (13-13N-13W) 1593' FSL, 380' FEL 3RD PERF MSSP (13-13N-13W) 1593' FSL, 380' FEL 3RD PERF WDFD (13-13N-13W) 1535' FSL, 380' FEL

LAST PERF WDFD (13-13N-13W) 239' FSL, 354' FEL

SPACING - 670946 11/27/2019 - GB1 - (640) 12-13N-13W

VAC 321742 CSTR

 $\mathsf{EXT}\ \mathsf{653268}\ \mathsf{MSSP}, \mathsf{WDFD}, \mathsf{OTHER}$

SPACING - 670993 11/27/2019 - GB1 - (640) 13-13N-13W

EXT 653268 MSSP, WDFD, OTHER

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

SPACING - 694473 11/27/2019 - GB1 - (F.O.) 12 & 13-13N-13W

EST HORIZONTAL MULTIUNIT WELL

X670946 WDFD 12-13N-13W X670993 WDFD 13-13N-13W 48.42% 12-13N-13W

51.58% 13-13N-13W CONTINENTAL RESOURCES INC.

4/11/2019

SPACING - 705593 11/27/2019 - GB1 - MOD 694473 TO ADD PERF INTERVALS IN MSSP***

*** F.O. DOES NOT MENTION MSSP BUT ONLY WDFD; NPT WILL BE FILED TO ADD MSSP AS

COMMON SOURCES OF SUPPLY