## API NUMBER: 087 22279 Α

**OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 11/27/2019 05/27/2021 **Expiration Date** 

Horizontal Hole Multi Unit

Amend reason: OCC CORRECTION TO ADD SURFACE OWNERS

Oil & Gas

AIV	IEND PERMIT TO	<u>DRILL</u>	
W County: MCC	CLAIN		
FEET FROM QUARTER: FROM	NORTH FROM E	AST	
SECTION LINES:	412 16	337	
Well No:	6H	Well will be 412	feet from nearest unit or lease boundary.
	Telephone: 40524	463224 OTC/6	OCC Number: 16231 0
73112-1483		COPELAND GRAHAM FAR 6601 NORTH HARVEY OKLAHOMA CITY	MS LLC ETAL OK 73116
	W County: MCC FEET FROM QUARTER: FROM SECTION LINES: Well No:	W County: MCCLAIN    FEET FROM QUARTER: FROM NORTH FROM E.   SECTION LINES: 412 16   Well No: 6H     Telephone: 4052-	FEET FROM QUARTER: FROM NORTH FROM EAST

Formation(s) (Permit Valid for Listed Formations Only):							
	Name	Depth	Name	Depth			
1	MISSISSIPPIAN	9160	6				
2	WOODFORD	9170	7				
3	HUNTON	9330	8				
4			9				
5			10				
Spacing Orders:	207975	Location Exception Orders:		Increased Density Orders:			
3	627628						
	616377						

Special Orders: Pending CD Numbers: 201905263

> 201905264 201905267 201905268

Total Depth: 19636 Ground Elevation: 1290 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 420

Deep surface casing has been approved

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: DUNCAN D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 19-37086 E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 G. Haul to recycling/re-use facility: Sec. 1 Twn. 15N Rng. 11W Cnty. 11 Order No: 698697 H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: DUNCAN

## **HORIZONTAL HOLE 1**

Sec 15 Twp 8N Rge 4W County MCCLAIN

Spot Location of End Point: S2 SW SE SW Feet From: SOUTH 1/4 Section Line: 165

Feet From: WEST 1/4 Section Line: 1650

Depth of Deviation: 8936 Radius of Turn: 369 Direction: 185

Total Length: 10120

Measured Total Depth: 19636

True Vertical Depth: 9516

End Point Location from Lease,
Unit, or Property Line: 165

Additional Surface Owner Address City, State, Zip

MARY LEFLORE CLEMENTS GRAND 6601 N. HARVEY OKLAHOMA CITY, OK 73116
LOUIS EDWARD LEFLORE TESTAM 2825 NW GRAND BLVD., NO 21 OKLAHOMA CITY, OK 73116

Notes:

Category Description

DEEP SURFACE CASING 11/14/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR

OR SURFACE CASING

HYDRAULIC FRACTURING 11/14/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO 11/14/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 1

- WBM/CUTTINGS WILL BE SOIL FARMED & PIT 2 - CUTTINGS TO BE HAUL TO R360/J SCOTT (587498) IN CANADIAN COUNTY OR HEARTLAND ENV RES (698697) IN BLAINE COUNTY - OBM

**TO VENDOR** 

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PENDING CD - 201905263 11/27/2019 - GC2 - 10-8N-4W

X627628 WDFD 4 WELLS

NO OP. NAMED

REC. 11-15-2019 (MILLER)

PENDING CD - 201905264 11/27/2019 - GC2 - 15-8N-4W

X616337 WDFD 4 WELLS NO OP. NAMED

REC. 11-15-2019 (MILLER)

PENDING CD - 201905267 11/27/2019 - GC2 - (I.O.) 10 & 15-8N-4W

EST MULTIUNIT HORIZONTAL WELL X207975 HNTN 10-8N-4W

X207975 HNTN 10-8N-4W X627628 MSSP, WDFD 10-8N-4W X616337 MSSP, WDFD, HNTN 15-8N-4W

(MSSP, HNTN ASSOCIATED COMMON SOURCE OF SUPPLY TO WDFD) 50% 10-8N-4W

50% 15-8N-4W NO OP. NAMED

REC. 11-15-2019 (MILLER)

PENDING CD - 201905268 11/27/2019 - GC2 - (I.O.) 10 & 15-8N-4W

X207975 HNTN 10-8N-4W X627628 MSSP, WDFD 10-8N-4W X616337 MSSP, WDFD, HNTN 15-8N-4W

X165:10-3-28(C)(2)(B) WDFD MAY BE CLOSER THAN 600' TO LEFLORE 1-10, OLIVER 1-15, LEFLORE 1015 1H, LEFLORE 1015 2H, LEFLORE 1015 3H, LEFLORE 1015 4H, LEFLORE 1015 5H,

LEFLORE 1015 7H, LEFLORE 1015 8H

COMPL. INT. (10-8N-4W) NCT 165' FNL, NCT 0' FSL, NCT 990' FWL COMPL. INT. (15-8N-4W) NCT 0' FNL, NCT 165' FSL, NCT 990' FWL

NO OP. NAMED

REC. 11-15-2019 (MILLER)

SPACING - 207975 11/27/2019 - GC2 - (640) 10 & 15-8N-4W

EXT 188079 HNTN, OTHERS (VAC 15-8N-4W BY 272478)

SPACING - 616337 11/27/2019 - GC2 - (640) 15-8N-4W

VAC 272478 HNTN, OTHERS

EXT 601388/207975 MSSP, WDFD, HNTN, OTHERS

**EST OTHERS** 

SPACING - 627628 11/27/2019 - GC2 - (640) 10-8N-4W

VAC OTHER

EXT 616337 MSSP, WDFD, OTHERS