	OKLAHOMA CORPORA OIL & GAS CONSER P.O. BOX	Approval Date: 11/01/2019				
PI NUMBER: 017 25555	OKLAHOMA CITY,	Expiration Date: 05/01/2021				
rizontal Hole	(Rule 165:	10-3-1)				
	PERMIT TO	DRILL				
	Country CANADIAN					
WELL LOCATION: Sec: 26 Twp: 13N Rge: 7W	County: CANADIAN	WEOT				
	FEET FROM QUARTER: FROM SOUTH FRO SECTION LINES: 360	M WEST 1665				
Lease Name: GREENBACK 1307	Well No: 2MH-35	Well will b	be 360 feet from nearest unit or lease boundary.			
Operator CHAPARRAL ENERGY LLC Name:	Telephone:	4054788770; 4054264	OTC/OCC Number: 16896 0			
CHAPARRAL ENERGY LLC 701 CEDAR LAKE BLVD			RUSTEE OF THE DAVID BROOKS			
	72114 7000	REVOCABLE TRUS	RD			
OKLAHOMA CITY, OK	73114-7800	3850 N. EVANS RD				
		EL RENO	OK 73036			
Name 1 MISSISSIPPI 2	<b>Depth</b> 9088	Name 6 7	Depth			
3 4		8 9				
5		10				
Spacing Orders: No Spacing	Location Exception Orders:	I	ncreased Density Orders:			
Pending CD Numbers:		 S	Special Orders:			
Total Depth: 14100 Ground Elevation: 131	4 Surface Casing: 15	00 Dep	oth to base of Treatable Water-Bearing FM: 270			
	C	eep surface casing has bee	en approved			
Under Federal Jurisdiction: No	Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes					
PIT 1 INFORMATION		Approved Method for disposal of D	illing Fluids:			
Type of Pit System: CLOSED Closed System Means St	eel Pits					
Type of Mud System: WATER BASED	D. One time land application (REQUIRES PERMIT) PERMIT					
Chlorides Max: 5000 Average: 3000		H. SEE MEMO				
Is depth to top of ground water greater than 10ft below bas Within 1 mile of municipal water well? N	e of pit? Y					
Wellhead Protection Area? N						
Pit is not located in a Hydrologically Sensitive Area.						
Category of Pit: C						
Liner not required for Category: C						
Pit Location is NON HSA						

PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

Pit Location is NON HSA Pit Location Formation: CHICKASHA

## HORIZONTAL HOLE 1

Sec 35	Twp	13N	Rge	7W	County	CANADIAN
Spot Location	n of En	d Point	: Se	E SI	E SW	SW
Feet From:	SOL	JTH	1/4 Sec	ction Li	ne:	165
Feet From:	WE:	ST	1/4 Sec	ction Li	ne:	1280
Depth of Deviation: 8700						
Radius of Turn: 573						
Direction: 185						
Total Length: 4500						
Measured Total Depth: 14100						
True Vertical Depth: 9300						
End Point Location from Lease,						
Unit, or Property Line: 165						

Notes: Category	Description
DEEP SURFACE CASING	10/9/2019 - GC2 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
INTENT TO DRILL	11/1/2019 - GC2 - THIS WELL HAS BEEN APPROVED AS A STRATIGRAPHIC TEST WITH THE INTENT TO SET SURFACE CASING ONLY. OPERATOR WILL FILE AN AMENDED FORM 1000 CHANGING THE TYPE OF DRILLING OPERATION AT A LATER DATE.
MEMO	10/9/2019 - GC2 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING	11/1/2019 - GC2 - N/A - STRATIGRAPHIC TEST

