API NUMBER: 073 26722 A OIL & C OKL Aulti Unit Oil & Gas Aunti Unit Oil & Gas WELL LOCATION: Section: 19 Township: 16N Range: 7W SPOT LOCATION: NE SW SE SW FEET FROM QUARTER: FRO SECTION LINES: Lease Name: CAROL FIU 1607 Well Operator Name: OVINTIV MID-CONTINENT INC. Teleph	345 1680 I No: 2H-18X Well will be 345 feet from nearest none: 2812105100; 9188781290; OTC/OCC N	02/02/2021 08/02/2022 unit or lease boundary. Number: 20944 0	
	ROYSE-SMITH, LLC		
4 WATERWAY AVE STE 100	P.O. BOX 204		
THE WOODLANDS, TX 77380-2764	KINGFISHER OK 7375	50	
Name Code Deptil 1 MISSISSIPPIAN 359MSSP 8110 2 MISSISSIPPIAN (LESS CHESTER) 359MSNLC 8120 3 WOODFORD 319WDFD 8600			
Specifica Orderat 040000	Exception Orders: 715411 Increased Density Orde	ers: 715408	
646110 715410		715409	
	ng interest owners' notified: *** Special Orde	ers: No Special	
C C	ce Casing: 1500 Depth to base of Treatable Water-Br	-	
•	•	sing has been approved	
Under Federal Jurisdiction: No	Approved Method for disposal of Drilling Fluids:		
Fresh Water Supply Well Drilled: No	D. One time land application (REQUIRES PERMIT)		
Surface Water used to Drill: Yes	E. Haul to Commercial pit facility Sec. 31 Twn. 12N Rng. 8W (Cnty. 17 Order No: 587498	
	H. (Other) SEE MEMO		
PIT 1 INFORMATION	Category of Pit: C		
Type of Pit System: CLOSED Closed System Means Steel Pits	Liner not required for Category: C		
Type of Mud System: WATER BASED	Pit Location is: NON HSA		
Chlorides Max: 5000 Average: 3000	Pit Location Formation: BISON		
Is depth to top of ground water greater than 10ft below base of pit? Y			
Within 1 mile of municipal water well? N Wellhead Protection Area? N			
Pit is not located in a Hydrologically Sensitive Area.			
PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits	Category of Pit: C Liner not required for Category: C		
Type of Mud System: OIL BASED	Pit Location is: NON HSA		
Chlorides Max: 300000 Average: 200000	Pit Location Formation: BISON		
Is depth to top of ground water greater than 10ft below base of pit? Y			
Within 1 mile of municipal water well? N			
Wellhead Protection Area? N			
Pit <u>is not</u> located in a Hydrologically Sensitive Area.			

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1	
Section: 18 Township: 16N Range: 7W Meridian: IM	Total Length: 10267
County: KINGFISHER	Measured Total Depth: 18518
Spot Location of End Point: NE NE NW NE	True Vertical Depth: 8600
Feet From: NORTH 1/4 Section Line: 85	End Point Location from
Feet From:EAST1/4 Section Line: 1550	Lease,Unit, or Property Line: 85
Additional Surface Owner(s) Address	City, State, Zip
CATHERINE LOUISE WOLFF 104 AMARYLISS	ORANGE, TX 77630
NOTES:	

Category	Description
DEEP SURFACE CASING	[1/21/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[1/21/2021 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY – 715408 (202001733)	[2/1/2021 - GB6] - 18-16N-7W X643998 MSNLC 4 WELLS OVINTIV MID-CONTINENT INC. 11/19/2020
INCREASED DENSITY – 715409 (202001734)	[2/1/2021 - GB6] - 19-16N-7W X646110 MSSP 4 WELLS OVINTIV MID-CONTINENT INC. 11/19/2020
LOCATION EXCEPTION – 715411 (202001736)	[2/1/2021 - GB6] - (I.O.) 18 & 19 -16N-7W X643998 MSNLC, WDFD 18-16N-7W X646110 MSSP, WDFD 19-16N-7W COMPL. INT. (18-16N-7W) NCT 165' FNL, NCT 1500' FEL, NCT 0' FSL COMPL. INT. (19-16N-7W) NCT 0' FNL, NCT 1500' FEL, NCT 165' FSL OVINTIV MID-CONTINENT INC. 11/19/2020
МЕМО	[1/21/2021 - GC2] - CLOSED SYSTEM=STEEL PITS (REQUIRED - DEAD INDIAN CREEK), OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING – 643998	[2/1/2021 - GB6] - (640)(HOR) 18-16N-7W EXT 642257 MSNLC, WDFD COMPL. INT. (MSNLC) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FSL, NLT 165' FNL, NLT 330' FEL, NLT 330' FWL (COEXIST SP. ORDER # 77792/199460 MSSLM)
SPACING – 646110	[2/1/2021 - GB6] - (640)(HOR) 19-16N-7W VAC 41819 MSCST 19-16N-7W VAC OTHER EXT 638049 MSSP, WDFD EST OTHER COMPL. INT. (MSSP, OTHER) NCT 660' FB COMPL. INT. (WDFD) NCT 165' FSL, NCT 165' FNL, NCT 330' FEL, NCT 330' FWL
SPACING – 715410 (202001735)	[2/1/2021 - GB6] - (I.O.) 18 & 19 -16N-7W EST MULTIUNIT HORIZONTAL WELL X643998 MSNLC, WDFD 18-16N-7W X646110 MSSP, WDFD 19-16N-7W (WDFD ADJACENT COMMON SOURCE OF SUPPLY TO MSNLC, MSSP) 50% 18-16N-7W 50% 19-16N-7W OVINTIV MID-CONTINENT, INC. 11/19/2020