API NUMBER: 073 26724 A Multi Unit Oil & Gas Amend reason: OCC CORRECTION TO ADD TARGET FORMATION WELL LOCATION: Section: 19 Township: 16N R SPOT LOCATION: NW SW SE SW FEET FROM OL SECTION Lease Name: CAROL FED 1607 Operator Name: OVINTIV MID-CONTINENT INC.	OIL & GAS CONSEL P.O. BO OKLAHOMA CITY (Rule 16: AMEND PERM range: 7W County: KII	DX 52000 Y, OK 73152-2000 5:10-3-1) MIT TO DRILL NGFISHER FROM WEST 1640 Well w 10; 9188781290;	Approval Date: 02/02/2021 Expiration Date: 08/02/2022 vill be 345 feet from nearest unit or lease boundary. OTC/OCC Number: 20944 0
OVINTIV MID-CONTINENT INC.		ROYSE-SMITH, LLC	
4 WATERWAY AVE STE 100		P.O. BOX 204	
THE WOODLANDS, TX 77380-276	i4	KINGFISHER	ОК 73750
Formation(s) (Permit Valid for Listed Formations Online)   Name Code   1 MISSISSIPPIAN 359MSSP   2 MISSISSIPPIAN (LESS CHESTER) 359MSNLC   3 WOODFORD 319WDFD	Depth 8147 8157 8600		
Spacing Orders: 643998 646110 715414	Location Exception Orders:	715415	Increased Density Orders: 715408 715409
Pending CD Numbers: No Pending	Working interest owners	s' notified: ***	Special Orders: No Special
Total Depth: 18554 Ground Elevation: 1084	Surface Casing: 1	1500	Depth to base of Treatable Water-Bearing FM: 260
			Deep surface casing has been approved
Under Federal Jurisdiction: Yes		Approved Method for disposal of Drilling Fluids:	
Fresh Water Supply Well Drilled: No		D. One time land application (R	EQUIRES PERMIT) PERMIT NO: 21-37504
Surface Water used to Drill: Yes		E. Haul to Commercial pit facility H. (Other)	Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498 SEE MEMO
PIT 1 INFORMATION		Category of Pit: 0	
Type of Pit System: CLOSED Closed System Means Steel	Pits	Liner not required for Category	y: C
Type of Mud System: WATER BASED		Pit Location is: N	
Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of p	it2 V	Pit Location Formation: B	JISON
Within 1 mile of municipal water well? N			
Wellhead Protection Area? N			
Pit <u>is not</u> located in a Hydrologically Sensitive Area.			
PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel	Pits	Category of Pit: C	
Type of Mud System: OIL BASED		Pit Location is: N	
Chlorides Max: 300000 Average: 200000	10 M	Pit Location Formation: B	BISON
Is depth to top of ground water greater than 10ft below base of p	t? Y		
Within 1 mile of municipal water well? N Wellhead Protection Area? N			
Pit <u>is not</u> located in a Hydrologically Sensitive Area.			
Fit IS HOL IOCATED III A HYDROLOGICALLY SENSITIVE AFEA.			

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is 18 MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

MULTI UNIT HOLE 1		
Section: 19 Township: 16N Range: 7W Meridian: IM	Total Length: 10256	
County: KINGFISHER	Measured Total Depth: 18554	
Spot Location of End Point: N2 NW NE NW	True Vertical Depth: 8600	
Feet From: NORTH 1/4 Section Line: 85	End Point Location from	
Feet From:WEST1/4 Section Line:1650	Lease,Unit, or Property Line: 85	
Additional Surface Owner(s) Address	City, State, Zip	
CATHERINE LOUISE WOLFF 104 AMARYLISS	ORANGE, TX 77630	
NOTES:		

Category	Description
DEEP SURFACE CASING	[1/21/2021 - GC2] - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	[1/21/2021 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS. FORM 6000NHF SHALL BE USED AND IS FOUND AT THIS LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY – 715408 (202001733)	[2/2/2021 - GB6] - 18-16N-7W X643998 MSNLC 4 WELLS OVINTIV MID-CONTINENT INC. 11/19/2020
INCREASED DENSITY – 715409 (202001734)	[2/2/2021 - GB6] - 19-16N-7W X646110 MSSP 4 WELLS OVINTIV MID-CONTINENT INC. 11/19/2020
LOCATION EXCEPTION – 715415 (202001740)	[2/2/2021 - GB6] - (I.O.) 18 & 19 -16N-7W X643998 MSNLC, WDFD 18-16N-7W X646110 MSSP, WDFD 19-16N-7W X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO DELLA WOLF UNIT 1 (API# 073-35777) COMPL. INT. (18-16N-7W) NCT 165' FNL, NCT 1600' FWL, NCT 0' FSL COMPL. INT. (19-16N-7W) NCT 0' FNL, NCT 1600' FWL, NCT 165' FSL OVINTIV MID-CONTINENT INC. 11/19/2020
МЕМО	[1/21/2021 - GC2] - CLOSED SYSTEM=STEEL PITS (REQUIRED - DEAD INDIAN CREEK), OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING – 643998	[2/2/2021 - GB6] - (640)(HOR) 18-16N-7W EXT 642257 MSNLC, WDFD COMPL. INT. (MSNLC) NLT 660' FB COMPL. INT. (WDFD) NLT 165' FSL, NLT 165' FNL, NLT 330' FEL, NLT 330' FWL (COEXIST SP. ORDER # 77792/199460 MSSLM)
SPACING – 646110	[2/2/2021 - GB6] - (640)(HOR) 19-16N-7W VAC 41819 MSCST 19-16N-7W VAC OTHER EXT 638049 MSSP, WDFD EST OTHER COMPL. INT. (MSSP, OTHER) NCT 660' FB COMPL. INT. (WDFD) NCT 165' FSL, NCT 165' FNL, NCT 330' FEL, NCT 330' FWL
SPACING – 715414 (202001739)	[2/2/2021 - GB6] - (I.O.) 18 & 19 -16N-7W EST MULTIUNIT HORIZONTAL WELL X643998 MSNLC, WDFD 18-16N-7W X646110 MSSP, WDFD 19-16N-7W (WDFD ADJACENT COMMON SOURCE OF SUPPLY TO MSNLC, MSSP) 50% 18-16N-7W 50% 19-16N-7W OVINTIV MID-CONTINENT, INC. 11/19/2020