API NUMBER: 045 23895

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 03/27/2023

Expiration Date: 09/27/2024

Multi Unit Oil & Gas

## **PERMIT TO DRILL**

WELL LOCATION:	Section: 04	Taumahin	. 10N	Danser 24V	/ Carratur	FLLIC						
		Township	1	Range: 24V								
SPOT LOCATION:	S2 S2 S2	SW		I QUARTER: FR			VEST					
			SEC	TION LINES:	50	1	320					
Lease Name:	DAVIS 9/16 DM			Well	No: 2H			Well will be	e 50	feet from	nearest unit or le	ase boundary.
Operator Name:	MEWBOURNE OIL CO	OMPANY		Teleph	one: 9035612	2900				ОТС	C/OCC Number:	6722 0
MEWBOURNE OIL COMPANY						DAV	S AND DA	UGHTERS I	NVEST	MENTS,	LLC	
						131 (	COURTYAI	RD LANE				
TYLER,		TX	75701-8	644		Пнон	ENWALD			TN	38462	
											00.02	
Formation(s)	(Pormit Valid for	Listed Fo	rmations (	nhu):								
Formation(s)	(Permit Valid for					7						
Name		Code		Dept	1							
1 CHEROKEE 2 CHEROKEE			CHRK	9900 9900								
	600335			Location F	xception Orde	rs: 732590			Inc	creased Der	nsity Orders: 73	2553
-	475998			Location	Aception Orde	132390	'			orcasca Der		2607
	732589											
Pending CD Number	ers: No Pendin	a a		Workir	g interest own	ers' notified:	***			Spe	ecial Orders: No	Special
		_										
Total Depth: 2	20027 Ground	l Elevation:	2323	Surfa	ce Casing			Dept	h to base	of Treatable	Water-Bearing FM	1: 620
Total Depth: 2	20027 Ground	l Elevation:	2323	Surfa	ce Casing			Dept			Water-Bearing FM	
			2323	Surfa	ce Casing	1999			D	eep surfa	Water-Bearing FM	
Under	Federal Jurisdiction: N	0	2323	Surfa	ce Casing	1999 Approv		r disposal of Dr	illing Flui	eep surfa	ace casing has	s been approv
Under Fresh Water		0	2323	Surfa	ce Casing	Approv	time land appl		illing Flui	Deep surfa	ace casing has	
Under Fresh Water	Federal Jurisdiction: N	0	2323	Surfa	ce Casing	1999 Approv	time land appl	r disposal of Dr	illing Flui	Deep surfa	ace casing has	s been approv
Under Fresh Water	Federal Jurisdiction: N r Supply Well Drilled: N e Water used to Drill: N	0	2323	Surfa	ce Casing	Approv	time land applier)	r disposal of Dr	illing Flui	Deep surfa	ace casing has	s been approv
Under Fresh Water Surface	Federal Jurisdiction: N r Supply Well Drilled: N e Water used to Drill: N	0 0 0			ce Casing	Approx D. One H. (Oth	time land applier)  Categor	r disposal of Dr	illing Flui	Deep surfa	ace casing has	s been approv
Under Fresh Water Surface  PIT 1 INFORI Type of M	Federal Jurisdiction: N r Supply Well Drilled: N e Water used to Drill: N  MATION Pit System: CLOSED ud System: WATER BA	o o o Closed Syste			ce Casing	Approx D. One H. (Oth	categor oot required fo	r disposal of Dr cation (REQU y of Pit: C or Category: C tion is: AP/TE	Cilling Flui	Deep surfa	ace casing has	s been approv
Under Fresh Water Surface  PIT 1 INFORI Type of M Chlorides Max: 80	Federal Jurisdiction: N r Supply Well Drilled: N e Water used to Drill: N  MATION Pit System: CLOSED ud System: WATER B#	o o Closed Syste	em Means Ste	eel Pits	ce Casing	Approx D. One H. (Oth	categor oot required fo	r disposal of Dr cation (REQU y of Pit: C or Category: C	Cilling Flui	Deep surfa	ace casing has	s been approv
Under Fresh Water Surface  PIT 1 INFORI Type of II Type of Mi Chlorides Max: 80 Is depth to	Federal Jurisdiction: N r Supply Well Drilled: N e Water used to Drill: N  MATION Pit System: CLOSED ud System: WATER BA 000 Average: 5000 top of ground water great	o o Closed Syste ASED	em Means Ste	eel Pits	ce Casing	Approx D. One H. (Oth	categor oot required fo	r disposal of Dr cation (REQU y of Pit: C or Category: C tion is: AP/TE	Cilling Flui	Deep surfa	ace casing has	s been approv
Under Fresh Water Surface  PIT 1 INFORI Type of II Type of Mi Chlorides Max: 80 Is depth to	Federal Jurisdiction: N r Supply Well Drilled: N e Water used to Drill: N  MATION Pit System: CLOSED ud System: WATER BA 2000 Average: 5000 top of ground water great mile of municipal water w	o o Closed Syste ASED atter than 10ft	em Means Ste	eel Pits	ce Casing	Approx D. One H. (Oth	categor oot required fo	r disposal of Dr cation (REQU y of Pit: C or Category: C tion is: AP/TE	Cilling Flui	Deep surfa	ace casing has	s been approv
Under Fresh Water Surface  PIT 1 INFORI Type of M Type of M Chlorides Max: 80 Is depth to Within 1 r	Federal Jurisdiction: N r Supply Well Drilled: N e Water used to Drill: N  MATION Pit System: CLOSED ud System: WATER BA 000 Average: 5000 top of ground water great	Closed System SED ster than 10ft ell? Neea? N	em Means Ste below base o	eel Pits	ce Casing	Approx D. One H. (Oth	categor oot required fo	r disposal of Dr cation (REQU y of Pit: C or Category: C tion is: AP/TE	Cilling Flui	Deep surfa	ace casing has	s been approv
Under Fresh Water Surface  PIT 1 INFORI Type of M Type of M Chlorides Max: 80 Is depth to Within 1 r	Federal Jurisdiction: N r Supply Well Drilled: N e Water used to Drill: N  MATION Pit System: CLOSED ud System: WATER BA DOO Average: 5000 top of ground water great mile of municipal water w Wellhead Protection Ar ocated in a Hydrologically	Closed System SED ster than 10ft ell? Neea? N	em Means Ste below base o	eel Pits	ce Casing	Approx D. One H. (Oth	categor Categor not required for Pit Loca	r disposal of Dr cation (REQU y of Pit: C or Category: C tion is: AP/TE mation: TERR	Cilling Flui	Deep surfa	ace casing has	s been approv
Under Fresh Water Surface  PIT 1 INFORI Type of M Type of M Chlorides Max: 80 Is depth to Within 1 r  Pit is Ic	Federal Jurisdiction: N r Supply Well Drilled: N e Water used to Drill: N  MATION Pit System: CLOSED ud System: WATER BA 000 Average: 5000 top of ground water grea mile of municipal water w Wellhead Protection Ar ocated in a Hydrologically	Closed System ASED  tter than 10ft ell? Nea? Nea? Near Sensitive A	em Means Ste below base o	eel Pits	ce Casing	Approv D. One H. (Oth	Categor Location Fore	r disposal of Dr cation (REQU y of Pit: C or Category: C tion is: AP/TE mation: TERR	Cilling Flui	Deep surfa	ace casing has	s been approv
Under Fresh Water Surface  PIT 1 INFORI Type of M Type of M Chlorides Max: 80 Is depth to Within 1 r  Pit is lo	Federal Jurisdiction: N r Supply Well Drilled: N e Water used to Drill: N  MATION Pit System: CLOSED ud System: WATER BA DOO Average: 5000 top of ground water great mile of municipal water w Wellhead Protection Ar ocated in a Hydrologically	Closed System ASED  tter than 10ft ell? Nea? Nea? Near Sensitive A	em Means Ste below base o	eel Pits	ce Casing	Approv D. One H. (Oth	Categor Pit Loca Location For	r disposal of Dr cation (REQU y of Pit: C or Category: C tion is: AP/TE mation: TERR	Cilling Flui IIRES PEF SEE MI SEE MI E DEPOSI	Deep surfa	ace casing has	s been approv
Under Fresh Water Surface  PIT 1 INFORI Type of II  Type of M Chlorides Max: 80 Is depth to Within 1 r  Pit is Ic  PIT 2 INFORI Type of II  Type of II	Federal Jurisdiction: N r Supply Well Drilled: N e Water used to Drill: N  MATION Pit System: CLOSED ud System: WATER BA 000 Average: 5000 top of ground water grea mile of municipal water w Wellhead Protection Ar ocated in a Hydrologically  MATION Pit System: CLOSED	Closed System ASED  tter than 10ft ell? Nea? Nea? Near Sensitive A	em Means Ste below base o	eel Pits	ce Casing	Approv D. One H. (Oth	Categor  Categor  Pit Loca  Location Foru	r disposal of Dr cation (REQU y of Pit: C or Category: C tion is: AP/TE mation: TERR	DEPOSI	Deep surfa	ace casing has	s been approv
Under Fresh Water Surface  PIT 1 INFORI Type of M Type of M Chlorides Max: 80 Is depth to Within 1 r  Pit is lo  PIT 2 INFORI Type of M Chlorides Max: 30 Chlorides Max: 30	Federal Jurisdiction: N r Supply Well Drilled: N e Water used to Drill: N  MATION Pit System: CLOSED ud System: WATER BA 000 Average: 5000 top of ground water great mile of municipal water w Wellhead Protection Ar ocated in a Hydrologically  MATION Pit System: CLOSED ud System: OIL BASED	Closed System ASED  Inter than 10ft rell? Notea? Note as a Sensitive ASED  Closed System Closed System Control of the control	em Means Sto below base o rea. em Means Sto	eel Pits of pit? Y seel Pits	ce Casing	Approv D. One H. (Oth	Categor  Categor  Pit Loca  Location Foru	r disposal of Dr cation (REQU y of Pit: C or Category: C tion is: AP/TE mation: TERR	DEPOSI	Deep surfa	ace casing has	s been approv
Under Fresh Water Surface  PIT 1 INFORI Type of M Type of M Chlorides Max: 80 Is depth to Within 1 r  Pit is Ic  PIT 2 INFORI Type of M Chlorides Max: 30 Is depth to	Federal Jurisdiction: N r Supply Well Drilled: N e Water used to Drill: N  MATION Pit System: CLOSED ud System: WATER BA 000 Average: 5000 top of ground water great mile of municipal water w Wellhead Protection Ar ocated in a Hydrologically  MATION Pit System: CLOSED ud System: OIL BASED 00000 Average: 200000	Closed System SED  tter than 10ft ell? N ea? N v Sensitive A  Closed System	em Means Sto below base o rea. em Means Sto	eel Pits of pit? Y seel Pits	ce Casing	Approv D. One H. (Oth	Categor  Categor  Pit Loca  Location Foru	r disposal of Dr cation (REQU y of Pit: C or Category: C tion is: AP/TE mation: TERR	DEPOSI	Deep surfa	ace casing has	s been approv
Under Fresh Water Surface  PIT 1 INFORI Type of M Type of M Chlorides Max: 80 Is depth to Within 1 r  Pit is Ic  PIT 2 INFORI Type of M Chlorides Max: 30 Is depth to	Federal Jurisdiction: N r Supply Well Drilled: N e Water used to Drill: N  MATION Pit System: CLOSED ud System: WATER BA  2000 Average: 5000 top of ground water grea mile of municipal water w Wellhead Protection Ar  20cated in a Hydrologically  MATION Pit System: CLOSED ud System: OIL BASED 200000 Average: 200000 top of ground water grea	Closed System See Note than 10ft Sensitive A	em Means Sto below base o rea. em Means Sto	eel Pits of pit? Y seel Pits	ce Casing	Approv D. One H. (Oth	Categor  Categor  Pit Loca  Location Foru	r disposal of Dr cation (REQU y of Pit: C or Category: C tion is: AP/TE mation: TERR	DEPOSI	Deep surfa	ace casing has	s been approv

MULTI UNIT HOLE 1

Section: 16 Township: 18N Range: 24W Meridian: IM Total Length: 10346

County: ELLIS Measured Total Depth: 20027

Spot Location of End Point: C S2 S2 SW True Vertical Depth: 10050

Feet From: SOUTH

1/4 Section Line: 330

End Point Location from
Lease,Unit, or Property Line: 330

NOTES:

NOTES:	
Category	Description
DEEP SURFACE CASING	[3/24/2023 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[3/24/2023 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 732553	[3/27/2023 - GB7] - 16-18N-24W X475998 CHRGP 1 WELL MEWBOURNE OIL COMPLANY 03/03/2023
INCREASED DENSITY - 732607	[3/27/2023 - GB7] - 9-18N-24W X600335 CHRK 1 WELL MEWBOURNE OIL COMPLANY 03/03/2023
LOCATION EXCEPTION - 732590 (CD2023-000375)	[3/27/2023 - GB7] - (I.O.) 9 & 16-18N-24W EST MULTIUNIT HORIZONTAL WELL X600335 CHRK 9-18N-24W X475998 CHRGP 16-18N-24W COMPL INT NCT 330' FNL, NCT 0' FSL, NCT 660' FWL (9-18N-24W) COMPL INT NCT 0' FNL, NCT 330' FSL, NCT 660' FWL (16-18N-24W) MEWBOURNE OIL COMPLANY 03/06/2023
MEMO	[3/24/2023 - GC2] - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 475998	[3/27/2023 - GB7] - (640) 16-18N-24W VAC OTHERS EXT 203575 CHRGP, OTHERS
SPACING - 600335	[3/27/2023 - GB7] - (640)(HOR) 9-18N-24W EXT 593851 CHRK, OTHERS COMPL INT NCT 660' FB (EXIST CONCURRENTLY WITH NON-HORIZONTAL SPACING AND SUPERCEDE EXISTING NON-DEVELOPED NON-HORIZONTAL SPACING)
SPACING - 732589 (CD2023-000374)	[3/27/2023 - GB7] - (I.O.) 9 & 16-18N-24W EST MULTIUNIT HORIZONTAL WELL X600335 CHRK 9-18N-24W X475998 CHRGP 16-18N-24W 50% 9-18N-24W 50% 16-18N-24W MEWBOURNE OIL COMPLANY 03/06/2023