API NUMBER: 017 25366 A	OKLAHOMA CORPORA OIL & GAS CONSERV P.O. BOX 5 OKLAHOMA CITY, (	ATION DIVISION 52000	Approval Date: 01/15/2019 Expiration Date: 07/15/2020	
Horizontal Hole Oil & Gas	(Rule 165:1			
Multi Unit				
mend reason: UPDATED BHL TO REFLECT 2.5 MILE; UPDATED AME AND ADDED ADDITIONAL CD APPLICATIONS	AMEND PERMIT	T TO DRILL		
WELL LOCATION: Sec: 22 Twp: 11N Rge: 7W	County: CANADIAN			
		WEST		
SECTION LINES		1270		
Lease Name: RED BULLET 22-27-34-11-7	Well No: 2MXH		I will be 350 feet from nearest unit or lease boundary.	
Operator ROAN RESOURCES LLC Name:	Telephone:	4058968453	OTC/OCC Number: 24127 0	
ROAN RESOURCES LLC				
14701 HERTZ QUAIL SPRINGS PKWY		SCHIEBER FAI	MILY FARMS LLC	
		5225 S HWY 87	1	
OKLAHOMA CITY, OK 73134-26	541	UNION CITY	OK 73090	
	epth	Name	Depth	
	0251	6		
2 3		7 8		
4		9		
5		10		
Spacing Orders: 662710 Loc 660387	cation Exception Orders:		Increased Density Orders:	
Pending CD Numbers: 201900931			Special Orders:	
201900930				
201900927				
201900928				
201900929				
Total Depth: 23451 Ground Elevation: 1352	Surface Casing: 150	0	Depth to base of Treatable Water-Bearing FM: 380	
Under Federal Jurisdiction: No	Fresh Water Supply Well Dril	led: No	Surface Water used to Drill: No	
PIT 1 INFORMATION		Approved Method for disposa	al of Drilling Fluids:	
Type of Pit System: ON SITE Type of Mud System: WATER BASED		<ul><li>A. Evaporation/dewater and</li><li>B. Solidification of pit content</li></ul>		
Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit?	Y	D. One time land application H. SEE MEMO	(REQUIRES PERMIT) PERMIT NO: 18-35899	
Within 1 mile of municipal water well? N				
Wellhead Protection Area? N Pit <b>is not</b> located in a Hydrologically Sensitive Area.				
Category of Pit: 2				
Liner not required for Category: 2				
Pit Location is NON HSA				
Pit Location Formation: DOG CREEK				

PIT 2 INFORMATION Type of Pit System: ON SITE Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: 3 Liner required for Category: 3

Pit Location is NON HSA Pit Location Formation: DOG CREEK

## HORIZONTAL HOLE 1

Sec	34	Twp	11N	Rge	7W	/ С	ounty	CANADIAN	
Spot	Locatior	n of En	d Poin	t: NE	Ξ	NW	NW	SW	
Feet	From:	SOL	JTH	1/4 Sec	ction	Line:	23	800	
Feet	From:	WE	ST	1/4 Se	ction	Line:	65	50	
Depth of Deviation: 9351									
Radius of Turn: 573									
Direction: 182									
Total Length: 13200									
Measured Total Depth: 23451									
True Vertical Depth: 10251									
End Point Location from Lease,									
Unit, or Property Line: 650									

Notes:	
Category	Description
DEEP SURFACE CASING	3/7/2019 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	3/7/2019 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
MEMO	3/7/2019 - G71 - PITS 1 & 2 - CONCRETE LINED PIT PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 201900927	3/6/2019 - G56 - 22-11N-7W X662710 MSSP, OTHER 3 WELLS; 1 MSSP, 2 OTHER NO OP NAMED REC 3/4/2019 (THOMAS)

017 25366 RED BULLET 22-27-34-11-7 2MXH

Category	Description
PENDING CD - 201900928	3/6/2019 - G56 - 27-11N-7W X662710 MSSP, OTHER 3 WELLS; 1 MSSP, 2 OTHER NO OP NAMED REC 3/4/2019 (THOMAS)
PENDING CD - 201900929	3/6/2019 - G56 - 34-11N-7W X660387 MSSP, OTHER 3 WELLS; 1 MSSP, 2 OTHER NO OP NAMED REC 3/4/2019 (THOMAS)
PENDING CD - 201900930	3/6/2019 - G56 - (E.O.) 22, 27 & 34-11N-7W ESTABLISH MULTIUNIT HORIZONTAL WELL X662710 MSSP 22 & 27-11N-7W X660387 MSSP 34-11N-7W 40% 22-11N-7W 40% 27-11N-7W 20% 34-11N-7W ROAN RESOURCES, LLC REC 3/4/2019 (THOMAS)
PENDING CD - 201900931	3/6/2019 - G56 - (E.O.) 22, 27 & 34-11N-7W X662710 MSSP 22 & 27-11N-7W X660387 MSSP 34-11N-7W X165:10-3-28(C)(2)(B) MSSP MAY BE CLOSER THAN 600' TO EXISTING AND/OR PROPOSED WELLS COMPL INT (22-11N-7W) NCT 150' FNL, NCT 0' FSL, NCT 330' FWL COMPL INT (27-11N-7W) NCT 0' FNL, NCT 0' FSL, NCT 330' FWL COMPL INT (34-11N-7W) NCT 0' FNL, NCT 2640' FSL, NCT 330' FWL*** ROAN RESOURCES LLC REC 3/4/2019 (THOMAS) ****LAST PERF WILL BE 2350' FSL PER SURVEY PLAT, WHICH IS STILL LEGAL PER SP # 660387; WILL BE CORRECTED AT FINAL HEARING LOCATION EXCEPTION PER ATTORNEY FOR
SPACING - 660387	OPERATOR 3/6/2019 - G56 - (640)(HOR) 34-11N-7W EST MSSP, OTHER POE TO BHL NCT 660' FB (COEXIST SP. ORDER # 216784 CSTR, MSSLM 34-11N-7W)
SPACING - 662710	3/7/2019 - G56 - (640)(HOR) 22 & 27-11N-7W EST MSSP, OTHER POE TO BHL NCT 660' FB

