API NUMBER: 073 26498

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 03/18/2019
Expiration Date: 09/18/2020

PERMIT TO DRILL

WELL LOCATION: Sec: 33 Twp: 19N Rge: 7W County: KINGFISHER

SPOT LOCATION: NE NW NE NW FEET FROM QUARTER: FROM NORTH FROM WEST SECTION LINES:

SECTION LINES: 230 1862

Lease Name: HENNESSEY UNIT 1907 Well No: 6LOH-33 Well will be 215 feet from nearest unit or lease boundary.

Operator CHAPARRAL ENERGY LLC Telephone: 4054788770; 4054264 OTC/OCC Number: 16896 0

CHAPARRAL ENERGY LLC 701 CEDAR LAKE BLVD

OKLAHOMA CITY. OK 73114-7800

BUTLER FAMILY TRUST 6198 N. 2840 ROAD

HENNESSEY OK 73742

Formation(s) (Permit Valid for Listed Formations Only):

Spacing Orders: 61811 Location Exception Orders: Increased Density Orders:

Pending CD Numbers: Special Orders:

Total Depth: 13380 Ground Elevation: 1150 **Surface Casing: 490** Depth to base of Treatable Water-Bearing FM: 240

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 19-36225

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

HORIZONTAL HOLE 1

Sec 33 Twp 19N Rge 7W County KINGFISHER

Spot Location of End Point: SW SW SE SW

Feet From: SOUTH 1/4 Section Line: 1
Feet From: WEST 1/4 Section Line: 1535

Depth of Deviation: 7175 Radius of Turn: 692 Direction: 185

Total Length: 5118

Measured Total Depth: 13380

True Vertical Depth: 7775

End Point Location from Lease,
Unit, or Property Line: 0

Notes:

MEMO

Category Description

HYDRAULIC FRACTURING 2/5/2019 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

2/5/2019 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

SPACING - 61811 3/14/2019 - GB1 - (UNIT) E2 & E2 W2 33-19N-7W

EST HENNESSEY UNIT FOR MSSSD, OTHERS

API 073-26498


EXHIBIT: ___A SHEET: <u>11x17</u>

HENNESSEY UNIT 1907 6LOH-33

Section 33 Township 19N Range 7W I.M. KINGFISHER ____State Oklahoma County

Operator <u>Chaparral Energy</u>

WELL LOCATION PLAT



Please note that this location was staked on the ground under the supervision of a Licensed Professional Land Surveyor, but the accuracy of this survey is not guaranteed. Please contact Pan-Op promptly if any inconsistency is determined. GPS data is observed from RTK-GPS. NOTE: X and Y data shown hereon for Section Corners may NOT have been surveyed on-the-ground, and further, does NOT represent a true Boundary Survey. Quarter Section distances may be assumed from a Government Survey Plat or assumed at a proportionate distance from opposing section corners, or occupation thereof, and may not have been measured on-the-ground, and further, does not represent a true Boundary Survey.

DATE STAKED: 1/28/2019



3/15/19



n-Op Survey & Consulting, LLC 11900 N MacArthur Blvd. Suite C2 Oklahoma City, OK 73162 CA# 8166

CERTIFICATE:

I, Cory D. Culpepper an Oklahoma Licensed Land Surveyor and an authorized agent of Pan-Op, LLC, do hereby certify to the

No.1980