API NUMBER: 087 22394

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 10/11/2022
Expiration Date: 04/11/2024

Multi Unit Oil & Gas

PERMIT TO DRILL

WELL LOCATION:	Castiani		Taumahin	ON D	4\\\	Carratur	MCCL AIN								
			Township:		ange: 4W	County: 1	VICCLAIN								
SPOT LOCATION:	SE NE	SE	SW	FEET FROM QU	ARTER: FROM	SOUTH	FROM	VEST							
				SECTION	LINES:	860	2	388							
Lease Name:	MEDICINE AR	ROWS			Well No	: 0804 26-3	35-2-2WXH		Well will be	860	feet from	nearest unit	or lease	boundary.	
Operator Name:	NATIVE EXPL	ORATION	OPERATI	ING LLC	Telephone	e: 40592236	316				ОТС	C/OCC Num	ber:	24070 0	
NATIVE EXPLORATION OPERATING LLC						BILLY P. ADKINS REVOCABLE TRUST DATED MAY 26,1994, E. YVONNE ADKINS REVOCABLE TRUST DATED MAY 26,199									
123 NW 8TH ST						1455	1455 BILLY P. DRIVE								
OKLAHOMA CITY, OK 73102-5804										OK	70400				
							NOR	MAN			OK	73102			
							, L								
Formation(s)	(Permit Va	lid for Li	sted For	mations Onl	v)·										
. ,	(i ciliii va	10101			-										
Name			Code		Depth										
1 WOODFOR			319W	/DFD	9610										
Spacing Orders:	663165				Location Exce	eption Orders	s: 72669	,		Inc	reased Der	nsity Orders:	726029	9	
	689803 672572												72562	5	
	726933												725562	2	
Pending CD Numb	pers: No Pe	ending		•	Working ir	nterest owne	rs' notified:	***			Spe	ecial Orders:	No S	Special	
							1500		Donth t	o basa a	f Troatable	Water-Bearin	og EM: 2	280	
Total Depth:	20440	Giodila E	ievalion.	1170	Surrace	Casing.	1300		Бериги						
										D	eep surf	ace casing	has be	een approved	
Under Federal Jurisdiction: No						Approved Method for disposal of Drilling Fluids:									
Fresh Water Supply Well Drilled: No							D. One	time land applicat	ion (REQUIR	ES PER	MIT)	PER	MIT NO:	22-38622	
Surface Water used to Drill: Yes							H. (Oth	er)		SEE ME	МО				
DIT 4 INFOR	MATION							Catamanu	f Ditt. C						
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits							Category of Pit: C Liner not required for Category: C								
Type of Mud System: WATER BASED							Lilloi		nis: BED AC	UIFER					
Chlorides Max: 5000 Average: 3000						Pit Location Formation: DUNCAN									
Is depth to	top of ground wa	ater greate	r than 10ft	below base of pi	t? Y										
Within 1	mile of municipal	water well	l? N												
Wellhead Protection Area? N															
Pit <u>is</u> I	located in a Hydro	ologically S	Sensitive Ar	ea.											
PIT 2 INFOR	MATION							Category o	f Pit: C						
Type of Pit System: CLOSED Closed System Means Steel Pits							Liner	Liner not required for Category: C							
Type of Mud System: OIL BASED								Pit Location is: BED AQUIFER							
Chlorides Max: 300000 Average: 200000							Pi	Location Forma	tion: DUNCA	N					
Is depth to top of ground water greater than 10ft below base of pit? Y															
Within 1	Within 1 mile of municipal water well? N														
	Wellhead Protection Area? N Pit <u>is</u> located in a Hydrologically Sensitive Area.														

MULTI UNIT HOLE 1

Section: 2 Township: 7N Range: 4W Meridian: IM Total Length: 10586

County: MCCLAIN Measured Total Depth: 20440

Spot Location of End Point: SE SW SE SW True Vertical Depth: 9610

Feet From: SOUTH 1/4 Section Line: 100 End Point Location from
Feet From: WEST 1/4 Section Line: 1700 Lease, Unit, or Property Line: 100

NOTES:

Category	Description
DEEP SURFACE CASING	[10/11/2022 - GC2] - APPROVED; (1) NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING. (2) SUBSEQUENT WELLS ON SAME PAD WILL NOT BE ALLOWED DEEP SURFACE CASING IN THE EVENT OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING.
HYDRAULIC FRACTURING	[10/11/2022 - GC2] - OCC 165:10-3-10 REQUIRES:
	1) NOTICE SHALL BE GIVEN AT LEAST 5 BUSINESS DAYS PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS ON A HORIZONTAL WELL TO OPERATORS PRODUCING WELLS WITHIN 1 MILE OF THE COMPLETION INTERVAL OF THE SUBJECT WELL. THE NOTICE TO SUCH OPERATORS SHALL CONTAIN THE INFORMATION IN FORM 6000NOO. IF THE HYDRAULIC FRACTURING OPERATIONS SCHEDULE CHANGES AFTER NOTICE HAS BEEN PROVIDED, RESULTING IN A DELAY OF OPERATIONS OF MORE THAN 5 DAYS FROM THE INITIAL NOTICE, NEW NOTICE IS REQUIRED TO BE GIVEN;
	2) NOTICE WILL BE GIVEN TO THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS. FORM 6000NHF SHALL BE FOUND HERE: HTTPS://OKLAHOMA.GOV/OCC/DIVISIONS/OIL-GAS/OGCD-FORMS; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS IS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION OF HYDRAULIC FRACTURING OPERATIONS, FOUND AT FRACFOCUS.ORG
INCREASED DENSITY - 725562	[10/11/2022 - G56] - 2-7N-4W X672572 WDFD 4 WELLS NATIVE EXPLOR OP, LLC 5/16/2022
INCREASED DENSITY - 725625	[10/11/2022 - G56] - 35-8N-4W X689803 WDFD 2 WELLS NATIVE EXPLOR OP, LLC 5/18/2022
INCREASED DENSITY - 726029	[10/11/2022 - G56] - 26-8N-4W X663165 WDFD 3 WELLS NATIVE EXPLOR OP, LLC 6/8/2022
LOCATION EXCEPTION - 726697	[10/11/2022 - G56] - (I.O.) 26 & 35-8N-4W, 2-7N-4W X689803 WDFD 35-8N-4W X672572 WDFD 2-7N-4W X663165 WDFD 26-8N-4W COMPL INT (26-8N-4W) NCT 660' FSL, NCT 0' FSL, NCT 660' FWL*** COMPL INT (35-8N-4W) NCT 0' FNL, NCT 0' FSL, NCT 660' FWL COMPL INT (2-7N-4W) NCT 0' FNL, NCT 165' FSL, NCT 660' FWL NATIVE EXPLOR OP, LLC 7/7/2022 *** S/B NFT 660' FSL, NCT 0' FSL, NCT 660' FWL
мемо	[10/11/2022 - GC2] - CLOSED SYSTEM=STEEL PITS (REQUIRED - BRIDGE CREEK), OBM
SPACING - 663165	RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT [10/11/2022 - G56] - (640) 26-8N-4W VAC OTHER EST WDFD, OTHERS
SPACING - 672572	[10/11/2022 - G56] - (640)(HOR) 2-7N-4W EST WDFD, OTHER COMPL INT NCT 165' FNL/FSL, NCT 330' FEL/FWL
SPACING - 689803	[10/11/2022 - G56] - (640)(HOR) 35-8N-4W EXT 665488 WDFD, OTHER COMPL INT NLT 165' FNL/FSL, NLT 330' FEL/FWL
SPACING - 726933	[10/11/2022 - G56] - (I.O.) 26 & 35-8N-4W, 2-7N-4W ESTABLISH MULTIUNIT HORIZONTAL WELL X689803 WDFD 35-8N-4W X672572 WDFD 2-7N-4W X663165 WDFD 26-8N-4W 6% 26-8N-4W 46%% 2-7N-4W 48% 35-8N-4W NATIVE EXPLOR OP, LLC 7/15/2022